

Notations :

- Options shown in green color and with ✓ icon are correct.
- Options shown in red color and with ✖ icon are incorrect.

Question Paper Name:	GarmentTech 15032020 S2
Subject Name:	Garment Technology
Creation Date:	2020-03-15 18:47:34
Duration:	150
Total Marks:	300
Display Marks:	Yes
Share Answer Key With Delivery Engine:	No
Actual Answer Key:	Yes
Calculator:	Scientific
Magnifying Glass Required?:	No
Ruler Required?:	No
Eraser Required?:	No
Scratch Pad Required?:	No
Rough Sketch/Notepad Required?:	No
Protractor Required?:	No
Show Watermark on Console?:	Yes
Highlighter:	No
Auto Save on Console?:	No

Question Shuffling Allowed : Yes

Question Number : 1 Question Id : 2310982851 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The treatment of cellulosic fibres with strong alkaline solution is known as:

Options :

1. ✖ desizing

2. ✖ scouring

3. ✓ mercerisation

4. ✖ carbonisation

Question Number : 2 Question Id : 2310982852 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following dyes has no direct affinity for cotton?

Options :

1. ✔ Basic

2. ✖ Reactive

3. ✖ Azoic

4. ✖ Vat

Question Number : 3 Question Id : 2310982853 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

In degumming of silk, which of the following is removed from raw silk?

Options :

1. ✔ Sericin

2. ✖ Fibrein

3. ✖ Amylase

4. ✖ Cellulase

Question Number : 4 Question Id : 2310982854 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following is NOT a style of printing?

Options :

1. ✖ Direct printing
2. ✖ Resist printing
3. ✖ Discharge printing
4. ✔ Transfer printing

Question Number : 5 Question Id : 2310982855 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following is a delustering agent?

Options :

1. ✖ NaOH
2. ✖ Na_2CO_3
3. ✖ MnO
4. ✔ TiO_2

Question Number : 6 Question Id : 2310982856 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Knitted fabrics are commonly dyed in:

Options :

1. ✖ stenters
2. ✖ jiggers

3. ✓ winches

4. ✗ kiers

Question Number : 7 Question Id : 2310982857 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

What would be active oxygen percentage in 100% H_2O_2 ?

Options :

1. ✗ 34.05

2. ✗ 3.40

3. ✓ 47.05

4. ✗ 4.705

Question Number : 8 Question Id : 2310982858 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

A 100 kg lot of fabric is to be dyed. Shade = 2% expression is 100%. The specific density of liquor is 1. The dye bath concentration would be _____ in G/l

Options :

1. ✗ 10

2. ✓ 20

3. ✗ 30

4. ✗ 40

Question Number : 9 Question Id : 2310982859 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The role of magnesium chloride in urea formaldehyde finishing of cotton fabric is:

Options :

1. ✖ fining agent
2. ✖ exhausting agent
3. ✔ catalyst
4. ✖ levelling agent

Question Number : 10 Question Id : 2310982860 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The process in which the dye molecules in the dye bath move towards the fibre is called:

Options :

1. ✔ adsorption
2. ✖ absorption
3. ✖ penetration
4. ✖ fixation

Question Number : 11 Question Id : 2310982861 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The bod in a textile processing industry is greatly reduced at:

Options :

1. ✖ primary treatment
2. ✔ secondary treatment

3. ✖ tertiary treatment

4. ✖ preliminary screening

Question Number : 12 Question Id : 2310982862 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The most commonly used discharging agent is:

Options :

1. ✔ formaldehyde sulphoxalates

2. ✖ sodium dichromate

3. ✖ potassium dichromate

4. ✖ glycerine

Question Number : 13 Question Id : 2310982863 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Triazinyl type reactive dye reacts with cellulose by:

Options :

1. ✖ ring opening reaction

2. ✔ nucleophilic substitution reaction

3. ✖ nucleophilic addition reaction

4. ✖ salt linkage reaction

Question Number : 14 Question Id : 2310982864 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

A textile chemist is trying to identify dye powder, he makes a solution by adding SnCl_2 and HCl . Boiling fumes of this solution comes in contact with filter paper moistened with lead acetate and brown stains come on the filter paper. Which dye powder is this?

Options :

1. ✖ Direct dye
2. ✔ Sulphur dye
3. ✖ Azoic dye
4. ✖ Reactive dye

Question Number : 15 Question Id : 2310982865 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Tertiary treatment of textile effluent is:

Options :

1. ✔ RO process
2. ✖ microbial treatment
3. ✖ coagulation
4. ✖ flocculation

Question Number : 16 Question Id : 2310982866 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The enzyme that can be used to remove residual peroxide after bleaching is called:

Options :

1. ✖ cellulose

2. ✖ amylase

3. ✔ catalase

4. ✖ pectinase

Question Number : 17 Question Id : 2310982867 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following processes makes the fabric to reach its optimum shrinkage level?

Options :

1. ✖ Calendering

2. ✖ Crease resistance

3. ✔ Sanforising

4. ✖ Crabbing

Question Number : 18 Question Id : 2310982868 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following makes a blue coloured complex with iodine?

Options :

1. ✔ Starch

2. ✖ Wax

3. ✖ Sericin

4. ✖ Fibroin

Question Number : 19 Question Id : 2310982869 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Resist salt is the commercial name of:

Options :

1. ✖ ortho-phenyl phenol

2. ✔ sodium formaldehyde sulfoxylate

3. ✖ sodium acetate

4. ✖ calcium carbonate

Question Number : 20 Question Id : 2310982870 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

A reactive dye is applied on cotton fabric by continuous method. The achieved shade on fabric is 4.5% on the weight of fabric. The dyebath concentration is 60 g/l and the percentage expression after padding is 90. The specific gravity of the solution is 1. The fixation percentage of the dye on the fabric is:

Options :

1. ✔ 84%

2. ✖ 42%

3. ✖ 165%

4. ✖ 21%

Question Number : 21 Question Id : 2310982871 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The carrier used in disperse dyeing is:

Options :

1. ✖ peracetic acid
2. ✔ trichlorobenzene
3. ✖ sodium dithionite
4. ✖ ozone

Question Number : 22 Question Id : 2310982872 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Among the following treatment processes, 90% of bod of effluent can be reduced by:

Options :

1. ✔ aerated lagoons
2. ✖ reverse osmosis(RO)
3. ✖ screening
4. ✖ coagulation

Question Number : 23 Question Id : 2310982873 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The percentage of moisture absorption at 65% RH (Relative Humidity) is least in:

Options :

1. ✖ silk
2. ✖ wool

3. ✓ nylon

4. ✗ viscose

Question Number : 24 Question Id : 2310982874 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following fibres curls away when approaching flame?

Options :

1. ✗ Cotton

2. ✗ Silk

3. ✓ Wool

4. ✗ Polyester

Question Number : 25 Question Id : 2310982875 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Abaca fibre can be classified as:

Options :

1. ✗ bast fibre

2. ✗ seed fibre

3. ✓ leaf fibre

4. ✗ fruit fibre

Question Number : 26 Question Id : 2310982876 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Felting is observe in:

Options :

1. ✖ cotton

2. ✖ silk

3. ✔ wool

4. ✖ nylon

Question Number : 27 Question Id : 2310982877 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Mature cotton fibres have average degree of cell wall thickening (θ) of about:

Options :

1. ✔ 0.6

2. ✖ 1.2

3. ✖ 1.6

4. ✖ 1

Question Number : 28 Question Id : 2310982878 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Uniformity ratio is the ratio of:

Options :

1. ✔ 50% span length and 2.5% span length

2. ✖ 2.5% span length and 50% span length

3. ✖ Mean length and upper half mean length

4. ✖ Upper half mean length and mean length

Question Number : 29 Question Id : 2310982879 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Sectional warping is used to prepare:

Options :

1. ✖ silk warp

2. ✖ synthetic yarn warp

3. ✖ sized warp

4. ✔ coloured warp

Question Number : 30 Question Id : 2310982880 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The terry towel fabric is:

Options :

1. ✔ a warp pile structure with two series of warp and one series of weft yarn

2. ✖ a weft pile structure with two series of warp and one series of weft yarn

3. ✖ a weft pile structure with two series of warp and one series of weft pile

4. ✖ a weft pile structure with two series of weft and one series of warp yarn

Question Number : 31 Question Id : 2310982881 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Soil burial test is used for checking the efficiency of:

Options :

1. ✖ biopolishing
2. ✔ rot proofing
3. ✖ crease recovery
4. ✖ flame retardant

Question Number : 32 Question Id : 2310982882 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The fabric test length in case of a strip test is:

Options :

1. ✔ 8 inches
2. ✖ 6 inches
3. ✖ 12 inches
4. ✖ 4 inches

Question Number : 33 Question Id : 2310982883 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following is a secondary effluent treatment process?

Options :

1. ✖ Equalisation
2. ✖ Neutralisation

3. ✖ Chemical coagulation

4. ✔ Tricking filter

Question Number : 34 Question Id : 2310982884 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

When size concentration is 40% ,wet pickup 60%, warp sheet oven dry mass of 450 kg passed through size box, determine the size add-on percentage.

Options :

1. ✖ 12

2. ✔ 24

3. ✖ 36

4. ✖ 48

Question Number : 35 Question Id : 2310982885 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The length of a fabric is 10 m. The length of a warp yarn, removed from the fabric, in straight condition is 10.9 m. The crimp on warp direction is:

Options :

1. ✔ 9%

2. ✖ 11%

3. ✖ 8%

4. ✖ 9.9%

Question Number : 36 Question Id : 2310982886 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The zone of the extruder in which mostly melt is homogenised and has a drag flow is:

Options :

1. ✖ feed zone
2. ✖ compression zone
3. ✔ metering zone
4. ✖ solid transport zone

Question Number : 37 Question Id : 2310982887 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Back doubling of fibres is higher in _____ spinning system.

Options :

1. ✖ ring
2. ✔ rotor
3. ✖ friction
4. ✖ compact

Question Number : 38 Question Id : 2310982888 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following is a 2 order transition?

Options :

1. ✖ crystallization

2. ✖ melting

3. ✖ recrystallization

4. ✔ glass transition

Question Number : 39 Question Id : 2310982889 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

In a card, the maximum fibre individualisation occurred between:

Options :

1. ✔ cylinder and flat

2. ✖ cylinder and doffer

3. ✖ feed roller and licker-in

4. ✖ licker-in and cylinder

Question Number : 40 Question Id : 2310982890 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The number of warp threads on a two bar tricot machine of 28 gauge and 5 m width, is

Options :

1. ✔ 10,976

2. ✖ 14,000

3. ✖ 19,760

4. ✖ 16,000

Question Number : 41 Question Id : 2310982891 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following types of auto levelers is used in a carding machine?

Options :

1. ✖ Open loop short term

2. ✔ Closed loop long term

3. ✖ Open loop long term

4. ✖ Closed loop short term

Question Number : 42 Question Id : 2310982892 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The type of permanent stitch that varies in length and tension, is known as:

Options :

1. ✔ regulation stitch

2. ✖ loop stitch

3. ✖ overcasting

4. ✖ lock stitch

Question Number : 43 Question Id : 2310982893 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The seam used for yokes is known as:

Options :

1. ✓ lopped seam

2. ✗ flat-fell seam

3. ✗ French seam

4. ✗ slot seam

Question Number : 44 Question Id : 2310982894 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The type of finish that gives a flat surface and prevents ravelling is called:

Options :

1. ✗ tie finish

2. ✗ rolled edge finish

3. ✗ edge double seam finish

4. ✓ over-casting seam finish

Question Number : 45 Question Id : 2310982895 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

In _____ of zip, the stitching cannot be seen on the right side of the opening.

Options :

1. ✗ regular type

2. ✓ invisible type

3. ✖ separated type

4. ✖ continuous type

Question Number : 46 Question Id : 2310982896 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Series of stitches embodied in a material for ornamental purposes, is known as:

Options :

1. ✖ bouring

2. ✖ ticketing

3. ✔ stitching

4. ✖ joining

Question Number : 47 Question Id : 2310982897 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The distance between the upper and lower surfaces of a stitch is called:

Options :

1. ✔ stitch depth

2. ✖ stitch width

3. ✖ stitch pattern

4. ✖ stitch type

Question Number : 48 Question Id : 2310982898 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The device used for holding the lower thread supply in lockstitch machines, is called the:

Options :

1. ✖ jaw
2. ✖ looper
3. ✔ bobbin
4. ✖ holder

Question Number : 49 Question Id : 2310982899 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Class 300 is:

Options :

1. ✖ foot stitch
2. ✔ lock stitch
3. ✖ chain stitch
4. ✖ stitch

Question Number : 50 Question Id : 2310982900 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following is measured from the cut edge of the fabric to the main line of stitches?

Options :

1. ✖ Seam finishes
2. ✔ Seam allowance

3. ✖ Seam

4. ✖ Seam tolerance

Question Number : 51 Question Id : 2310982901 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The best penetration of the material being sewn is provided by:

Options :

1. ✔ point

2. ✖ tip

3. ✖ eye

4. ✖ blade

Question Number : 52 Question Id : 2310982902 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following is rippling of a seam that occurs just after sewing or after laundry?

Options :

1. ✔ Seam pucker

2. ✖ Feed pucker

3. ✖ Warp seam

4. ✖ Stitch length

Question Number : 53 Question Id : 2310982903 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

In which of the following sewing threads will the abrasion resistance be higher?

Options :

1. ✖ Cotton

2. ✔ Polyester

3. ✖ Nylon

4. ✖ Glace cotton

Question Number : 54 Question Id : 2310982904 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following types of stitch is used for long sewing in jeans and trousers?

Options :

1. ✖ Stitch type-304

2. ✖ Stitch type-407

3. ✔ Stitch type-401

4. ✖ Stitch type-301

Question Number : 55 Question Id : 2310982905 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The type of seam in which two pieces of fabric meet precisely at their end is known as:

Options :

1. ✖ bound seam

2. ✔ flat seam

3. ✖ lapped seam

4. ✖ super-imposed seam

Question Number : 56 Question Id : 2310982906 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The pattern form which has a definite direction but it is NOT sufficiently dominate to warrant one-way only, is:

Options :

1. ✖ one-way pattern

2. ✔ two-way pattern

3. ✖ non-directional pattern

4. ✖ multi-directional pattern

Question Number : 57 Question Id : 2310982907 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The purpose of using pressurised steam is to:

Options :

1. ✔ relax the fibre structure

2. ✖ expand the fibre structure

3. ✖ reduce the fibre structure

4. ✖ orientation of fibre structure

Question Number : 58 Question Id : 2310982908 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Fibre filling used in garments, where warmth is required without great weight, is termed as:

Options :

1. ✓ wadding
2. ✗ interlinings
3. ✗ linings
4. ✗ sequins

Question Number : 59 Question Id : 2310982909 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Class 600 is called:

Options :

1. ✓ cover stitch
2. ✗ foot stitch
3. ✗ thread stitch
4. ✗ hand stitch

Question Number : 60 Question Id : 2310982910 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Fabric produced by interlacing yarn diagonally in a form of plaiting is known as:

Options :

1. ✗ lace
2. ✓ braid

3. ✖ elastic

4. ✖ tape

Question Number : 61 Question Id : 2310982911 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

When the outer fabric lies on the top of the fusible, it is known as:

Options :

1. ✖ sandwich fusing

2. ✖ double fusing

3. ✖ block fusing

4. ✔ reverse fusing

Question Number : 62 Question Id : 2310982912 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which standard is used for the calculation of small colour differences?

Options :

1. ✖ BS 8475:2006

2. ✖ BS 9051:1967

3. ✔ BS 6923:1988

4. ✖ BS 8376:1949

Question Number : 63 Question Id : 2310982913 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The total distance covered by a continuous series of stitches is known as:

Options :

1. ✖ seam height
2. ✖ heading foot
3. ✖ relaxed seam
4. ✔ seam length

Question Number : 64 Question Id : 2310982914 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Cording stitches are used for which of the following types of stitching?

Options :

1. ✖ Temporary creases
2. ✔ Permanent creases
3. ✖ Heat press
4. ✖ Break open stitches

Question Number : 65 Question Id : 2310982915 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The French seam also known as the:

Options :

1. ✖ vertical seam
2. ✖ mode French seam

3. ✓ super imposed seam

4. ✗ straight seam

Question Number : 66 Question Id : 2310982916 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The cause for unbalanced lockstitch seams is:

Options :

1. ✓ low extension

2. ✗ incorrect needle size

3. ✗ clogged needle

4. ✗ poor material control

Question Number : 67 Question Id : 2310982917 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

super-imposed seam is also known as:

Options :

1. ✗ bound seam

2. ✓ French seam

3. ✗ mode French seam

4. ✗ double seam

Question Number : 68 Question Id : 2310982918 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following is the breakage of fabric yarns that occurs during stitching because of incompatibility of needle, fabric and sewing speed?

Options :

- 1. ✓ Yarn severance
- 2. ✗ Seam slippage
- 3. ✗ Straight stitch
- 4. ✗ Warp breakage

Question Number : 69 Question Id : 2310982919 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following types of machines allows manipulation of fabric on both sides of the needle for topstitching and lapped seaming?

Options :

- 1. ✓ Flat bed
- 2. ✗ Cylinder
- 3. ✗ Smooth interfacer
- 4. ✗ Raised stitcher

Question Number : 70 Question Id : 2310982920 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following can move the fabric alone by a predetermined amount between successive stitches?

Options :

- 1. ✓ Feed dog

2. ✖ Throat plate

3. ✖ Centre line seam

4. ✖ High seam

Question Number : 71 Question Id : 2310982921 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Phulkari embroidery belongs to:

Options :

1. ✖ Rajasthan

2. ✔ Punjab

3. ✖ Jammu

4. ✖ Uttar Pradesh

Question Number : 72 Question Id : 2310982922 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The special occasion sarees from Banaras are called:

Options :

1. ✖ Paithani

2. ✔ Brocade

3. ✖ Pochampally

4. ✖ Patola

Question Number : 73 Question Id : 2310982923 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Wool embroidery belongs to:

Options :

1. ✖ Karnataka

2. ✖ Punjab

3. ✖ Bihar

4. ✔ Kashmir

Question Number : 74 Question Id : 2310982924 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Karan phool means:

Options :

1. ✖ A flower for the eyes

2. ✖ A flower for the nose

3. ✔ A flower for the ears

4. ✖ A flower for the hair

Question Number : 75 Question Id : 2310982925 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

A Patola is often used as a wedding sari in:

Options :

1. ✖ Rajasthan

2. ✔ Gujarat

3. ✖ Andhra Pradesh

4. ✖ Maharashtra

Question Number : 76 Question Id : 2310982926 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

A very popular art form of Himachal Pradesh is:

Options :

1. ✖ Bagh Kashidakari

2. ✖ Banni and Heer Bharat

3. ✔ Chamba handkerchief

4. ✖ Kutch embroidery

Question Number : 77 Question Id : 2310982927 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

A popular forehead ornament worn by the women of Rajasthan is:

Options :

1. ✖ Tikka

2. ✖ Chand Bina

3. ✓ Borla

4. ✗ Jhumar

Question Number : 78 Question Id : 2310982928 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

In Kantha embroidery, the most famous central design is:

Options :

1. ✗ boats

2. ✓ lotus

3. ✗ fish

4. ✗ birds

Question Number : 79 Question Id : 2310982929 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which form embroidery can be done only by counting the threads of weft and warp-

Options :

1. ✗ Kutchi Bharat

2. ✗ Chikankari

3. ✓ Kasuti

4. ✗ Mocha

Question Number : 80 Question Id : 2310982930 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Guchhedar Nath is worn in which of the following states?

Options :

1. ✖ Rajasthan
2. ✔ Maharashtra
3. ✖ Punjab
4. ✖ Uttar Pradesh

Question Number : 81 Question Id : 2310982931 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The 'Nari Kunjar Bhat' design is used in which of the following types of sari?

Options :

1. ✖ Maheshwari
2. ✖ Brocade
3. ✖ Baluchari
4. ✔ Patola

Question Number : 82 Question Id : 2310982932 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Kasuti is the famous embroidery style of which state?

Options :

1. ✖ Orissa
2. ✔ Karnataka

3. ✖ Uttar Pradesh

4. ✖ Bihar

Question Number : 83 Question Id : 2310982933 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Pochampally sarees belong to:

Options :

1. ✖ Madhya Pradesh

2. ✖ Assam

3. ✔ Telangana

4. ✖ Uttar Pradesh

Question Number : 84 Question Id : 2310982934 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Haryana shawl is known as:

Options :

1. ✔ Phulkari

2. ✖ Pashmina

3. ✖ Karaba

4. ✖ Jamewar

Question Number : 85 Question Id : 2310982935 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Ornaments in Kashmir are usually made up of:

Options :

1. ✓ gold and silver

2. ✗ pearl

3. ✗ sapphire

4. ✗ ruby

Question Number : 86 Question Id : 2310982936 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The main stitch of Sindhi embroidery is called:

Options :

1. ✗ satin stitch

2. ✗ buttonhole stitch

3. ✓ herringbone stitch

4. ✗ back stitch

Question Number : 87 Question Id : 2310982937 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following saree fabrics is prepared by the same method as Batik?

Options :

1. ✗ Pochampally

2. ✗ Patola

3. ✓ Kalamkari

4. ✗ Baluchari

Question Number : 88 Question Id : 2310982938 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which necklace is worn in Durga Puja and on wedding occasions in West Bengal?

Options :

1. ✓ Pati Haar

2. ✗ Manga mala necklace

3. ✗ Mulla Mottu necklace

4. ✗ Mohan mala

Question Number : 89 Question Id : 2310982939 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Zardozi and Kamadani works are famous in:

Options :

1. ✗ Ujjain

2. ✓ Lucknow

3. ✗ Patna

4. ✗ Jodhpur

Question Number : 90 Question Id : 2310982940 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

In which of the following types of embroidery is a shadowy effect produced?

Options :

1. ✖ Kashida

2. ✔ Chikankari

3. ✖ Phulkari

4. ✖ Kasuti

Question Number : 91 Question Id : 2310982941 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

In jewellery making, which of the following processes is used to raise the design on ornaments?

Options :

1. ✖ Metal work

2. ✔ Embossing

3. ✖ Granulation

4. ✖ Filigree

Question Number : 92 Question Id : 2310982942 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following state/s is/are associated with Kalamkari textile?

Options :

1. ✖ Assam

2. ✖ Gujarat & Rajasthan

3. ✓ Andhra Pradesh & Telangana

4. ✗ West Bengal

Question Number : 93 Question Id : 2310982943 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

In Kalamkari painting, Gods are painted in with the colour:

Options :

1. ✓ blue

2. ✗ orange

3. ✗ yellow ochre

4. ✗ red

Question Number : 94 Question Id : 2310982944 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The main stitch used in Phulkari embroidery is:

Options :

1. ✗ satin

2. ✗ buttonhole

3. ✓ darning

4. ✗ stem

Question Number : 95 Question Id : 2310982945 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Pabuji Par Art form is popular in which of the following states?

Options :

1. ✖ Gujarat

2. ✔ Rajasthan

3. ✖ Karnataka

4. ✖ Kerala

Question Number : 96 Question Id : 2310982946 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Kutch embroidery is not related to:

Options :

1. ✖ Mochi Bharat

2. ✖ Ahirs

3. ✖ Rabri work

4. ✔ Kamdani

Question Number : 97 Question Id : 2310982947 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Thaali (Neck ornament) is worn by the women of which of the following states?

Options :

1. ✖ Maharashtra

2. ✔ Tamil Nadu

3. ✖ Punjab

4. ✖ Rajasthan

Question Number : 98 Question Id : 2310982948 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following tasks is most important in order to maintain the proper shape of the fabric before the cutting of the garment?

Options :

1. ✖ Sampling

2. ✖ Marking

3. ✔ Spreading

4. ✖ Bundling

Question Number : 99 Question Id : 2310982949 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

A vertical knife is also known as a:

Options :

1. ✖ horizontal knife

2. ✔ straight knife

3. ✖ round knife

4. ✖ rotary knife

Question Number : 100 Question Id : 2310982950 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Flushing/wicking printing defects occur due to:

Options :

1. ✖ colour applied unevenly
2. ✔ low viscosity of print paste
3. ✖ improper alignment of the screens
4. ✖ screen has holes

Question Number : 101 Question Id : 2310982951 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Cutting equipment that is controlled by the operator may be:

Options :

1. ✖ rolled and flat
2. ✔ stationary and portable
3. ✖ stationary and rolled
4. ✖ portable and rolled

Question Number : 102 Question Id : 2310982952 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Actual guidelines for completing flawless or correct fabric cutting are given by a:

Options :

1. ✔ marker
2. ✖ cutter

3. ✖ spreader

4. ✖ grader

Question Number : 103 Question Id : 2310982953 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which section is targeted to make the shipment of a garment in exact time?

Options :

1. ✔ Sewing section

2. ✖ Spreading section

3. ✖ Cutting section

4. ✖ Marking section

Question Number : 104 Question Id : 2310982954 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Automated spreading process is not suitable for:

Options :

1. ✖ medium production

2. ✖ large production

3. ✔ small production

4. ✖ very large production

Question Number : 105 Question Id : 2310982955 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Piling is a defect of:

Options :

1. ✖ printing
2. ✔ finishing
3. ✖ dyeing
4. ✖ bleaching

Question Number : 106 Question Id : 2310982956 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

In motion study, which of the following body parts is/are used in 'Knuckle(Body movement)'?

Options :

1. ✖ Arms, hands and finger
2. ✖ Hand and finger
3. ✔ Finger
4. ✖ Upper arm, forearm, hand and fingers

Question Number : 107 Question Id : 2310982957 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The main types of environments in apparel industry are:

Options :

1. ✔ micro and macro environment
2. ✖ cultural and technology environment

3. ✖ economic and cultural environment

4. ✖ technology and economic environment

Question Number : 108 Question Id : 2310982958 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The process of unwinding large rolls of fabric for garment making is:

Options :

1. ✖ sewing

2. ✖ marking

3. ✔ spreading

4. ✖ cutting

Question Number : 109 Question Id : 2310982959 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Proper cutting facilitates sewing and improves garment:

Options :

1. ✖ defects

2. ✖ pitch

3. ✔ quality

4. ✖ operation

Question Number : 110 Question Id : 2310982960 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which knife is like a pizza cutter and is used to make straight lines and large circles:

Options :

1. ✖ straight knife

2. ✔ round knife

3. ✖ band knife

4. ✖ drill cutter

Question Number : 111 Question Id : 2310982961 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

A 'Lay' is a stock of fabric plies which is prepared for:

Options :

1. ✖ spreading

2. ✔ cutting

3. ✖ numbering

4. ✖ marking

Question Number : 112 Question Id : 2310982962 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Fabric utilisation percentage indicates:

Options :

1. ✖ pattern alteration

2. ✖ consumption

3. ✖ product efficiency

4. ✔ marker efficiency

Question Number : 113 Question Id : 2310982963 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Pilling defect is NOT accentuated by:

Options :

1. ✖ friction of normal wear

2. ✖ washing

3. ✖ dry cleaning

4. ✔ pressing the fabric

Question Number : 114 Question Id : 2310982964 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which cutting device is controlled by electron microchips?

Options :

1. ✖ Portable machine

2. ✖ Die cutting machine

3. ✔ Automated cutting machine

4. ✖ Stationary machine

Question Number : 115 Question Id : 2310982965 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The loss of colour brilliance through sunlight or cleaning agents is called:

Options :

1. ✖ bleeding

2. ✔ fading

3. ✖ frosting

4. ✖ crocking

Question Number : 116 Question Id : 2310982966 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

How many operators are involved in a manual spreading process?

Options :

1. ✖ One

2. ✔ Two

3. ✖ Three

4. ✖ Four

Question Number : 117 Question Id : 2310982967 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Who provides goods and services to individuals or businesses from one party to the other party?

Options :

1. ✖ Employers

2. ✖ Competitors

3. ✓ Suppliers

4. ✗ Intermediaries

Question Number : 118 Question Id : 2310982968 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The grade given to the fabric, when the total defect points are less than the yardage of the inspected fabric piece, is:

Options :

1. ✓ A grade

2. ✗ B grade

3. ✗ C grade

4. ✗ D grade

Question Number : 119 Question Id : 2310982969 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Warp defects are:

Options :

1. ✗ tight picks

2. ✓ long float

3. ✗ finger mark

4. ✗ shuttle mark

Question Number : 120 Question Id : 2310982970 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which type of fabric spread is more economical in garment making?

Options :

1. ✓ Flat spread
2. ✗ Stepped spread
3. ✗ Semi-automatic spreading
4. ✗ Fully-automatic spreading

Question Number : 121 Question Id : 2310982971 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Micro environments of apparel industries consist of:

Options :

1. ✗ culture
2. ✗ economy
3. ✗ technology
4. ✓ suppliers

Question Number : 122 Question Id : 2310982972 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The number of plies in a multi ply spread ranges from:

Options :

1. ✓ 1 to 300
2. ✗ 1 to 450

3. ✖ 1 to 500

4. ✖ 1 to 650

Question Number : 123 Question Id : 2310982973 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following studies is used in the pattern of human movement that consume less time and less effort to complete the required task?

Options :

1. ✖ Motion study

2. ✔ Micro-motion study

3. ✖ Time study

4. ✖ Method study

Question Number : 124 Question Id : 2310982974 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

By how many times is the automated spreading speed faster than the manual spreading speed?

Options :

1. ✔ Approx 1.5 - 3 times

2. ✖ 1 - 1.5 times

3. ✖ 0.5 - 1 time

4. ✖ Only 0.5 times

Question Number : 125 Question Id : 2310982975 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Fabric rolls which contain less than 40 defect points/100 square yards, they are considered as-

Options :

1. ✓ first grade
2. ✗ second grade
3. ✗ third grade
4. ✗ zero grade

Question Number : 126 Question Id : 2310982976 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The macro environments of apparel industry include:

Options :

1. ✗ employees
2. ✗ competitors
3. ✗ customers
4. ✓ technology

Question Number : 127 Question Id : 2310982977 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following elements of design refers to the sense of touch?

Options :

1. ✗ Colour
2. ✓ Texture

3. ✖ Line

4. ✖ Shape

Question Number : 128 Question Id : 2310982978 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The number of intermediate hues are:

Options :

1. ✔ six

2. ✖ three

3. ✖ four

4. ✖ five

Question Number : 129 Question Id : 2310982979 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The coolest and warmest colours are:

Options :

1. ✖ green and orange

2. ✔ blue and orange

3. ✖ red and blue

4. ✖ yellow and green

Question Number : 130 Question Id : 2310982980 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Fashion persisting for short duration is called:

Options :

1. ✓ fad

2. ✗ fashion trend

3. ✗ classic

4. ✗ style

Question Number : 131 Question Id : 2310982981 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Dust coloured light weight cotton fabric used by the Indian Army from the 19th century is:

Options :

1. ✗ jute

2. ✗ poplin

3. ✓ khaki

4. ✗ silk

Question Number : 132 Question Id : 2310982982 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Rise, popularisation and decline of a fashion is called:

Options :

1. ✗ fashion forecasting

2. ✓ fashion cycle

3. ✖ fashion image

4. ✖ fashion trend

Question Number : 133 Question Id : 2310982983 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Name an Indian fashioner designer associated with the French fashion brand Jean-Louis Scherrer.

Options :

1. ✔ Ritu Beri

2. ✖ Neeta Lulla

3. ✖ Manish Arora

4. ✖ Ritu Kumar

Question Number : 134 Question Id : 2310982984 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following is NOT a principle of design?

Options :

1. ✖ Harmony

2. ✖ Emphasis

3. ✔ Texture

4. ✖ Rhythm

Question Number : 135 Question Id : 2310982985 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The garments which are currently in the fashion scene are called:

Options :

1. ✖ style
2. ✖ classic
3. ✖ fad
4. ✔ fashion trend

Question Number : 136 Question Id : 2310982986 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The term 'Chic' means:

Options :

1. ✔ stylish wear
2. ✖ normal wear
3. ✖ casual wear
4. ✖ formal wear

Question Number : 137 Question Id : 2310982987 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following necklines is appropriate to make a face appear more slender?

Options :

1. ✖ Horizontal line
2. ✖ Curved line

3. ✓ Vertical line

4. ✗ Diagonal line

Question Number : 138 Question Id : 2310982988 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Which of the following techniques is used in fashion designing to modify the improper body shape to proper body shape?

Options :

1. ✗ Fabric grading

2. ✗ Fashion forecasting

3. ✗ Fashion labelling

4. ✓ Optical illusion

Question Number : 139 Question Id : 2310982989 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Fluorescent colours are included in:

Options :

1. ✗ light colours

2. ✗ dull colours

3. ✗ dark colours

4. ✓ vivid colours

Question Number : 140 Question Id : 2310982990 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Sabyasachi Mukherji, an Indian fashion designer, belongs to:

Options :

1. ✖ Bengaluru

2. ✖ Mumbai

3. ✖ Delhi

4. ✔ Kolkata

Question Number : 141 Question Id : 2310982991 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The most important factor considered in selection of apparel for infants is:

Options :

1. ✔ hygiene

2. ✖ income

3. ✖ occasion

4. ✖ fashion

Question Number : 142 Question Id : 2310982992 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Junk jewellery is related to:

Options :

1. ✖ traditional jewellery

2. ✔ imitation jewellery

3. ✖ modern jewellery

4. ✖ handmade jewellery

Question Number : 143 Question Id : 2310982993 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Who among the following is known for psychedelic colour palette and kitsch motifs on Indian garments?

Options :

1. ✖ Sabyaschi Mukherjee

2. ✖ Rohit Bal

3. ✖ Ritu Kumar

4. ✔ Manish Arora

Question Number : 144 Question Id : 2310982994 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

Fabric(s) that seem(s) to decrease the size of the body is/are:

Options :

1. ✖ heavy fabrics

2. ✔ sheer fabrics and crepe

3. ✖ stiff fabrics

4. ✖ shiny and transparent texture fabrics

Question Number : 145 Question Id : 2310982995 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

A split complementary scheme includes-

Options :

1. ✖ two hues that are directly opposite
2. ✖ any two pairs of complements
3. ✔ any hue plus the two colours lying on either side of its direct complement
4. ✖ three colours on an equidistant

Question Number : 146 Question Id : 2310982996 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

A fashion which is long lasting or constant is called:

Options :

1. ✖ style
2. ✔ classic
3. ✖ fad
4. ✖ fashion trend

Question Number : 147 Question Id : 2310982997 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The term 'Vouge' means:

Options :

1. ✔ trendy and very popular fashion
2. ✖ untrendy fashion

3. ✖ classic

4. ✖ fad

Question Number : 148 Question Id : 2310982998 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

An object having three dimensions like length, width and depth is called:

Options :

1. ✔ form

2. ✖ shapes

3. ✖ line

4. ✖ space

Question Number : 149 Question Id : 2310982999 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The quality of brightness or dullness of a colour is referred to as:

Options :

1. ✖ hue

2. ✖ value

3. ✔ intensity

4. ✖ complementary

Question Number : 150 Question Id : 2310983000 Question Type : MCQ Option Shuffling : Yes Negative Marks Display Text : 2/3
Option Orientation : Vertical

Correct Marks : 2 Wrong Marks : 0.66

The American fashion designer who uses the signature tri-coloured flag on his apparels, is:

Options :

1. ✖ Pierre Cardin

2. ✔ Tommy Hilfiger

3. ✖ Giorge Armani

4. ✖ Calvin K