

BEL Probationary Mechanical Engineer December 17, 2023 Question Paper PDF

Participant ID	
Participant Name	
Test Center Name	
Test Date	17/12/2023
Test Time	12:30 PM - 2:30 PM
Subject	Probationary Engineer Mechanical

Section : General Aptitude

Q.1 Which Indian sports personality was awarded the Major Dhyan Chand Khel Ratna Award, the highest sporting honour in India, in the year 2021?

- Ans
- ☒ 1. Virat Kohli
 - ☒ 2. Rohit Sharma
 - ☒ 3. P. V. Sindhu
 - ☒ 4. Neeraj Chopra

Question ID : 630680508938
Option 1 ID : 6306801989048
Option 2 ID : 6306801989051
Option 3 ID : 6306801989049
Option 4 ID : 6306801989050
Status : Answered
Chosen Option : 4

Q.2 Which of the following is the process by which organisms break down food to release energy?

- Ans
- ☒ 1. Cellular respiration
 - ☒ 2. Nitrogen fixation
 - ☒ 3. Photosynthesis
 - ☒ 4. Fermentation

Question ID : 630680508943
Option 1 ID : 6306801989070
Option 2 ID : 6306801989071
Option 3 ID : 6306801989069
Option 4 ID : 6306801989068
Status : Answered
Chosen Option : 4

Q.3 Which of the following is a key characteristic of microeconomics?

- Ans
- ☐ 1. Examination of aggregate economic indicators
 - ☐ 2. Study of the overall economy
 - ☐ 3. Analysis of government fiscal policies
 - ☒ 4. Focus on individual economic units

Question ID : 630680508933
Option 1 ID : 6306801989031
Option 2 ID : 6306801989028
Option 3 ID : 6306801989030
Option 4 ID : 6306801989029
Status : Answered
Chosen Option : 4

Q.4 Which key personality known as "Iron Man of India" played a significant role in the integration of princely states into the Indian Union after independence?

- Ans
- ☒ 1. Sardar Vallabhbhai Patel
 - ☐ 2. Jawaharlal Nehru
 - ☐ 3. Mahatma Gandhi
 - ☐ 4. Subhas Chandra Bose

Question ID : 630680508935
Option 1 ID : 6306801989038
Option 2 ID : 6306801989039
Option 3 ID : 6306801989036
Option 4 ID : 6306801989037
Status : Answered
Chosen Option : 1

Q.5 What was the capital city of the Mauryan Empire during its peak under Ashoka's rule?

- Ans
- ☐ 1. Viratnagar
 - ☐ 2. Sanchi
 - ☒ 3. Pataliputra
 - ☐ 4. Kalsi

Question ID : 630680508936
Option 1 ID : 6306801989041
Option 2 ID : 6306801989042
Option 3 ID : 6306801989040
Option 4 ID : 6306801989043
Status : Answered
Chosen Option : 3

Q.6 मौर्य सम्राट अशोक के शिलालेखों का प्राथमिक उद्देश्य क्या था?

- Ans ☒ 1. बौद्ध सिद्धांतों और नैतिक मूल्यों का प्रचार करना
- ☐ 2. व्यापार मार्ग स्थापित करना
- ☐ 3. वास्तुशिल्प उपलब्धियों को प्रदर्शित करना
- ☐ 4. सैन्य जीत दर्ज करना

Question ID : 630680508937
Option 1 ID : 6306801989045
Option 2 ID : 6306801989046
Option 3 ID : 6306801989047
Option 4 ID : 6306801989044
Status : Answered
Chosen Option : 3

Q.7 Which of the following world organization is responsible for publishing the Human Capital Index (HCI)?

- Ans ☐ 1. International Monetary Fund (IMF)
- ☒ 2. World Bank
- ☐ 3. United Nations
- ☐ 4. World Economic Forum

Question ID : 630680508934
Option 1 ID : 6306801989032
Option 2 ID : 6306801989035
Option 3 ID : 6306801989033
Option 4 ID : 6306801989034
Status : Answered
Chosen Option : 2

Q.8 Which of the following is a macronutrient that serves as the body's primary source of energy?

- Ans ☒ 1. Carbohydrates
- ☐ 2. Proteins
- ☐ 3. Minerals
- ☐ 4. Vitamins

Question ID : 630680508944
Option 1 ID : 6306801989075
Option 2 ID : 6306801989074
Option 3 ID : 6306801989073
Option 4 ID : 6306801989072
Status : Answered
Chosen Option : 1

Q.9 Which of the following is the head of the executive council of the Indian government?

- Ans
- ☐ 1. The President
 - ☐ 2. The Speaker of the Lok Sabha
 - ☐ 3. The Vice President
 - ☒ 4. The Prime Minister

Question ID : 630680508942
Option 1 ID : 6306801989064
Option 2 ID : 6306801989067
Option 3 ID : 6306801989066
Option 4 ID : 6306801989065
Status : Answered
Chosen Option : 4

Q.10 Which of the following factors is most likely to influence the type of vegetation and fauna found in a particular region?

- Ans
- ☐ 1. Population density
 - ☐ 2. Political stability
 - ☒ 3. Altitude
 - ☐ 4. Economic development

Question ID : 630680508939
Option 1 ID : 6306801989053
Option 2 ID : 6306801989055
Option 3 ID : 6306801989052
Option 4 ID : 6306801989054
Status : Answered
Chosen Option : 1

Q.11 Which of the following is a Fundamental Right guaranteed by the Indian Constitution?

- Ans
- ☐ 1. Right to Taxation
 - ☒ 2. Right to Education
 - ☐ 3. Right to Strike
 - ☐ 4. Right to Property

Question ID : 630680508941
Option 1 ID : 6306801989063
Option 2 ID : 6306801989060
Option 3 ID : 6306801989062
Option 4 ID : 6306801989061
Status : Answered
Chosen Option : 2

Q.12 Which of the following sectors is primarily responsible for the generation and distribution of electrical power?

- Ans
- ☐ 1. Agriculture
 - ☐ 2. Trade and Industry
 - ☒ 3. Power and Energy
 - ☐ 4. Infrastructure

Question ID : 630680508940
Option 1 ID : 6306801989056
Option 2 ID : 6306801989059
Option 3 ID : 6306801989058
Option 4 ID : 6306801989057
Status : Answered
Chosen Option : 3

Section : Reasoning

Q.1 Which of the following numbers will replace the question mark (?) in the given series?
144, 120, 96, 72, ?, 24

- Ans
- ☐ 1. 47
 - ☒ 2. 48
 - ☐ 3. 44
 - ☐ 4. 51

Question ID : 630680508954
Option 1 ID : 6306801989113
Option 2 ID : 6306801989114
Option 3 ID : 6306801989115
Option 4 ID : 6306801989112
Status : Answered
Chosen Option : 2

Q.2 Three Statements are given followed by two conclusions numbered I and II. Assuming the statements to be true, even if they seem to be at variance with commonly known facts, decide which of the conclusions logically follow(s) from the statements.

Statement I: All buses are cars.
Statement II: All cars are vehicles.
Statement III: Some vehicles are not bicycles.

Conclusion I: Some vehicles are not cars.
Conclusion II: Some vehicles are bicycles.

- Ans
- ☒ 1. Neither conclusion I nor II follows
 - ☐ 2. Only conclusion I follows
 - ☐ 3. Both conclusions I and II follow
 - ☐ 4. Only conclusion II follows

Question ID : 630680508947
Option 1 ID : 6306801989087
Option 2 ID : 6306801989084
Option 3 ID : 6306801989086
Option 4 ID : 6306801989085
Status : Answered
Chosen Option : 3

Q.3 Which two numbers should be interchanged to make the given equation correct?
 $20 \div 2 \times 4 + 7 - 3 = 8$

- Ans
- ☒ 1. 4 and 2
 - ☒ 2. 7 and 4
 - ☒ 3. 8 and 20
 - ☒ 4. 4 and 3

Question ID : 630680508956
Option 1 ID : 6306801989120
Option 2 ID : 6306801989123
Option 3 ID : 6306801989122
Option 4 ID : 6306801989121
Status : Answered
Chosen Option : 3

Q.4 In a storage room, there are 60 boxes stacked one on top of the other. If a box is at the 8th position from the bottom, what will be its position from the top?

- Ans
- ☒ 1. 53
 - ☒ 2. 51
 - ☒ 3. 54
 - ☒ 4. 52

Question ID : 630680508946
Option 1 ID : 6306801989082
Option 2 ID : 6306801989081
Option 3 ID : 6306801989083
Option 4 ID : 6306801989080
Status : Answered
Chosen Option : 1

Q.5 Four letter-clusters have been given, out of which three are alike in some manner and one is different. Select the odd letter-cluster.

- Ans
- ☒ 1. PM
 - ☒ 2. RU
 - ☒ 3. ZW
 - ☒ 4. LI

Question ID : 630680508952
Option 1 ID : 6306801989104
Option 2 ID : 6306801989105
Option 3 ID : 6306801989107
Option 4 ID : 6306801989106
Status : Answered
Chosen Option : 2

Q.6 Neelam says, "Shreya's mother is the wife of my father." How is Neelam's father related to Shreya?

- Ans
- ☒ 1. Father
 - ☐ 2. Son
 - ☐ 3. Brother
 - ☐ 4. Husband

Question ID : 630680508950
Option 1 ID : 6306801989098
Option 2 ID : 6306801989099
Option 3 ID : 6306801989097
Option 4 ID : 6306801989096
Status : Answered
Chosen Option : 1

Q.7 In a certain code language, if ELEPHANT is coded as 5M5Q110U, TIGER is coded as U9H5S, then what will LION be coded as?

- Ans
- ☐ 1. M915P
 - ☒ 2. M915O
 - ☐ 3. M9PO
 - ☐ 4. M915Q

Question ID : 630680508949
Option 1 ID : 6306801989093
Option 2 ID : 6306801989095
Option 3 ID : 6306801989092
Option 4 ID : 6306801989094
Status : Answered
Chosen Option : 2

Q.8 Select the option that is related to the third number in the same way as the second number is related to the first number.
41 : 1640 :: 37 : ?

- Ans
- ☐ 1. 1323
 - ☐ 2. 1232
 - ☒ 3. 1332
 - ☐ 4. 1233

Question ID : 630680508957
Option 1 ID : 6306801989124
Option 2 ID : 6306801989127
Option 3 ID : 6306801989125
Option 4 ID : 6306801989126
Status : Answered
Chosen Option : 3

Q.9 Which of the following letter clusters will replace the question mark (?) in the given series?
GKE, HLF, ?, JNH, KOI

- Ans
- ☒ 1. ING
 - ☒ 2. HMG
 - ☒ 3. IMG
 - ☒ 4. IMH

Question ID : 630680508948
Option 1 ID : 6306801989089
Option 2 ID : 6306801989090
Option 3 ID : 6306801989088
Option 4 ID : 6306801989091
Status : Answered
Chosen Option : 3

Q.10 Which of the following numbers will replace the question mark (?) in the given series?
32, 48, 64, 80, ?, 112

- Ans
- ☒ 1. 95
 - ☒ 2. 96
 - ☒ 3. 92
 - ☒ 4. 94

Question ID : 630680508953
Option 1 ID : 6306801989111
Option 2 ID : 6306801989109
Option 3 ID : 6306801989108
Option 4 ID : 6306801989110
Status : Answered
Chosen Option : 2

Q.11 Six friends M, N, O, P, Q, and R are sitting around a circular table facing the centre. R is sitting between O and N. M is sitting to the immediate left of Q. P sits third to the left of N. N does not sit adjacent to Q. Who is sitting to the immediate left of P?

- Ans
- ☒ 1. R
 - ☒ 2. O
 - ☒ 3. M
 - ☒ 4. Q

Question ID : 630680508945
Option 1 ID : 6306801989078
Option 2 ID : 6306801989079
Option 3 ID : 6306801989077
Option 4 ID : 6306801989076
Status : Answered
Chosen Option : 4

Q.12 Select the option that is related to the third word in the same way as the second word is related to the first word.

Oceanography : Oceans :: Herpetology : ?

Ans ☒ 1. Snakes

☐ 2. Stones

☐ 3. Dogs

☐ 4. Cakes

Question ID : 630680508951

Option 1 ID : 6306801989101

Option 2 ID : 6306801989102

Option 3 ID : 6306801989100

Option 4 ID : 6306801989103

Status : Answered

Chosen Option : 1

Q.13 If B denotes 'subtraction', C denotes 'addition', and D denotes 'division', then what will be the value of the following equation?

10 D 2 B 5 C 3 = ?

Ans ☐ 1. 4

☒ 2. 3

☐ 3. 1

☐ 4. 2

Question ID : 630680508955

Option 1 ID : 6306801989116

Option 2 ID : 6306801989117

Option 3 ID : 6306801989119

Option 4 ID : 6306801989118

Status : Answered

Chosen Option : 2

Section : Question based on Mechanical Engineering

Q.1 In the dynamics of machines, unbalanced forces due to reciprocating masses can mostly lead to:

Ans ☐ 1. Torque variation

☒ 2. Vibrations

☐ 3. Reduced angular momentum

☐ 4. Centrifugal force

Question ID : 630680508981

Option 1 ID : 6306801989220

Option 2 ID : 6306801989221

Option 3 ID : 6306801989223

Option 4 ID : 6306801989222

Status : Answered

Chosen Option : 1

Q.2 If the lower deviation of a hole is zero and the minimum limit of hole size is the basic size, what type of shaft is it?

- Ans
- ☒ 1. Basic Hole
 - ☒ 2. Shaft Basis System
 - ☒ 3. Hole Basis System
 - ☒ 4. Basic Shaft

Question ID : 630680509046
Option 1 ID : 6306801989482
Option 2 ID : 6306801989480
Option 3 ID : 6306801989481
Option 4 ID : 6306801989483
Status : Answered
Chosen Option : 3

Q.3 Which of the following heat treatment processes is primarily used to relieve internal stresses in materials?

- Ans
- ☒ 1. Quenching
 - ☒ 2. Annealing
 - ☒ 3. Tempering
 - ☒ 4. Normalizing

Question ID : 630680509034
Option 1 ID : 6306801989435
Option 2 ID : 6306801989433
Option 3 ID : 6306801989434
Option 4 ID : 6306801989432
Status : Answered
Chosen Option : 2

Q.4 For one-dimensional, steady-state heat conduction through a plane wall without heat generation and with constant thermal conductivity, which of the following statements is TRUE regarding the temperature distribution across the wall?

- Ans
- ☒ 1. The temperature distribution is linear.
 - ☒ 2. The temperature remains constant across the wall.
 - ☒ 3. The temperature increases exponentially across the wall.
 - ☒ 4. The temperature distribution is exponential.

Question ID : 630680509009
Option 1 ID : 6306801989335
Option 2 ID : 6306801989332
Option 3 ID : 6306801989333
Option 4 ID : 6306801989334
Status : Answered
Chosen Option : 1

Q.5 In the cooling curve of a pure metal, the plateau represents:

- Ans
- ☐ 1. The temperature at which the metal is fully solid
 - ☐ 2. The latent heat of fusion
 - ☐ 3. The time taken for complete solidification
 - ☒ 4. The temperature range where both solid and liquid phases coexist

Question ID : 630680509036
Option 1 ID : 6306801989441
Option 2 ID : 6306801989443
Option 3 ID : 6306801989440
Option 4 ID : 6306801989442
Status : Answered
Chosen Option : 4

Q.6 When analyzing the acceleration of a point in a rotating link using the relative acceleration equation, which component is NOT directly considered?

- Ans
- ☐ 1. Tangential acceleration
 - ☒ 2. Gravitational acceleration
 - ☐ 3. Centripetal acceleration
 - ☐ 4. Coriolis acceleration

Question ID : 630680508978
Option 1 ID : 6306801989210
Option 2 ID : 6306801989211
Option 3 ID : 6306801989209
Option 4 ID : 6306801989208
Status : Answered
Chosen Option : 2

Q.7 A cantilever beam subjected to a uniformly distributed load (UDL) along its entire length will have its maximum bending moment at

- Ans
- ☒ 1. the fixed end
 - ☐ 2. one-fourth of the span from the free end
 - ☐ 3. the free end
 - ☐ 4. the mid-span

Question ID : 630680508968
Option 1 ID : 6306801989170
Option 2 ID : 6306801989171
Option 3 ID : 6306801989168
Option 4 ID : 6306801989169
Status : Answered
Chosen Option : 1

Q.8 When designing a shaft for fluctuating loads, the primary consideration to prevent fatigue failure is:

- Ans
- ☐ 1. Ultimate tensile strength
 - ☐ 2. Rigidity
 - ☐ 3. Yield point
 - ☒ 4. Endurance limit

Question ID : 630680508993
Option 1 ID : 6306801989271
Option 2 ID : 6306801989270
Option 3 ID : 6306801989268
Option 4 ID : 6306801989269
Status : Answered
Chosen Option : 4

Q.9 For a closed system undergoing a process between two specified states, the decrease in availability (or exergy) of the system is always:

- Ans
- ☐ 1. Greater than the irreversibility of the system
 - ☐ 2. Less than the heat transfer to the system
 - ☒ 3. Equal to the irreversibility of the system
 - ☐ 4. Zero, since availability is a conserved property

Question ID : 630680509020
Option 1 ID : 6306801989376
Option 2 ID : 6306801989377
Option 3 ID : 6306801989378
Option 4 ID : 6306801989379
Status : Answered
Chosen Option : 3

Q.10 The critical radius of insulation for a cylindrical object, like a pipe, is the radius at which:

- Ans
- ☐ 1. the heat transfer rate is minimized.
 - ☒ 2. the heat transfer rate is maximized.
 - ☐ 3. the outer surface temperature is maximized.
 - ☐ 4. the inner surface temperature is minimized.

Question ID : 630680509008
Option 1 ID : 6306801989331
Option 2 ID : 6306801989330
Option 3 ID : 6306801989328
Option 4 ID : 6306801989329
Status : Answered
Chosen Option : 2

Q.11 Which casting process involves creating a wax pattern, which is subsequently surrounded by a ceramic slurry to form a mold?

- Ans
- ☒ 1. Shell molding
 - ☒ 2. Permanent mold casting
 - ☒ 3. Investment casting
 - ☒ 4. Sand casting

Question ID : 630680509039
Option 1 ID : 6306801989455
Option 2 ID : 6306801989453
Option 3 ID : 6306801989452
Option 4 ID : 6306801989454
Status : Answered
Chosen Option : 3

Q.12 For dynamic loads, which of the following welded joint types is preferable due to its superior fatigue resistance?

- Ans
- ☒ 1. Butt weld
 - ☒ 2. Fillet weld
 - ☒ 3. Spot weld
 - ☒ 4. Seam weld

Question ID : 630680508991
Option 1 ID : 6306801989260
Option 2 ID : 6306801989263
Option 3 ID : 6306801989261
Option 4 ID : 6306801989262
Status : Answered
Chosen Option : 3

Q.13 The instantaneous center of zero velocity for a moving rigid body in planar motion:

- Ans
- ☒ 1. represents the average velocity of all points on the body.
 - ☒ 2. always lies outside the body.
 - ☒ 3. always lies on the body.
 - ☒ 4. is a point about which the body seems to rotate at that instant.

Question ID : 630680508977
Option 1 ID : 6306801989204
Option 2 ID : 6306801989206
Option 3 ID : 6306801989207
Option 4 ID : 6306801989205
Status : Answered
Chosen Option : 4

Q.14 In a CPM analysis, "total float" refers to the

- Ans
- ☐ 1. difference between the earliest start and finish times of non-critical activities.
 - ☐ 2. time saved by performing activities in parallel.
 - ☐ 3. buffer added to the project to account for uncertainties in activity durations.
 - ☒ 4. maximum time an activity can be delayed without delaying the project completion date.

Question ID : 630680509054

Option 1 ID : 6306801989515

Option 2 ID : 6306801989512

Option 3 ID : 6306801989514

Option 4 ID : 6306801989513

Status : Answered

Chosen Option : 4

Q.15 Which of the following is an output of a typical MRP system?

- Ans
- ☐ 1. Service parts requirements
 - ☐ 2. Inventory status file
 - ☐ 3. Bill of material
 - ☒ 4. Planned order schedule

Question ID : 630680509049

Option 1 ID : 6306801989494

Option 2 ID : 6306801989495

Option 3 ID : 6306801989492

Option 4 ID : 6306801989493

Status : Answered

Chosen Option : 1

Q.16 In a rotational flow of an incompressible fluid, which component of the acceleration is always zero?

- Ans
- ☐ 1. Radial acceleration
 - ☐ 2. Convective acceleration
 - ☐ 3. Centripetal acceleration
 - ☒ 4. Tangential acceleration

Question ID : 630680509006

Option 1 ID : 6306801989323

Option 2 ID : 6306801989320

Option 3 ID : 6306801989322

Option 4 ID : 6306801989321

Status : Answered

Chosen Option : 2

Q.17 Surge in centrifugal compressors is a phenomenon that can occur when:

- Ans ☒ 1. The flow rate of the gas is reduced below a critical value
- ☐ 2. The flow rate of the gas is increased beyond the maximum design flow rate
- ☐ 3. The temperature of the incoming gas is increased beyond a threshold
- ☐ 4. The pressure of the incoming gas is decreased beyond a set value

Question ID : 630680509026
Option 1 ID : 6306801989401
Option 2 ID : 6306801989403
Option 3 ID : 6306801989402
Option 4 ID : 6306801989400
Status : Answered
Chosen Option : 4

Q.18 For real gases, the Van der Waals equation of state introduces correction factors for both the volume and pressure of the gas. The correction for volume is due to:

- Ans ☐ 1. elastic collisions of gas molecules.
- ☒ 2. finite volume of gas molecules.
- ☐ 3. gravitational pull-on gas molecules.
- ☐ 4. electrostatic forces between gas molecules.

Question ID : 630680509017
Option 1 ID : 6306801989366
Option 2 ID : 6306801989367
Option 3 ID : 6306801989365
Option 4 ID : 6306801989364
Status : Answered
Chosen Option : 2

Q.19 Knuckle pins are classified as which type of sliding contact bearing motion?

- Ans ☒ 1. Oscillating
- ☐ 2. Centrifugal
- ☐ 3. Rotating
- ☐ 4. Reciprocating

Question ID : 630680508996
Option 1 ID : 6306801989282
Option 2 ID : 6306801989283
Option 3 ID : 6306801989281
Option 4 ID : 6306801989280
Status : Answered
Chosen Option : 1

Q.20 The Rankine cycle efficiency can be improved with the use of superheating. Which of the following statements is NOT a reason for this improvement?

- Ans ☒ 1. It increases the latent heat of vaporization for the working fluid.
- ☒ 2. The specific volume of the steam increases, which increases the turbine work output.
- ☒ 3. It increases the average temperature at which heat is added to the working fluid.
- ☒ 4. Superheating reduces the moisture content at the turbine exit.

Question ID : 630680509024
Option 1 ID : 6306801989394
Option 2 ID : 6306801989392
Option 3 ID : 6306801989393
Option 4 ID : 6306801989395
Status : Answered
Chosen Option : 1

Q.21 In the Diesel cycle, if both the compression ratio (r_c) and the cut-off ratio (r_c) are increased while keeping all other parameters constant, what happens to the cycle's thermal efficiency?

- Ans ☒ 1. Cannot be determined with the given information
- ☒ 2. Increases
- ☒ 3. Remains the same
- ☒ 4. Decreases

Question ID : 630680509028
Option 1 ID : 6306801989411
Option 2 ID : 6306801989409
Option 3 ID : 6306801989408
Option 4 ID : 6306801989410
Status : Answered
Chosen Option : 1

Q.22 Which dimensionless number is widely used in forced convection heat transfer and to decide on the type of flow as laminar or turbulent?

- Ans ☒ 1. Reynolds number
- ☒ 2. Biot number
- ☒ 3. Prandtl number
- ☒ 4. Nusselt number

Question ID : 630680509007
Option 1 ID : 6306801989324
Option 2 ID : 6306801989327
Option 3 ID : 6306801989326
Option 4 ID : 6306801989325
Status : Answered
Chosen Option : 1

Q.23 Which one of the following is a thrust bearing?

- Ans
- ☒ 1. Partial journal bearings
 - ☒ 2. Collar bearings
 - ☒ 3. Steep bearings
 - ☒ 4. Full journal bearings

Question ID : 630680508995
Option 1 ID : 6306801989278
Option 2 ID : 6306801989276
Option 3 ID : 6306801989279
Option 4 ID : 6306801989277
Status : Answered
Chosen Option : 2

Q.24 One way to reduce the peak pressures in a Diesel engine (without altering the overall compression ratio) is to:

- Ans
- ☒ 1. Introduce the fuel earlier in the compression process.
 - ☒ 2. Reduce the fuel quantity injected.
 - ☒ 3. Increase the time of injection.
 - ☒ 4. Increase the cut-off ratio.

Question ID : 630680509029
Option 1 ID : 6306801989415
Option 2 ID : 6306801989414
Option 3 ID : 6306801989413
Option 4 ID : 6306801989412
Status : Answered
Chosen Option : 3

Q.25 If two cylindrical shafts are made of the same material and have the same length, but one shaft has twice the diameter of the other, by what factor is the torsional stiffness of the larger shaft greater than the smaller one?

- Ans
- ☒ 1. 4
 - ☒ 2. 8
 - ☒ 3. 2
 - ☒ 4. 16

Question ID : 630680508970
Option 1 ID : 6306801989177
Option 2 ID : 6306801989178
Option 3 ID : 6306801989176
Option 4 ID : 6306801989179
Status : Answered
Chosen Option : 4

Q.26 In an axial flow compressor, the primary flow direction of the working fluid is:

- Ans
- ☐ 1. perpendicular to the axis of rotation.
 - ☐ 2. radially inward.
 - ☒ 3. parallel to the axis of rotation.
 - ☐ 4. radially outward.

Question ID : 630680509023
Option 1 ID : 6306801989389
Option 2 ID : 6306801989390
Option 3 ID : 6306801989388
Option 4 ID : 6306801989391
Status : Answered
Chosen Option : 3

Q.27 In the design of a shaft, the presence of keyways, holes, or other notches can introduce stress concentrations. What is the typical method to compensate for these stress concentrations?

- Ans
- ☐ 1. Increasing the shaft diameter proportionally to the notch depth
 - ☐ 2. Applying a surface treatment to the notched region
 - ☒ 3. Introducing fillets at the root of notches
 - ☐ 4. Using materials with higher elasticity

Question ID : 630680508994
Option 1 ID : 6306801989274
Option 2 ID : 6306801989272
Option 3 ID : 6306801989275
Option 4 ID : 6306801989273
Status : Answered
Chosen Option : 3

Q.28 The Dittus-Boelter equation, used for calculating the Nusselt number for turbulent flow in tubes, is given by $N_u = 0.023(Re)^m(Pr)^n$. For heating of fluids (where fluid temperature increases along the flow direction), what are the values of m and n respectively?

- Ans
- ☐ 1. 0.3, 0.7
 - ☒ 2. 0.8, 0.3
 - ☐ 3. 0.4, 0.6
 - ☐ 4. 0.7, 0.3

Question ID : 630680509015
Option 1 ID : 6306801989357
Option 2 ID : 6306801989356
Option 3 ID : 6306801989359
Option 4 ID : 6306801989358
Status : Answered
Chosen Option : 2

Q.29 The Buckingham π theorem in dimensional analysis states that if a physical process involves n variables and k fundamental dimensions, the number of dimensionless groups (π terms) that can be formed is:

- Ans ☒ 1. $n - k$
- ☐ 2. $\frac{n}{k}$
- ☐ 3. $n + k$
- ☐ 4. $\frac{k}{n}$

Question ID : 630680509005

Option 1 ID : 6306801989319

Option 2 ID : 6306801989318

Option 3 ID : 6306801989316

Option 4 ID : 6306801989317

Status : Answered

Chosen Option : 1

Q.30 For a given column material and cross-sectional shape, if the length of the column is doubled, the crippling load

- Ans ☐ 1. is doubled.
- ☐ 2. is halved.
- ☒ 3. is reduced to one-fourth.
- ☐ 4. remains the same.

Question ID : 630680508973

Option 1 ID : 6306801989190

Option 2 ID : 6306801989188

Option 3 ID : 6306801989189

Option 4 ID : 6306801989191

Status : Answered

Chosen Option : 3

Q.31 The Prandtl number (Pr) is crucial in understanding the relative growth of the hydrodynamic and thermal boundary layers. When $Pr > 1$, which of the following statements is true?

- Ans ☐ 1. Both boundary layers grow at the same rate.
- ☐ 2. The thermal boundary layer grows faster than the hydrodynamic boundary layer.
- ☐ 3. The growth rates of the boundary layers are unrelated.
- ☒ 4. The hydrodynamic boundary layer grows faster than the thermal boundary layer.

Question ID : 630680509012

Option 1 ID : 6306801989344

Option 2 ID : 6306801989347

Option 3 ID : 6306801989345

Option 4 ID : 6306801989346

Status : Answered

Chosen Option : 2

Q.32 Under which of the following conditions does a real gas behave most like an ideal gas?

- Ans
- ☐ 1. High pressure and low temperature
 - ☐ 2. High pressure and high temperature
 - ☒ 3. Low pressure and high temperature
 - ☐ 4. Low pressure and low temperature

Question ID : 630680509021
Option 1 ID : 6306801989380
Option 2 ID : 6306801989381
Option 3 ID : 6306801989383
Option 4 ID : 6306801989382
Status : Answered
Chosen Option : 3

Q.33 Which phase in steel is magnetic and has a body-centred cubic (BCC) crystal structure?

- Ans
- ☐ 1. Austenite
 - ☒ 2. Ferrite
 - ☐ 3. Pearlite
 - ☐ 4. Cementite

Question ID : 630680509037
Option 1 ID : 6306801989445
Option 2 ID : 6306801989447
Option 3 ID : 6306801989446
Option 4 ID : 6306801989444
Status : Answered
Chosen Option : 1

Q.34 During the simplex method, when can degeneracy occurs, and what is its implication?

- Ans
- ☐ 1. It occurs when the pivot element cannot be found, leading to no feasible solution.
 - ☐ 2. It occurs when there are no constraints, leading to unlimited solutions.
 - ☒ 3. It occurs when a basic variable's coefficient becomes zero, possibly leading to cycling.
 - ☐ 4. It occurs when all coefficients in the objective function row are negative, indicating optimality.

Question ID : 630680509051
Option 1 ID : 6306801989501
Option 2 ID : 6306801989500
Option 3 ID : 6306801989502
Option 4 ID : 6306801989503
Status : Answered
Chosen Option : 3

Q.35 Which of the following properties of engineering materials describes the total amount of energy that a material can absorb before it fractures?

Ans ☒ 1. Toughness

☒ 2. Plasticity

☒ 3. Elasticity

☒ 4. Shining

Question ID : 630680509032

Option 1 ID : 6306801989426

Option 2 ID : 6306801989425

Option 3 ID : 6306801989427

Option 4 ID : 6306801989424

Status : Answered

Chosen Option : 1

Q.36 For a system with multiple particles, D'Alembert's principle can be applied

Ans ☒ 1. to each particle individually.

☒ 2. only when all particles have equal masses.

☒ 3. only to the system as a whole.

☒ 4. only to the center of mass of the system.

Question ID : 630680508964

Option 1 ID : 6306801989152

Option 2 ID : 6306801989155

Option 3 ID : 6306801989153

Option 4 ID : 6306801989154

Status : Answered

Chosen Option : 4

Q.37 For a given material and shaft geometry, which factor primarily affects the torsional stiffness?

Ans ☒ 1. Yield Strength

☒ 2. Ultimate Tensile Strength

☒ 3. Modulus of Elasticity

☒ 4. Modulus of Rigidity

Question ID : 630680508971

Option 1 ID : 6306801989183

Option 2 ID : 6306801989182

Option 3 ID : 6306801989181

Option 4 ID : 6306801989180

Status : Answered

Chosen Option : 4

Q.38 Which end condition for a column result in the shortest effective length and hence the highest critical buckling load?

- Ans
- ☒ 1. One end fixed and the other free.
 - ☒ 2. Both ends pinned.
 - ☒ 3. One end pinned and the other free.
 - ☒ 4. Both ends fixed.

Question ID : 630680508974
Option 1 ID : 6306801989194
Option 2 ID : 6306801989192
Option 3 ID : 6306801989195
Option 4 ID : 6306801989193
Status : Answered
Chosen Option : 4

Q.39 The Bell Coleman cycle, commonly used for air refrigeration, operates on the principle of which thermodynamic cycle?

- Ans
- ☒ 1. Otto cycle
 - ☒ 2. Brayton cycle
 - ☒ 3. Carnot cycle
 - ☒ 4. Diesel cycle

Question ID : 630680509030
Option 1 ID : 6306801989419
Option 2 ID : 6306801989417
Option 3 ID : 6306801989418
Option 4 ID : 6306801989416
Status : Answered
Chosen Option : 2

Q.40 How does increasing the thermal conductivity of a fin material affect its overall heat transfer performance?

- Ans
- ☒ 1. Causes instability in heat transfer
 - ☒ 2. Decreases heat transfer rate
 - ☒ 3. Increases heat transfer rate
 - ☒ 4. No effect on heat transfer rate

Question ID : 630680509010
Option 1 ID : 6306801989336
Option 2 ID : 6306801989337
Option 3 ID : 6306801989338
Option 4 ID : 6306801989339
Status : Answered
Chosen Option : 3

Q.41 In Ultrasonic Machining (USM), which type of transducer is used?

- Ans
- ☐ 1. Electro-strictive
 - ☐ 2. High power sine wave
 - ☒ 3. Piezoelectric
 - ☐ 4. Semi-quartz

Question ID : 630680509044
Option 1 ID : 6306801989473
Option 2 ID : 6306801989472
Option 3 ID : 6306801989474
Option 4 ID : 6306801989475
Status : Answered
Chosen Option : 4

Q.42 Which type of casting is best suited for producing intricate designs and detailed patterns in mass production?

- Ans
- ☒ 1. Die casting
 - ☐ 2. Centrifugal casting
 - ☐ 3. Sand casting
 - ☐ 4. Investment casting

Question ID : 630680509035
Option 1 ID : 6306801989436
Option 2 ID : 6306801989439
Option 3 ID : 6306801989438
Option 4 ID : 6306801989437
Status : Answered
Chosen Option : 4

Q.43 Chvorinov's Rule relates the solidification time of a casting to:

- Ans
- ☐ 1. The surface area of the casting only.
 - ☐ 2. the ratio of the square of volume of the casting to its surface area.
 - ☒ 3. the ratio of the volume of the casting to its surface area.
 - ☐ 4. The type of alloy used.

Question ID : 630680509041
Option 1 ID : 6306801989460
Option 2 ID : 6306801989462
Option 3 ID : 6306801989463
Option 4 ID : 6306801989461
Status : Answered
Chosen Option : 3

Q.44 In the context of the virtual work principle in continuum mechanics, which of the following statements is true about a system in equilibrium?

- Ans**
- ☒ 1. Both conservative and non-conservative forces can do virtual work.
 - ☐ 2. Neither conservative nor non-conservative forces do virtual work.
 - ☐ 3. Only non-conservative forces do virtual work.
 - ☐ 4. Only conservative forces do virtual work.

Question ID : 630680508961
Option 1 ID : 6306801989141
Option 2 ID : 6306801989140
Option 3 ID : 6306801989142
Option 4 ID : 6306801989143
Status : Answered
Chosen Option : 4

Q.45 A material that can be drawn into wires under tension without breaking is said to have:

- Ans**
- ☐ 1. Stiffness
 - ☐ 2. Brittleness
 - ☒ 3. Ductility
 - ☐ 4. Hardness

Question ID : 630680509033
Option 1 ID : 6306801989429
Option 2 ID : 6306801989430
Option 3 ID : 6306801989431
Option 4 ID : 6306801989428
Status : Answered
Chosen Option : 3

Q.46 The primary unbalanced force of reciprocating masses is usually counteracted by:

- Ans**
- ☐ 1. distributing reciprocating masses evenly around the axis of rotation.
 - ☐ 2. using dampers.
 - ☒ 3. balancing weights on the rotating shaft.
 - ☐ 4. increasing engine speed.

Question ID : 630680508985
Option 1 ID : 6306801989239
Option 2 ID : 6306801989238
Option 3 ID : 6306801989237
Option 4 ID : 6306801989236
Status : Answered
Chosen Option : 3

Q.47 In a centrifugal clutch, as the engine speed increases, the contact force between the clutch shoes and the drum

- Ans
- ☐ 1. remains constant
 - ☐ 2. decreases exponentially
 - ☐ 3. increases linearly
 - ☒ 4. increases due to centrifugal force

Question ID : 630680508998
Option 1 ID : 6306801989290
Option 2 ID : 6306801989288
Option 3 ID : 6306801989289
Option 4 ID : 6306801989291
Status : Answered
Chosen Option : 4

Q.48 A material has a modulus of elasticity (Young's modulus) of ' E ' and a bulk modulus ' K '. Which of the following relationships between ' E ' and ' K ' is true for an isotropic material with Poisson's ratio ' ν '?

- Ans
- ☐ 1. $E = K(1 - \nu)$
 - ☒ 2. $E = 3K(1 - 2\nu)$
 - ☐ 3. $E = 2K(1 + \nu)$
 - ☐ 4. $E = 3K(1 + \nu)$

Question ID : 630680508965
Option 1 ID : 6306801989158
Option 2 ID : 6306801989157
Option 3 ID : 6306801989156
Option 4 ID : 6306801989159
Status : Answered
Chosen Option : 2

Q.49 In an isochoric process (constant volume), what is the relationship between heat transfer Q and the change in internal energy ΔU ?

- Ans
- ☒ 1. $Q = \Delta U$
 - ☐ 2. $Q = 0$
 - ☐ 3. $Q < \Delta U$
 - ☐ 4. $Q > \Delta U$

Question ID : 630680509022
Option 1 ID : 6306801989385
Option 2 ID : 6306801989384
Option 3 ID : 6306801989386
Option 4 ID : 6306801989387
Status : Answered
Chosen Option : 1

Q.50 In laminar flow over a flat plate, how does the thermal boundary layer thickness, δ_t , vary with respect to the distance, x , from the leading edge?

Ans

✓ 1. $\delta_t \propto \sqrt{x}$

✗ 2. $\delta_t \propto x$

✗ 3. $\delta_t \propto x^2$

✗ 4. $\delta_t \propto 1/\sqrt{x}$

Question ID : 630680509014

Option 1 ID : 6306801989353

Option 2 ID : 6306801989352

Option 3 ID : 6306801989355

Option 4 ID : 6306801989354

Status : Answered

Chosen Option : 1

Q.51 In which type of gear arrangement is the axis of the two shafts neither parallel nor intersecting?

Ans

✗ 1. Helical gears

✓ 2. Hypoid gears

✗ 3. Spur gears

✗ 4. Bevel gears

Question ID : 630680508979

Option 1 ID : 6306801989215

Option 2 ID : 6306801989212

Option 3 ID : 6306801989214

Option 4 ID : 6306801989213

Status : Answered

Chosen Option : 4

Q.52 A free-body diagram is a representation that:

Ans

✗ 1. Displays only the internal forces in a system.

✗ 2. Shows only the applied forces on a body.

✓ 3. Illustrates all forces acting on a body including gravitational force.

✗ 4. Depicts the motion trajectory of a body.

Question ID : 630680508962

Option 1 ID : 6306801989145

Option 2 ID : 6306801989147

Option 3 ID : 6306801989146

Option 4 ID : 6306801989144

Status : Answered

Chosen Option : 3

Q.53 For a floating body in equilibrium, the metacenter lies

- Ans
- ☒ 1. below both the center of gravity and the center of buoyancy.
 - ☒ 2. above both the center of gravity and the center of buoyancy.
 - ☒ 3. below the center of gravity but above the center of buoyancy.
 - ☒ 4. above the center of gravity and below the center of buoyancy.

Question ID : 630680509002
Option 1 ID : 6306801989304
Option 2 ID : 6306801989305
Option 3 ID : 6306801989306
Option 4 ID : 6306801989307
Status : Answered
Chosen Option : 2

Q.54 A system undergoes a cyclic process and returns to its initial state. Which of the following statements is true regarding this process?

- Ans
- ☒ 1. The system has reached absolute zero temperature.
 - ☒ 2. The change in internal energy of the system is zero.
 - ☒ 3. The work done by the system is zero.
 - ☒ 4. The system does not exchange heat with the surroundings.

Question ID : 630680509016
Option 1 ID : 6306801989363
Option 2 ID : 6306801989362
Option 3 ID : 6306801989360
Option 4 ID : 6306801989361
Status : Answered
Chosen Option : 2

Q.55 Given a data set with an odd number of observations that is symmetrically distributed, which of the following statements is true?

- Ans
- ☒ 1. The median is always at the midpoint of the range.
 - ☒ 2. The mode is always greater than the median.
 - ☒ 3. The mean is always greater than the median.
 - ☒ 4. The mean, median, and mode are all equal.

Question ID : 630680509055
Option 1 ID : 6306801989519
Option 2 ID : 6306801989518
Option 3 ID : 6306801989517
Option 4 ID : 6306801989516
Status : Answered
Chosen Option : 4

Q.56 If you've sectioned a truss and have three unknown member forces, which of the following sets of equations would you most likely NOT use to find all of them?

- Ans
- ☒ 1. $\sum F_x = 0$, $\sum F_y = 0$ and $\sum M_A = 0$
 - ☒ 2. $\sum F_x = 0$, $\sum F_y = 0$ and $\sum M_B = 0$
 - ☒ 3. $\sum F_x = 0$, $\sum F_y = 0$ and $\sum F_z = 0$
 - ☒ 4. $\sum F_x = 0$, $\sum F_y = 0$ and $\sum M_C = 0$

Question ID : 630680508960

Option 1 ID : 6306801989137

Option 2 ID : 6306801989138

Option 3 ID : 6306801989136

Option 4 ID : 6306801989139

Status : Answered

Chosen Option : 3

Q.57 Which of the following is NOT a valid assumption while analyzing bending stresses in beams using the Euler-Bernoulli beam theory?

- Ans
- ☒ 1. The stress-strain relationship is linear.
 - ☒ 2. The beam is subjected to axial stresses only.
 - ☒ 3. Plane sections before bending remain plane after bending.
 - ☒ 4. The material is isotropic.

Question ID : 630680508969

Option 1 ID : 6306801989174

Option 2 ID : 6306801989173

Option 3 ID : 6306801989175

Option 4 ID : 6306801989172

Status : Answered

Chosen Option : 2

Q.58 For a riveted joint where the primary concern is shearing of rivets, which of the following rivet material properties is the most critical?

- Ans
- ☒ 1. Shear strength
 - ☒ 2. Creep resistance
 - ☒ 3. Tensile strength
 - ☒ 4. Fatigue strength

Question ID : 630680508989

Option 1 ID : 6306801989253

Option 2 ID : 6306801989255

Option 3 ID : 6306801989252

Option 4 ID : 6306801989254

Status : Answered

Chosen Option : 1

Q.59 Three identical beams are connected in parallel. If the total deflection experienced by the system under a load P is δ_{total} , which of the following relations is true considering δ is the deflection of one beam?

Ans

☒ 1. $\delta_{total} = \frac{\delta}{3}$

☒ 2. $\delta_{total} = \delta$

☒ 3. $\delta_{total} = 3\delta$

☒ 4. $\delta_{total} = \frac{3}{\delta}$

Question ID : 630680508967

Option 1 ID : 6306801989166

Option 2 ID : 6306801989164

Option 3 ID : 6306801989165

Option 4 ID : 6306801989167

Status : Answered

Chosen Option : 2

Q.60 In which of the following brake systems is the braking action achieved by storing the kinetic energy of the vehicle that can later be reused?

Ans

☒ 1. Drum brake

☒ 2. Disc brake

☒ 3. Band brake

☒ 4. Regenerative brake

Question ID : 630680509001

Option 1 ID : 6306801989301

Option 2 ID : 6306801989302

Option 3 ID : 6306801989300

Option 4 ID : 6306801989303

Status : Answered

Chosen Option : 4

Q.61 Which of the following components is NOT typically found in a basic heat pump cycle?

Ans

☒ 1. Evaporator

☒ 2. Expansion valve

☒ 3. Combustion chamber

☒ 4. Compressor

Question ID : 630680509031

Option 1 ID : 6306801989422

Option 2 ID : 6306801989423

Option 3 ID : 6306801989420

Option 4 ID : 6306801989421

Status : Answered

Chosen Option : 3

Q.62 For a fully reversed loading condition in an S-N diagram, the mean stress is:

- Ans
- ☒ 1. Negative
 - ☒ 2. Equal to half of the maximum stress
 - ☒ 3. Equal to the maximum stress
 - ☒ 4. Zero

Question ID : 630680508987
Option 1 ID : 6306801989245
Option 2 ID : 6306801989247
Option 3 ID : 6306801989246
Option 4 ID : 6306801989244
Status : Answered
Chosen Option : 4

Q.63 A lamina is said to be in rotational equilibrium when ____.

- Ans
- ☒ 1. There is no net force acting on it
 - ☒ 2. There is no net torque or moment acting about any point
 - ☒ 3. The gravitational force is acting at its center
 - ☒ 4. It rotates with constant angular velocity

Question ID : 630680508958
Option 1 ID : 6306801989129
Option 2 ID : 6306801989130
Option 3 ID : 6306801989131
Option 4 ID : 6306801989128
Status : Answered
Chosen Option : 2

Q.64 Identify one of the reciprocating sliding contact bearing motion elements?

- Ans
- ☒ 1. Crankpins
 - ☒ 2. Valve stem
 - ☒ 3. Rocker arm
 - ☒ 4. Piston pins

Question ID : 630680508999
Option 1 ID : 6306801989293
Option 2 ID : 6306801989292
Option 3 ID : 6306801989294
Option 4 ID : 6306801989295
Status : Answered
Chosen Option : 4

Q.65 A set of data consists of five distinct positive integers. If the mean of the data set is 10 and the standard deviation is 0, which of the following could be true?

- Ans
- ☒ 1. One of the values is 50.
 - ☒ 2. All values in the data set are 10.
 - ☒ 3. The median is 5.
 - ☒ 4. The range of the data is greater than 10.

Question ID : 630680509056
Option 1 ID : 6306801989520
Option 2 ID : 6306801989522
Option 3 ID : 6306801989521
Option 4 ID : 6306801989523
Status : Answered
Chosen Option : 3

Q.66 In the context of fins, the "Fin Efficiency" is defined as the ratio of:

- Ans
- ☒ 1. Heat transfer from the fin to the heat transfer from the base
 - ☒ 2. Heat transfer from the fin tip to the heat transfer from the base.
 - ☒ 3. Actual heat transfer from the fin to the maximum possible heat transfer.
 - ☒ 4. Heat transfer from the base to the ambient temperature.

Question ID : 630680509011
Option 1 ID : 6306801989342
Option 2 ID : 6306801989341
Option 3 ID : 6306801989340
Option 4 ID : 6306801989343
Status : Answered
Chosen Option : 3

Q.67 When designing for dynamic loading, the Goodman line is used to predict failure by accounting for both mean and alternating stresses. The Goodman line can be most accurately described as:

- Ans
- ☒ 1. A linearly decreasing line in the mean stress versus alternating stress plot
 - ☒ 2. A vertical line in the mean stress versus alternating stress plot
 - ☒ 3. A horizontal line in the mean stress versus alternating stress plot
 - ☒ 4. A parabolic curve in the mean stress versus alternating stress plot

Question ID : 630680508988
Option 1 ID : 6306801989250
Option 2 ID : 6306801989251
Option 3 ID : 6306801989248
Option 4 ID : 6306801989249
Status : Answered
Chosen Option : 1

Q.68 Consider a composite bar made of steel and brass, fixed at both ends. If the assembly is heated, which of the following statements is true regarding the thermal stresses?

- Ans ☒ 1. Brass will develop higher thermal stresses because it has a higher coefficient of thermal expansion than steel.
- ☐ 2. There will be no thermal stresses in either material because the bar is free to expand.
- ☐ 3. Steel will develop higher thermal stresses because it has a higher coefficient of thermal expansion than brass.
- ☐ 4. Both materials will develop the same thermal stresses because they are subjected to the same temperature change.

Question ID : 630680508966

Option 1 ID : 6306801989163

Option 2 ID : 6306801989160

Option 3 ID : 6306801989161

Option 4 ID : 6306801989162

Status : Answered

Chosen Option : 3

Q.69 Why is tool wear generally more consistent and predictable in multi-point cutting tools compared to single-point cutting tools?

- Ans ☒ 1. Multi-point tools distribute the cutting load over multiple edges.
- ☐ 2. Single-point tools have a more complex geometry.
- ☐ 3. Single-point tools are usually made of softer materials.
- ☐ 4. Multi-point tools operate at lower speeds.

Question ID : 630680509043

Option 1 ID : 6306801989468

Option 2 ID : 6306801989469

Option 3 ID : 6306801989470

Option 4 ID : 6306801989471

Status : Answered

Chosen Option : 1

Q.70 The train value $\frac{N_2}{N_1} = \frac{T_1}{T_2}$ is associated to:

- Ans ☐ 1. Reverted gear train
- ☒ 2. Simple gear train
- ☐ 3. Compound gear train
- ☐ 4. Epicyclic gear train

Question ID : 630680508980

Option 1 ID : 6306801989216

Option 2 ID : 6306801989218

Option 3 ID : 6306801989219

Option 4 ID : 6306801989217

Status : Answered

Chosen Option : 2

Q.71 In a multi-plate friction clutch with multiple discs, if the axial force remains the same but the number of pairs of contact surfaces increases, the torque capacity will:

- Ans
- ☐ 1. become unpredictable
 - ☐ 2. remain unchanged
 - ☐ 3. decrease
 - ☒ 4. Increase

Question ID : 630680508997
Option 1 ID : 6306801989286
Option 2 ID : 6306801989287
Option 3 ID : 6306801989284
Option 4 ID : 6306801989285
Status : Answered
Chosen Option : 4

Q.72 Which of the following sintering mechanisms primarily involves the migration of vacancies from the neck region to the particle surfaces?

- Ans
- ☐ 1. Surface tension-driven rearrangement
 - ☐ 2. Evaporation-condensation mechanism
 - ☒ 3. Diffusion sintering
 - ☐ 4. Viscous flow sintering

Question ID : 630680509042
Option 1 ID : 6306801989467
Option 2 ID : 6306801989466
Option 3 ID : 6306801989465
Option 4 ID : 6306801989464
Status : Answered
Chosen Option : 2

Q.73 A plank is placed on two supports, one at each end. If a person stands at the midpoint of the plank, where will the greatest reaction force occur?

- Ans
- ☒ 1. On both supports equally
 - ☐ 2. Neither, as the plank will tilt
 - ☐ 3. On the support where the person is standing
 - ☐ 4. On the support opposite to where the person is standing

Question ID : 630680508959
Option 1 ID : 6306801989135
Option 2 ID : 6306801989134
Option 3 ID : 6306801989133
Option 4 ID : 6306801989132
Status : Answered
Chosen Option : 1

Q.74 Von Mises-Hencky theory, often used in design for ductile materials under complex stress states, is also commonly referred to as:

- Ans
- ☒ 1. Shear stress theory
 - ☒ 2. Maximum strain theory
 - ☒ 3. Maximum principal stress theory
 - ☒ 4. Distortion energy theory

Question ID : 630680508990
Option 1 ID : 6306801989257
Option 2 ID : 6306801989256
Option 3 ID : 6306801989258
Option 4 ID : 6306801989259
Status : Answered
Chosen Option : 4

Q.75 The Isochronous governor has a characteristics curve which:

- Ans
- ☒ 1. is a vertical straight line
 - ☒ 2. is a horizontal Zig-zagline
 - ☒ 3. passes through the origin
 - ☒ 4. has a continuous slope

Question ID : 630680508984
Option 1 ID : 6306801989235
Option 2 ID : 6306801989234
Option 3 ID : 6306801989232
Option 4 ID : 6306801989233
Status : Answered
Chosen Option : 3

Q.76 In the Otto cycle, the compression and expansion processes are theoretically modeled as:

- Ans
- ☒ 1. Isochoric processes
 - ☒ 2. Adiabatic processes
 - ☒ 3. Isobaric processes
 - ☒ 4. Isothermal processes

Question ID : 630680509027
Option 1 ID : 6306801989407
Option 2 ID : 6306801989404
Option 3 ID : 6306801989406
Option 4 ID : 6306801989405
Status : Answered
Chosen Option : 2

Q.77 In the design of riveted joints, what does the term "efficiency of the joint" typically refer to?

- Ans
- ☐ 1. Ratio of the maximum load-bearing capacity to the weight of the rivet
 - ☐ 2. Ratio of the total strength of all rivets to the strength of the plate
 - ☐ 3. Ratio of the tensile strength to the shear strength of the rivet material
 - ☒ 4. Ratio of the strength of the riveted joint to the strength of an unriveted plate

Question ID : 630680508992
Option 1 ID : 6306801989264
Option 2 ID : 6306801989267
Option 3 ID : 6306801989265
Option 4 ID : 6306801989266
Status : Answered
Chosen Option : 4

Q.78 Which of the following methods of forecasting adjusts forecasts for both linear trend and seasonality effects using a third smoothing parameter?

- Ans
- ☐ 1. Moving Averages
 - ☐ 2. Sectional smoothing
 - ☐ 3. Delphi Method
 - ☒ 4. Winter's Exponential Smoothing

Question ID : 630680509053
Option 1 ID : 6306801989508
Option 2 ID : 6306801989510
Option 3 ID : 6306801989509
Option 4 ID : 6306801989511
Status : Answered
Chosen Option : 2

Q.79 If a transportation problem is solved using the Vogel's Approximation Method (VAM), which of the following criteria primarily influences the initial allocations?

- Ans
- ☐ 1. The center-most cell in the transportation matrix.
 - ☐ 2. The maximum cost in the transportation matrix.
 - ☒ 3. The difference between the two smallest costs in each row or column.
 - ☐ 4. The demand and supply ratio for each row and column.

Question ID : 630680509052
Option 1 ID : 6306801989505
Option 2 ID : 6306801989506
Option 3 ID : 6306801989507
Option 4 ID : 6306801989504
Status : Answered
Chosen Option : 3

Q.80 In a positively skewed distribution:

- Ans
- ☐ 1. The mode is always greater than the median.
 - ☐ 2. The median is always equal to the mode.
 - ☒ 3. The mean is always greater than the mode.
 - ☐ 4. The mode is the highest value among mean, median, and mode.

Question ID : 630680509057
Option 1 ID : 6306801989526
Option 2 ID : 6306801989525
Option 3 ID : 6306801989527
Option 4 ID : 6306801989524
Status : Answered
Chosen Option : 3

Q.81 One of the main drawbacks of a centrifugal clutch is:

- Ans
- ☒ 1. it cannot create high torque
 - ☐ 2. it requires a complex electronic control system
 - ☐ 3. it is not specialized to perform shockless acceleration
 - ☐ 4. it doesn't have the feature of greater engagement

Question ID : 630680509000
Option 1 ID : 6306801989298
Option 2 ID : 6306801989297
Option 3 ID : 6306801989296
Option 4 ID : 6306801989299
Status : Answered
Chosen Option : 1

Q.82 The Grashof number (Gr) is used in natural convection problems and relates which of the following forces?

- Ans
- ☐ 1. Surface tension to inertial forces
 - ☐ 2. Viscous to elastic forces
 - ☐ 3. Inertial to viscous forces
 - ☒ 4. Buoyancy to viscous forces

Question ID : 630680509004
Option 1 ID : 6306801989313
Option 2 ID : 6306801989315
Option 3 ID : 6306801989312
Option 4 ID : 6306801989314
Status : Answered
Chosen Option : 4

Q.83 The compressibility factor (Z) for an ideal gas is:

- Ans
- ☐ 1. Greater than 1
 - ☐ 2. Equal to 0
 - ☐ 3. Less than 1
 - ☒ 4. Equal to 1

Question ID : 630680509025
Option 1 ID : 6306801989397
Option 2 ID : 6306801989396
Option 3 ID : 6306801989398
Option 4 ID : 6306801989399
Status : Answered
Chosen Option : 4

Q.84 Which type of gear is used to transmit motion between non-coplanar, non-intersecting, and non-parallel shafts?

- Ans
- ☒ 1. Skew gear
 - ☐ 2. Rack and pinion gear
 - ☐ 3. Crown gear
 - ☐ 4. Herringbone gear

Question ID : 630680508982
Option 1 ID : 6306801989227
Option 2 ID : 6306801989225
Option 3 ID : 6306801989224
Option 4 ID : 6306801989226
Status : Answered
Chosen Option : 2

Q.85 In a four-bar linkage, the Grashof's criterion states that for at least one link to be capable of making a complete revolution with respect to its adjacent link, which condition must be met? (s - length of the shortest bar, l - length of the longest bar and p, q - lengths of intermediate bar)

- Ans
- ☐ 1. $s \times l \geq p \times q$
 - ☐ 2. $s + l \geq p + q$
 - ☐ 3. $s \times l \leq p \times q$
 - ☒ 4. $s + l \leq p + q$

Question ID : 630680508976
Option 1 ID : 6306801989203
Option 2 ID : 6306801989201
Option 3 ID : 6306801989200
Option 4 ID : 6306801989202
Status : Answered
Chosen Option : 4

Q.86 Which of the following gating system components is the most critical that controls the rate of entry of metal into mold?

- Ans
- ☒ 1. Pouring basin
 - ☒ 2. Gate-on
 - ☒ 3. Sprue
 - ☒ 4. Runner

Question ID : 630680509038

Option 1 ID : 6306801989448

Option 2 ID : 6306801989451

Option 3 ID : 6306801989449

Option 4 ID : 6306801989450

Status : Answered

Chosen Option : 3

Q.87 For which of the following material, the typical S-N curve indicates that the stress at failure continues to decrease as the number of cycle increases?

- Ans
- ☒ 1. Aluminium alloys
 - ☒ 2. Wrought iron
 - ☒ 3. Polymers
 - ☒ 4. Ferrous materials

Question ID : 630680508986

Option 1 ID : 6306801989243

Option 2 ID : 6306801989242

Option 3 ID : 6306801989241

Option 4 ID : 6306801989240

Status : Answered

Chosen Option : 1

Q.88 Convective acceleration in fluid dynamics is due to:

- Ans
- ☒ 1. viscous forces acting on the fluid.
 - ☒ 2. the spatial variation in velocity along the flow direction.
 - ☒ 3. the time rate of change of fluid velocity at a point.
 - ☒ 4. the gravitational forces acting on the fluid.

Question ID : 630680509003

Option 1 ID : 6306801989311

Option 2 ID : 6306801989308

Option 3 ID : 6306801989310

Option 4 ID : 6306801989309

Status : Answered

Chosen Option : 2

Q.89 Consider a system subjected to an external force F and an inertia (pseudo) force F_i . The essence of D'Alembert's principle is best captured by which of the following statements?

Ans

✓ 1. The system is in dynamic equilibrium when $F + F_i = 0$

✗ 2.

The inertia force acts to oppose the action of the external force.

✗ 3. The system is in equilibrium when $F = F_i$

✗ 4.

The difference of the internal force and the inertia force on a system is always zero.

Question ID : 630680508963

Option 1 ID : 6306801989151

Option 2 ID : 6306801989150

Option 3 ID : 6306801989148

Option 4 ID : 6306801989149

Status : Answered

Chosen Option : 1

Q.90 Which of the following best describes an isobaric process in a closed system?

Ans

✗ 1. The temperature of the system remains constant.

✗ 2. The entropy of the system remains constant.

✗ 3. The volume of the system remains constant.

✓ 4. The pressure of the system remains constant.

Question ID : 630680509019

Option 1 ID : 6306801989374

Option 2 ID : 6306801989373

Option 3 ID : 6306801989375

Option 4 ID : 6306801989372

Status : Answered

Chosen Option : 4

Q.91 In metal forming processes, what is the primary mechanism behind Superplastic forming?

Ans

✗ 1. Dislocation motion

✗ 2. Elastic deformation

✓ 3. Grain boundary sliding

✗ 4. Diffusion

Question ID : 630680509040

Option 1 ID : 6306801989456

Option 2 ID : 6306801989457

Option 3 ID : 6306801989458

Option 4 ID : 6306801989459

Status : Answered

Chosen Option : 1

Q.92 What defines the Fundamental Deviation in the system of limits and fits?

- Ans
- ✓ 1. The position of tolerance zone in relation to the basic size.
 - ✗ 2. The largest difference between the actual size and the basic size.
 - ✗ 3. The difference between the minimum size and the basic size
 - ✗ 4. Algebraic difference between actual size and corresponding basic size.

Question ID : 630680509047
Option 1 ID : 6306801989484
Option 2 ID : 6306801989486
Option 3 ID : 6306801989487
Option 4 ID : 6306801989485
Status : Answered
Chosen Option : 3

Q.93 In an adiabatic process, which of the following statements is true regarding the relationship between work W and the change in internal energy of the system?

- Ans
- ✗ 1. $\Delta U < W$
 - ✗ 2. $W = 0$
 - ✗ 3. $\Delta U > W$
 - ✓ 4. $\Delta U = -W$

Question ID : 630680509018
Option 1 ID : 6306801989371
Option 2 ID : 6306801989368
Option 3 ID : 6306801989370
Option 4 ID : 6306801989369
Status : Answered
Chosen Option : 4

Q.94 Which of the following factors DOES NOT influence the level of safety stock in an inventory control system?

- Ans
- ✗ 1. Supplier reliability
 - ✗ 2. Lead time variability
 - ✓ 3. Inventory turnover ratio
 - ✗ 4. Demand variability

Question ID : 630680509050
Option 1 ID : 6306801989497
Option 2 ID : 6306801989498
Option 3 ID : 6306801989496
Option 4 ID : 6306801989499
Status : Answered
Chosen Option : 3

Q.95 The Rayleigh number in free convection scenarios is essential to predict the onset of turbulence. Which of the following dimensionless groups is represented by the Rayleigh number?

- Ans
- ☒ 1. Ratio of advection to diffusion
 - ☒ 2. Product of Reynolds and Prandtl numbers
 - ☒ 3. Product of Grashof and Prandtl numbers
 - ☒ 4. Ratio of conduction to convection

Question ID : 630680509013
Option 1 ID : 6306801989348
Option 2 ID : 6306801989350
Option 3 ID : 6306801989351
Option 4 ID : 6306801989349
Status : Answered
Chosen Option : 3

Q.96 A column with both ends pinned (hinged) has an effective length factor (K) of:

- Ans
- ☒ 1. L
 - ☒ 2. 0.5L
 - ☒ 3. 2L
 - ☒ 4. 0.7L

Question ID : 630680508972
Option 1 ID : 6306801989186
Option 2 ID : 6306801989184
Option 3 ID : 6306801989187
Option 4 ID : 6306801989185
Status : Answered
Chosen Option : 1

Q.97 The velocity ratio of which gear train can be determined by methods like tabular method and algebraic method?

- Ans
- ☒ 1. Simple gear train
 - ☒ 2. Compound gear train
 - ☒ 3. Epicyclic gear train
 - ☒ 4. Reverted gear train

Question ID : 630680508983
Option 1 ID : 6306801989230
Option 2 ID : 6306801989231
Option 3 ID : 6306801989228
Option 4 ID : 6306801989229
Status : Answered
Chosen Option : 3

Q.98 What is the primary purpose of using alloying elements in powder metallurgy?

- Ans
- ☒ 1. To improve the flowability of the powder.
 - ☒ 2. To enhance the final properties of the sintered product.
 - ☒ 3. To facilitate easier compaction of powders.
 - ☒ 4. To reduce the sintering temperature.

Question ID : 630680509045
Option 1 ID : 6306801989476
Option 2 ID : 6306801989479
Option 3 ID : 6306801989478
Option 4 ID : 6306801989477
Status : Answered
Chosen Option : 2

Q.99 The Vickers Hardness Test uses a diamond indenter with a shape of:

- Ans
- ☒ 1. Square pyramid
 - ☒ 2. Rectangular pyramid
 - ☒ 3. Hexagonal pyramid
 - ☒ 4. Triangle pyramid

Question ID : 630680508975
Option 1 ID : 6306801989196
Option 2 ID : 6306801989198
Option 3 ID : 6306801989199
Option 4 ID : 6306801989197
Status : Answered
Chosen Option : 3

Q.100 In the Box-Jenkins (ARIMA) forecasting model, what does the term 'I' stand for?

- Ans
- ☒ 1. Intrinsic
 - ☒ 2. Interval
 - ☒ 3. Integrated
 - ☒ 4. Iteration

Question ID : 630680509048
Option 1 ID : 6306801989488
Option 2 ID : 6306801989489
Option 3 ID : 6306801989490
Option 4 ID : 6306801989491
Status : Answered
Chosen Option : 4