

Notations :

- Options shown in **green** color and with  icon are correct.
- Options shown in **red** color and with  icon are incorrect.

Subject Name :	Bio Technology
Creation Date :	2024-06-11 14:32:41
Duration :	120
Total Marks :	120
Display Marks:	Yes
Share Answer Key With Delivery Engine :	Yes
Actual Answer Key :	Yes
Change Font Color :	No
Change Background Color :	No
Change Theme :	No
Help Button :	No
Show Reports :	No
Show Progress Bar :	No

Bio Technology

Group Number :	1
Group Id :	38382336
Group Maximum Duration :	0
Group Minimum Duration :	120
Show Attended Group? :	No
Edit Attended Group? :	No
Break time :	0
Group Marks :	120

Mathematics

Section Id :	383823103
Section Number :	1
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	10
Number of Questions to be attempted :	10

Section Marks : 10
Maximum Instruction Time : 0
Sub-Section Number : 1
Sub-Section Id : 383823103
Question Shuffling Allowed : Yes

Question Number : 1 Question Id : 3838235161 Question Type : MCQ Option Shuffling : Yes
Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

If $x = \alpha, y = \beta, z = \gamma$ is a positive integral solution of the equation $x + y + z = 12$, the probability that it is such that $\alpha < \beta < \gamma$ is

Options :

1. ✓ $\frac{7}{55}$

2. ✗ $\frac{12}{55}$

3. ✗ $\frac{13}{55}$

4. ✗ $\frac{8}{55}$

Question Number : 2 Question Id : 3838235162 Question Type : MCQ Option Shuffling : Yes
Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which of the following pairs of numbers is possible to be the regression coefficients for a data of two variables

Options :

1. ✗ (0.7, 3.2)

2. ✗ (-0.6, 0.5)

3. ✓ (0.85, 0.9)

4. ✗ (0.4, 2.6)

Question Number : 3 Question Id : 3838235163 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

The order of convergence of the Newton's Raphson's method is

Options :

1. ✖ linear
2. ✔ quadratic
3. ✖ biquadratic
4. ✖ cubic

Question Number : 4 Question Id : 3838235164 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which of the following numerical method is a multistep method to solve IVP or BVP's

Options :

1. ✖ Successive approximation method
2. ✔ Adams – Bashforth method
3. ✖ Runge – Kutta method
4. ✖ Euler's method

Question Number : 5 Question Id : 3838235165 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

If the Laplace transform of $\int_0^t \frac{((1+2t)^2 - 1)e^{3t}}{t} dt = \frac{A}{S} + \frac{B}{(S-3)^2} + \frac{C}{(S-3)}$, then

$3(A+B+C) =$

Options :

1. ✖ 8
2. ✔ 4

3. ✖ 12

4. ✖ 15

Question Number : 6 Question Id : 3838235166 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Consider the following problem of vibration of a string. A tightly stretched string with fixed end points $x=0$ and $x=L$ is initially in a position given by $y(x,0)=f(x)$. It is released from this rest position and allowed to vibrate. The mathematical representation of this problem which depicts the displacement of the string $y(x,t)$ at different times for different values of x , $0 \leq x \leq L$ is

Options :

1. ✖ $\frac{\partial y}{\partial x} = C^2 \frac{\partial^2 y}{\partial x^2}, y(x,0) = f(x), y(0,t) = 0, y(L,t) = 0$

2. ✖ $\frac{\partial y}{\partial t} = C^2 \frac{\partial^2 y}{\partial x^2}, y(0,t) = f(x), y(0,L) = 0, y(L,0) = 0, \left(\frac{\partial y}{\partial t}\right)_{t=0} = 0$

3. ✖ $\frac{\partial^2 y}{\partial x^2} = C^2 \frac{\partial^2 y}{\partial t^2}, y(x,0) = f(x), \left(\frac{\partial y}{\partial x}\right)_{x=0} = 0, y(0,L) = 0$

4. ✔ $\frac{\partial^2 y}{\partial t^2} = C^2 \frac{\partial^2 y}{\partial x^2}, y(x,0) = f(x), y(0,t) = 0, y(L,t) = 0, \left(\frac{\partial y}{\partial t}\right)_{t=0} = 0$

Question Number : 7 Question Id : 3838235167 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

If $x = f(t)$ changes the interval $\alpha \leq t \leq \alpha + 2C$ to $\beta \leq x \leq \beta + 2\pi$, then $\frac{f(t)}{\beta} =$

Options :

1. ✖ $t + \alpha$

2. ✔ $\frac{t}{\alpha}$

3. ✖ αt

4. ✖ $t - \alpha$

Question Number : 8 Question Id : 3838235168 Question Type : MCQ Option Shuffling : Yes
Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which of the following is a convergent series?

Options :

1. ✖ $\sum_{n=0}^{\infty} \frac{3n^2 + 5n + 6}{5n^2 + 6n + 3}$

2. ✖ $\sum_{n=0}^{\infty} (-1)^n \frac{2n+3}{2n}$

3. ✖ $\sum_{n=0}^{\infty} \frac{2^n - 2}{2^n + 1}$

4. ✔ $\sum_{n=1}^{\infty} (-1)^{n+1} \frac{1}{\log(n+1)}$

Question Number : 9 Question Id : 3838235169 Question Type : MCQ Option Shuffling : Yes
Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

A and B are two nonsingular matrices. If the characteristic equation of A is

$$a_0x^3 + a_1x^2 + a_2x + a_3 = 0 \text{ and characteristic equation of } B^{-1}A^{-1}B \text{ is}$$

$$b_0x^3 + b_1x^2 + b_2x + b_3 = 0, \text{ then}$$

Options :

1. ✖ $\frac{a_0}{b_0} = \frac{a_1}{b_1} = \frac{a_2}{b_2} = \frac{a_3}{b_3}$

2. ✔ $\frac{a_0}{b_3} = \frac{a_1}{b_2} = \frac{a_2}{b_1} = \frac{a_3}{b_0}$

3. ✖ $a_0 + a_1 + a_2 + a_3 = b_0 + b_1 + b_2 + b_3$

4. ✖ $a_0 a_1 a_2 a_3 = b_0 b_1 b_2 b_3$

Question Number : 10 Question Id : 3838235170 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Consider the linear system of non homogeneous equation in three variables $AX = B$.

$\rho(A)$ and $\rho([A : B])$ are roots of the equation $x^2 + bx + c = 0$. $AX = B$ has infinite number of solutions, then the option containing two possible pairs of values of (b, c) is

Options :

1. ✖ $(1, 1) (2, 1)$

2. ✖ $(1, -2) (4, -4)$

3. ✔ $(-4, 4) (-2, 1)$

4. ✖ $(1, 1) (1, 2)$

Bio Technology

Section Id :	383823104
Section Number :	2
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	110
Number of Questions to be attempted :	110
Section Marks :	110
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	383823104
Question Shuffling Allowed :	Yes

Question Number : 11 Question Id : 3838235171 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Spontaneous generation or Abiogenesis was disproved by

Options :

1. ✖ Antony van Leeuwenhoek

2. ✖ Aristotle
3. ✔ Louis Pasteur
4. ✖ Ferdinand Cohn

Question Number : 12 Question Id : 3838235172 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Endoplasmic reticulum and Golgi bodies are present in

Options :

1. ✖ Prokaryotic cell
2. ✖ Animal cell only
3. ✖ Plant cell only
4. ✔ Both animal and plant cell

Question Number : 13 Question Id : 3838235173 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Fimbriae in prokaryotes is used for

Options :

1. ✖ Motility
2. ✔ Attachment or adhesion
3. ✖ Conjugation
4. ✖ Motility, attachment and conjugation

Question Number : 14 Question Id : 3838235174 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Transduction is a process of

Options :

1. ✖ Uptake of exogenous DNA by microbe
2. ✖ Sexual transfer of DNA from two microbes
3. ✔ Transfer of genetic material through a bacteriophage or a virus
4. ✖ Uptake of exogenous DNA by microbe and Sexual transfer of DNA from two microbes

Question Number : 15 Question Id : 3838235175 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Axenic culture means

Options :

1. ✖ Study of characteristics of a culture, in an environment of other living organisms
2. ✔ Study of characteristics of a culture, in an environment free of other living organisms
3. ✖ Study of characteristics of a culture, of living organisms without environment effect
4. ✖ Study of characteristics of a culture, in absence of nutrients

Question Number : 16 Question Id : 3838235176 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Photo lithotrophic autotroph organisms use

Options :

1. ✔ Light energy, inorganic electron source and CO_2 as its carbon source
2. ✖ Chemical energy, organic electron source and CO_2 as its carbon source
3. ✖ Light energy, organic electron source and organic compounds as its carbon source
4. ✖ Chemical energy, inorganic electron source and CO_2 as its carbon source

Question Number : 17 Question Id : 3838235177 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Electron transport chain mechanism for generation of ATP is carried out in

Options :

1. ✗ Outer membrane of Endoplasmic reticulum
2. ✗ Mitochondrial Matrix
3. ✓ Mitochondrial folded inner membrane cristae
4. ✗ In Golgi bodies

Question Number : 18 Question Id : 3838235178 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Microbes at exponential growth phase will have

Options :

1. ✗ Rate of growth is inversely proportional to division
2. ✓ Rate of growth and division is constant and maximal
3. ✗ Population is not uniform in terms of chemical and physical properties during this phase
4. ✗ Population is uniform but not in terms of chemical and physical properties during this phase

Question Number : 19 Question Id : 3838235179 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Chemoorganotrophic heterotroph organisms use

Options :

1. ✓ Organic compounds as sources of energy, hydrogen, electrons and carbon
2. ✗ Light energy, organic electron source and organic compounds as its carbon source
3. ✗ Chemical energy, inorganic electron source and CO_2 as its carbon source
4. ✗

Question Number : 20 Question Id : 3838235180 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Fermentation is a process where

Options :

1. ✖ Glucose is converted into pyruvate in the presence of oxygen
2. ✖ Glucose is converted into pyruvate in the absence of oxygen
3. ✔ Glucose is converted into lactate and / or alcohol in the absence of oxygen
4. ✖ Glucose is converted into lactate and / or alcohol in the presence of oxygen

Question Number : 21 Question Id : 3838235181 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Lyophilization or freeze-drying involves

Options :

1. ✖ Freezing the cells in liquid nitrogen
2. ✔ Sublimation of cells water by its drying under vacuum
3. ✖ Making into powder by dry heat
4. ✖ Wet heat and freezing of cells

Question Number : 22 Question Id : 3838235182 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

The following is not an inhibitor of protein synthesis

Options :

1. ✖ Streptomycin

2. ✓ Penicillin

3. ✗ Tetracyclin

4. ✗ Erythromycin

Question Number : 23 Question Id : 3838235183 Question Type : MCQ Option Shuffling : Yes
Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which among the following is a compound lipid

Options :

1. ✗ Fats

2. ✗ Oils

3. ✓ Phospholipids

4. ✗ Waxes

Question Number : 24 Question Id : 3838235184 Question Type : MCQ Option Shuffling : Yes
Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Select a conjugated protein

Options :

1. ✗ Collagen

2. ✗ Albumin

3. ✗ Keratin

4. ✓ Hemoglobin

Question Number : 25 Question Id : 3838235185 Question Type : MCQ Option Shuffling : Yes
Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which one is incorrect with regard to pK_a ?

Options :

1. ✖ In pK_a , K_a is acid dissociation constant
2. ✔ pK_a is measurement of the concentration of hydrogen ions in a solution
3. ✖ Higher the K_a the stronger the acid
4. ✖ pK_a is used to show the strength of an acid

Question Number : 26 Question Id : 3838235186 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which is correct for bisubstrate reactions?

Options :

1. ✔ They are classified into sequential and double displacement reactions
2. ✖ The most widely used rate expression for them is Michaelis- Menten kinetics
3. ✖ Enzyme concentration is in excess of the substrate in the medium
4. ✖ The rate is mainly limited by the substrate concentration

Question Number : 27 Question Id : 3838235187 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Select the wrong option regarding enthalpy

Options :

Enthalpy is the measure of total heat in a thermodynamic system where pressure is

1. ✖ constant
2. ✖ It is represented as $\Delta H = \Delta E + P \Delta V$
3. ✔ It is a measure of disorder in a thermodynamic system
4. ✖ It represents the heat constant of a system

Question Number : 28 Question Id : 3838235188 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Mitochondria known as the “powerhouse” of the cell, generates ATP *via* oxidative phosphorylation complexes. Which among the following is known as complex I?

Options :

1. ✖ Succinate dehydrogenase
2. ✖ Ubiquinol–cytochrome c oxidoreductase
3. ✖ Cytochrome c oxidase
4. ✔ NADH: ubiquinone oxidoreductase

Question Number : 29 Question Id : 3838235189 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which of the following is not a transport protein?

Options :

1. ✖ Sodium-potassium pump
2. ✔ Mechano-Sensitive Ion Channels
3. ✖ The sodium-calcium exchanger
4. ✖ Lactose permease

Question Number : 30 Question Id : 3838235190 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which of the following are positive regulators of cell cycle?

Options :

1. ✔ Cyclin and cyclin dependent kinases
2. ✖ Retinoblastoma protein
3. ✖ P53

Question Number : 31 Question Id : 3838235191 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which among the following belongs to the class of second messengers?

Options :

1. ✖ Hormones, neurotransmitters
2. ✖ Pharmacological agonists
3. ✔ cAMP, cGMP, DNA binding
4. ✖ Ions, protein kinases

Question Number : 32 Question Id : 3838235192 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

What are Alleles?

Options :

1. ✖ two genes that occupy the different position on non-homologous chromosomes and that cover the same trait
2. ✔ two genes that occupy the same position on homologous chromosomes and that cover the same trait
3. ✖ two genes that occupy the same position on non-homologous chromosomes and that cover different trait
4. ✖ two genes that occupy the same position on homologous chromosomes and that cover different trait

Question Number : 33 Question Id : 3838235193 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

In Mendel's dihybrid cross study mating that involve parents that differ in two genes (two independent traits) the F₂ generation phenotype ratio would be

Options :

1. ✖ 1:2:1
2. ✖ 9:3:1:3
3. ✔ 9:3:3:1
4. ✖ 9:1:3:3

Question Number : 34 Question Id : 3838235194 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Polygenic Trait means

Options :

- Several genes influence different traits; genes for a polygenic trait may be scattered
1. ✖ along the same chromosome
- Several genes influence a trait; genes for a polygenic trait are not scattered along the
2. ✖ same chromosome or different chromosomes
- Several genes influence different traits; genes for a polygenic trait are not scattered
3. ✖ along the same chromosome or on different chromosomes
- Several genes influence a trait; genes for a polygenic trait may be scattered along the
4. ✔ same chromosome or located on different chromosomes

Question Number : 35 Question Id : 3838235195 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Frequency of crossing-over between linked genes is

Options :

1. ✖ Inversely proportional to the distance between them
2. ✔ Proportional to the distance between them
3. ✖ Inversely proportional to the square of the distance between them
4. ✖ Proportional to the square of the distance between them

Question Number : 36 Question Id : 3838235196 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Epistasis refers to

Options :

1. ✖ No variation resulting from the interaction of alleles at different loci
2. ✖ Variation resulting from the interaction of alleles at same loci
3. ✖ No variation resulting from the interaction of alleles at different chromosomes
4. ✔ Variation resulting from the interaction of alleles at different loci

Question Number : 37 Question Id : 3838235197 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

What is transition and transversion mutations respectively means?

Options :

1. ✖ Purine is replaced by pyrimidine in transition and purine is replaced by purine in transversion
2. ✔ Purine is replaced by purine in transition and purine is replaced by pyrimidine in transversion
3. ✖ Purine is replaced by purine in transition and transversion
4. ✖ Pyrimidine is replaced by pyrimidine in transition and in transversion

Question Number : 38 Question Id : 3838235198 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

In structural chromosome mutations pericentric inversion mutation means

Options :

1. ✔ A portion in the chromosome is reversed and gets inserted back into the other arm of the same chromosome
2. ✖ Some part of the chromosome is deleted and new is added

A portion in the chromosome is reversed and gets inserted back into the same arm of

3. ✖ the chromosome
4. ✖ A portion in the chromosome is reversed and gets inserted back into the other chromosome

Question Number : 39 Question Id : 3838235199 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

UV light effect the DNA by causing

Options :

1. ✖ G-G dimerization
2. ✖ G-C dimerization
3. ✔ T-T dimerization
4. ✖ A-T dimerization

Question Number : 40 Question Id : 3838235200 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Smaller subunit of ribosomes binds to what for initiation of translation

Options :

1. ✖ DNA
2. ✔ mRNA
3. ✖ tRNA
4. ✖ microsatellite RNA

Question Number : 41 Question Id : 3838235201 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Promotor and operator are cis sites on DNA for binding of

Options :

1. ✓ RNA polymerase binds to promotor and repressor binds to operator
2. ✗ Repressor binds to promotor and RNA polymerase binds to operator
3. ✗ DNA polymerase binds to promotor and repressor binds to operator
4. ✗ DNA polymerase binds to promotor and RNA polymerase binds to operator

Question Number : 42 Question Id : 3838235202 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Post transcriptional modification includes

Options :

1. ✗ RNA editing
2. ✗ Phosphorylation, Acetylation
3. ✓ 5' capping, 3' poly adenylating and intron removal by splicing
4. ✗ Ubiquitination

Question Number : 43 Question Id : 3838235203 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Function of signal sequences in translation

Options :

1. ✗ Protein modifications
2. ✓ Protein targeting to other organelles for further protein synthesis
3. ✗ Protein degradation
4. ✗ Protein transport to target specific sites for function

Question Number : 44 Question Id : 3838235204 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Mismatch repair mechanism in DNA deals with

Options :

1. ✖ Deamination
2. ✖ Adducts and cross-links
3. ✖ Double stranded breaks
4. ✔ Replication errors

Question Number : 45 Question Id : 3838235205 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Hardy-Weinberg Law / equilibrium model in population genetics means

Options :

1. ✖ Allele and genotype frequencies in a population do not remain constant in the absence of other evolutionary influences
2. ✔ Allele and genotype frequencies in a population remain constant in the absence of other evolutionary influences
3. ✖ Allele and genotype frequencies in a population remain constant in the presence of other evolutionary influences
4. ✖ Allele and genotype frequencies in a population defer in the absence of other evolutionary influences

Question Number : 46 Question Id : 3838235206 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which of the following is a primary metabolite?

Options :

1. ✖ Antibiotics
2. ✔ Ethanol
3. ✖ Penicillin

4. ✖ Taxol

Question Number : 47 Question Id : 3838235207 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Antibiotics are substances produced by microorganisms to

Options :

1. ✔ Inhibit the growth of other microorganisms
2. ✖ Enhance the growth of other microorganisms
3. ✖ Act as nutrients for other microorganisms
4. ✖ Regulate microbial metabolism

Question Number : 48 Question Id : 3838235208 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which of the following is an example of a microbial pigment used in industrial applications?

Options :

1. ✖ Chlorophyll
2. ✖ Melanin
3. ✔ Carotene
4. ✖ Hemoglobin

Question Number : 49 Question Id : 3838235209 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Membrane-based bio separation methods rely on the principle of

Options :

1. ✖ Centrifugation

2. ✓ Filtration
3. ✗ Precipitation
4. ✗ Sedimentation

Question Number : 50 Question Id : 3838235210 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

In immobilization of enzymes, the term "carrier" refers to

Options :

1. ✗ The substrate of the enzyme
2. ✓ The support material for enzyme attachment
3. ✗ The product of enzyme catalysis
4. ✗ The cofactor of the enzyme

Question Number : 51 Question Id : 3838235211 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Recombinant proteins are often produced on a large scale using

Options :

1. ✗ Conventional chemical methods
2. ✗ Plant cells
3. ✓ Microbial systems
4. ✗ Inorganic catalysts

Question Number : 52 Question Id : 3838235212 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Citric acid is widely used in the food and beverage industry. It is primarily produced by

Options :

1. ✖ Bacteria
2. ✖ Yeast
3. ✔ Fungi
4. ✖ Algae

Question Number : 53 Question Id : 3838235213 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

What is the purpose of a fed-batch culture in bioprocess technology?

Options :

1. ✔ To feed the cells with nutrients continuously
2. ✖ To maintain a constant volume of the culture
3. ✖ To induce stress on the cells
4. ✖ To stop the bioprocess abruptly

Question Number : 54 Question Id : 3838235214 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which of the following is a common aerobic process for the stabilization of solid wastes?

Options :

1. ✖ Incineration
2. ✔ Composting
3. ✖ Landfilling
4. ✖ Pyrolysis

Question Number : 55 Question Id : 3838235215 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Bioremediation can be applied to clean up contaminants in

Options :

1. ✘ Air only
2. ✘ Water only
3. ✔ Soil, water, and air
4. ✘ Metals only

Question Number : 56 Question Id : 3838235216 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Reverse-phase chromatography involves the use of a stationary phase that is

Options :

1. ✔ Nonpolar
2. ✘ Polar
3. ✘ Neutral
4. ✘ Electrically charged

Question Number : 57 Question Id : 3838235217 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Penicillin belongs to which class of antibiotics?

Options :

1. ✘ Aminoglycosides
2. ✘ Cephalosporins
3. ✔ Beta-lactams
4. ✘ Tetracyclines

Question Number : 58 Question Id : 3838235218 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Exopolysaccharides are often produced by microorganisms in response to

Options :

1. ✓ Low nutrient availability
2. ✗ High temperatures
3. ✗ Presence of antibiotics
4. ✗ Sunlight exposure

Question Number : 59 Question Id : 3838235219 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which phase of microbial growth is characterized by a balance between cell division and cell death?

Options :

1. ✗ Lag phase
2. ✗ Exponential phase
3. ✓ Stationary phase
4. ✗ Death phase

Question Number : 60 Question Id : 3838235220 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

The Monod equation describes the relationship between

Options :

1. ✗ Substrate concentration and product formation rate
2. ✓ Specific growth rate and substrate concentration

- 3. ✖ Biomass concentration and time
- 4. ✖ Product formation rate and biomass concentration

Question Number : 61 Question Id : 3838235221 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

The specific growth rate (μ) is defined as

Options :

- 1. ✔ The rate of biomass production per unit time
- 2. ✖ The rate of substrate utilization per unit biomass
- 3. ✖ The rate of product formation per unit substrate
- 4. ✖ The rate of nutrient consumption per unit volume

Question Number : 62 Question Id : 3838235222 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Agitation in a bioreactor is essential for

Options :

- 1. ✔ Mixing nutrients and maintaining uniform conditions
- 2. ✖ Sterilizing the medium
- 3. ✖ Reducing oxygen concentration
- 4. ✖ Minimizing microbial contamination

Question Number : 63 Question Id : 3838235223 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which sterilization method is suitable for heat-sensitive media and is commonly used in the pharmaceutical industry?

Options :

1. ✖ Autoclaving
2. ✔ Membrane filtration
3. ✖ Pasteurization
4. ✖ Dry heat sterilization

Question Number : 64 Question Id : 3838235224 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Rheology of fermentation fluids refers to the study of

Options :

1. ✖ Heat transfer properties
2. ✔ Flow and deformation characteristics
3. ✖ Oxygen transfer rates
4. ✖ pH variations

Question Number : 65 Question Id : 3838235225 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Biot number is associated with

Options :

1. ✖ Rheology of fluids
2. ✖ Mass transfer
3. ✖ Conduction
4. ✔ Heat transfer

Question Number : 66 Question Id : 3838235226 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which of the following component is a common nitrogen source in fermentation media?

Options :

1. ✖ Glucose
2. ✔ Peptone
3. ✖ Phosphate
4. ✖ Ethanol

Question Number : 67 Question Id : 3838235227 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

The purpose of a plug-flow reactor is to

Options :

1. ✖ Minimize reactor volume
2. ✔ Maximize contact time between substrate and microorganisms
3. ✖ Allow continuous addition and removal of substrate
4. ✖ Enhance heat transfer

Question Number : 68 Question Id : 3838235228 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which parameter is not commonly monitored in a bioreactor?

Options :

1. ✖ Dissolved oxygen
2. ✖ Carbon dioxide concentration
3. ✔ Ambient light intensity
4. ✖ Cell density

Question Number : 69 Question Id : 3838235229 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

The concept of totipotency in plants was given by

Options :

1. ✖ Schwan
2. ✖ Morgan
3. ✖ Murashige
4. ✔ Haberlandt

Question Number : 70 Question Id : 3838235230 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which group of phytohormone in plants is used for shoot multiplication under *in vitro* Conditions?

Options :

1. ✖ Auxin
2. ✔ Cytokinin
3. ✖ GA₃
4. ✖ Absciscic Acid

Question Number : 71 Question Id : 3838235231 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Hairy root cultures in plants are induced by infection with which bacterial sps

Options :

1. ✖ *Bacillus*
2. ✔ *Agrobacterium*
3. ✖ *Staphylococcus*
4. ✖ *Pseudomonas*

Question Number : 72 Question Id : 3838235232 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

In the production of transgenic plants the following technique is used for DNA transfer

Options :

1. ✓ Gene Gun
2. ✗ PCR
3. ✗ RT PCR
4. ✗ Electrophoresis

Question Number : 73 Question Id : 3838235233 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Cell suspension cultures are grown in

Options :

1. ✗ Semisolid media
2. ✓ Liquid media
3. ✗ Solid media
4. ✗ Gaseous media

Question Number : 74 Question Id : 3838235234 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Contact Inhibition means

Options :

1. ✗ Cells stop growing without any reason
2. ✓ Cells stop growing once the entire surface is spread
3. ✗ Uninhibited growth

4. ✖ Cells keep growing without any inhibition

Question Number : 75 Question Id : 3838235235 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

L-Glutamine amino acid is added in the animal cell media because

Options :

1. ✖ It is an energy source

2. ✖ It is a carbon source for nucleic acid for synthesis

3. ✔ It is an energy and carbon source for cell culture

4. ✖ Cells cannot produce it

Question Number : 76 Question Id : 3838235236 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Finite cell lines are known as

Options :

1. ✖ Fresh cell lines

2. ✖ Immortal cell lines

3. ✔ Cell lines which grow through a limited number of cell generation

4. ✖ Secondary cell lines

Question Number : 77 Question Id : 3838235237 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Humanized monoclonal antibodies are a combination of

Options :

1. ✔ Heavy and light chain constant domains are from human and variable from mouse

2. ✖ Heavy chain constant domain from mouse and light chain constant domain from human

3. ✖ Heavy and light chain constant domains and variable from mouse
4. ✖ Heavy and light chain constant domains are from mouse and variable from human

Question Number : 78 Question Id : 3838235238 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Transgenic and knock out animal's means

Options :

1. ✖ Gene knocked out and new gene added animals
2. ✖ Gene knocked out but no new gene added animals
3. ✖ Gene not removed but new gene added animals
4. ✔ New Gene added and existing gene knocked out animals

Question Number : 79 Question Id : 3838235239 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Is Immunity hereditary?

Options :

1. ✖ Yes, maternal derived
2. ✖ Yes, paternal derived
3. ✔ Non-hereditary
4. ✖ Maternal and paternal derived

Question Number : 80 Question Id : 3838235240 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

What are Haptens?

Options :

1. ✖ Antigenes which induce low immune response
2. ✔ Antigenes which are not immunogenic on their own
3. ✖ Antigenes which induce high immune response
4. ✖ Antigenes which are nonspecific stimulators of immune response

Question Number : 81 Question Id : 3838235241 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Best antigen presenting cell is

Options :

1. ✖ Mast cell
2. ✖ B cell
3. ✖ Neutrophils
4. ✔ Dendritic cells

Question Number : 82 Question Id : 3838235242 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Hypersensitivity –I is associated with what type of immune complex?

Options :

1. ✖ IgM antibody + Protein antigen complex
2. ✖ IgG antibody + Protein antigen complex
3. ✔ IgE antibody + Allergen complex
4. ✖ IgA antibody + antigen complex

Question Number : 83 Question Id : 3838235243 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Antibody can become a killer when it is bound with

Options :

1. ✖ Cytokines
2. ✖ Interleukins
3. ✖ Chemokines
4. ✔ Complement

Question Number : 84 Question Id : 3838235244 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Chronic rejection mechanism in host vs graft is caused by

Options :

1. ✔ CD4+ T cells
2. ✖ Antibody
3. ✖ CD8+ T cells
4. ✖ Macrophages

Question Number : 85 Question Id : 3838235245 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Plasma treatment used for covid patients provides

Options :

1. ✖ Blood
2. ✖ Fibrinogen
3. ✔ Antibodies for CoV-2 virus
4. ✖ Immune tolerance to CoV-2 virus

Question Number : 86 Question Id : 3838235246 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which one of the following is an autoimmune disease?

Options :

1. ✖ Tuberculosis
2. ✖ Covid-19
3. ✖ Common cold
4. ✔ Type 1 Diabetes

Question Number : 87 Question Id : 3838235247 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Covaxin, a vaccine developed by Bharat Biotech for covid-19 is

Options :

1. ✖ DNA based vaccine
2. ✖ Protein based Vaccine
3. ✔ Inactivated Virus based vaccine
4. ✖ mRNA based vaccine

Question Number : 88 Question Id : 3838235248 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which type of restriction enzymes are used in genetic engineering work

Options :

1. ✖ Type I
2. ✔ Type II
3. ✖ Type III
4. ✖ Type IV

Question Number : 89 Question Id : 3838235249 Question Type : MCQ Option Shuffling : Yes
Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Identify the vector which is not a phage vector among the following?

Options :

1. ✓ pBR322
2. ✗ MP13MP2
3. ✗ λ gt 10
4. ✗ λ ZAP11

Question Number : 90 Question Id : 3838235250 Question Type : MCQ Option Shuffling : Yes
Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

pBluscript II KS is a

Options :

1. ✗ Plasmid
2. ✗ Cosmid
3. ✓ Phagemid
4. ✗ Artificial chromosome

Question Number : 91 Question Id : 3838235251 Question Type : MCQ Option Shuffling : Yes
Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which among the following is incorrect with reference to Yeast Artificial Chromosomes?

Options :

1. ✗ YACs have ORS, Telomere and Centromere
2. ✗ They are used for physical mapping of complex genomes
3. ✗ They can be used to express eukaryotic proteins that require post translational modifications

4. ✓ YAC do not favor cloning of large fragments of DNA

Question Number : 92 Question Id : 3838235252 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

For expression of eukaryotic gene in a prokaryotic system, which sequence has to be inserted from its first codon?

Options :

1. ✗ Kozak sequence
2. ✓ Shine Dalgarno sequence
3. ✗ Enhancers
4. ✗ Silencers

Question Number : 93 Question Id : 3838235253 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

The correct sequence of enzymes used for cDNA library preparation is

Options :

1. ✓ Reverse transcriptase, RNAs H, DNA polymerase, Terminal transferase
2. ✗ RNAs H, DNA polymerase, Reverse transcriptase, Terminal transferase
3. ✗ DNA polymerase, Terminal transferase, Reverse transcriptase, RNAs H
4. ✗ Reverse transcriptase, Terminal transferase, RNAs H, DNA polymerase

Question Number : 94 Question Id : 3838235254 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which vector is not suitable for Genomic DNA library construction?

Options :

1. ✗ λ replacement vector

2. ✖ Yeast Artificial Chromosomes
3. ✖ Bacterial Artificial Chromosomes
4. ✔ Plasmids

Question Number : 95 Question Id : 3838235255 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Match the following

X	Ribosome binding site	1	Enhance transcription
Y	Promoter	2	Shine Dalgarno Sequence
Z	Enhancer	3	Molecular Switches to turn on transcription

Options :

1. ✔ X-2; Y-3; Z-1
2. ✖ X-1; Y-2; Z-3
3. ✖ X-3; Y-1; Z-2
4. ✖ X-3; Y-2; Z-1

Question Number : 96 Question Id : 3838235256 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which is incorrect with reference to transposon?

Options :

1. ✖ It is known as jumping genes
2. ✖ It was first discovered by Barbara Mcclintock
3. ✖ Retrotransposons can move through RNA intermediates
4. ✔ 2/3 of human genome is made up of transposons

Question Number : 97 Question Id : 3838235257 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which one makes correct components of a PCR reaction?

Options :

1. ✗ DNA template, Primers, DNTPs
2. ✗ DNA polymerase, DNTPs, Primers, DNA template
3. ✓ DNA template, Taq DNA polymerase, Primers, DNTPs
4. ✗ DNA template, DNTPs, Taq DNA polymerase

Question Number : 98 Question Id : 3838235258 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which technique is not used for site directed mutagenesis?

Options :

1. ✗ Oligonucleotide directed mutagenesis
2. ✗ Cassette mutagenesis
3. ✓ Physical mutagenesis
4. ✗ SDM with PCR

Question Number : 99 Question Id : 3838235259 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which is an endonuclease in CRISPR Cas9 Technique?

Options :

1. ✗ gRNA
2. ✓ Cas 9
3. ✗ PAM
4. ✗ Cr RNA

Question Number : 100 Question Id : 3838235260 Question Type : MCQ Option Shuffling : Yes
Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which is correct regarding *ex vivo* gene therapy?

Options :

1. ✖ Therapeutic Genes are transferred to germ line cells
2. ✔ Cells are modified outside body and transferred back to the body
3. ✖ Genes are changed in cells when cells are inside the body
4. ✖ Luxturna is an example of *ex vivo* gene therapy

Question Number : 101 Question Id : 3838235261 Question Type : MCQ Option Shuffling : Yes
Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which blotting technique is used for detection of proteins?

Options :

1. ✖ Southern blotting
2. ✖ Northern blotting
3. ✔ Western blotting
4. ✖ Eastern blotting

Question Number : 102 Question Id : 3838235262 Question Type : MCQ Option Shuffling : Yes
Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which of the following is not a variant of BLAST?

Options :

1. ✖ BLASTX
2. ✔ TBLASTNX

3. ✖ BLASTP

4. ✖ BLASTN

Question Number : 103 Question Id : 3838235263 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Proteomics refers to the study of

Options :

1. ✖ Set of proteins in a specific region of the cell
2. ✖ Biomolecules
3. ✖ Set of proteins
4. ✔ The entire set of expressed proteins in the cell

Question Number : 104 Question Id : 3838235264 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

The term Bioinformatics was coined by

Options :

1. ✖ J.D Watson
2. ✔ Pauline Hogeweg
3. ✖ Margaret Dayhoff
4. ✖ Frederic Sanger

Question Number : 105 Question Id : 3838235265 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which of the alignment does not assume that the two sequences in question have similarity over the entire length?

Options :

1. ✔ Local

2. ✖ Global
3. ✖ Heuristic
4. ✖ Clustal

Question Number : 106 Question Id : 3838235266 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Clustal W is a _____ multiple alignment program available either as a stand-alone or on-line program.

Options :

1. ✖ exhaustive
2. ✖ block based
3. ✔ progressive
4. ✖ iterative

Question Number : 107 Question Id : 3838235267 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which of the following is not a sequence alignment tool

Options :

1. ✖ BLAST
2. ✖ FASTA
3. ✖ CLUSTAL
4. ✔ ROSMAL

Question Number : 108 Question Id : 3838235268 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which of the following is a data bank exclusively for proteins?

Options :

1. ✖ DDBJ
2. ✖ EMBL
3. ✖ Genbank
4. ✔ PDB

Question Number : 109 Question Id : 3838235269 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which method is commonly employed for predicting the energetically favorable binding pose of a ligand with a target protein?

Options :

1. ✖ Molecular dynamics simulation
2. ✖ Quantum mechanics
3. ✔ Docking simulation
4. ✖ Monte Carlo simulation

Question Number : 110 Question Id : 3838235270 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which type of molecular modeling method is particularly suitable for studying large biomolecular systems, such as proteins and nucleic acids?

Options :

1. ✖ Quantum mechanics
2. ✔ Molecular dynamics simulation
3. ✖ Docking simulation
4. ✖ Energy minimization

Question Number : 111 Question Id : 3838235271 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

What type of controller is commonly used to regulate temperature in a bioreactor?

Options :

1. ✓ PID controller
2. ✗ ON/OFF controller
3. ✗ Bang-bang controller
4. ✗ Proportional controller

Question Number : 112 Question Id : 3838235272 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

In a bioreactor, what is the term used to describe the resistance to mass transfer across the gas-liquid interface?

Options :

1. ✗ Interfacial tension
2. ✗ Gas holdup
3. ✗ Mass transfer coefficient
4. ✓ Film thickness

Question Number : 113 Question Id : 3838235273 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which of the following is an example of in-situ bioremediation?

Options :

1. ✗ Pumping contaminated groundwater to the surface for treatment
2. ✗ Excavating contaminated soil and treating it in a bioreactor
3. ✓ Injecting microorganisms directly into the contaminated site

4. ✖ Spraying chemical agents onto polluted surfaces

Question Number : 114 Question Id : 3838235274 Question Type : MCQ Option Shuffling : Yes
Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which of the following is an example of a primary metabolite?

Options :

1. ✖ Antibiotics

2. ✖ Alkaloids

3. ✔ Amino acids

4. ✖ Flavonoids

Question Number : 115 Question Id : 3838235275 Question Type : MCQ Option Shuffling : Yes
Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which NCBI database is used for searching and retrieving biomedical literature?

Options :

1. ✖ GenBank

2. ✔ PubMed

3. ✖ UniProt

4. ✖ BLAST

Question Number : 116 Question Id : 3838235276 Question Type : MCQ Option Shuffling : Yes
Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Nucleosome a repeating structural unit within eukaryotic chromatin is made up of

Options :

140 bp of DNA making 1.65 negative super helical turn wrapped around a hexamer of

1. ✖ histones

2. ✖

146 bp of DNA making 1.65 negative super helical turn wrapped around a dimer of histones

140 bp of DNA making 1.65 negative super helical turn wrapped around an octamer

3. ✖ of histones

146 bp of DNA making 1.65 negative super helical turn wrapped around an octamer

4. ✔ of histones

Question Number : 117 Question Id : 3838235277 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which sequencing technique relies on the synthesis of complementary strands in the presence of chain-terminating dideoxynucleotides?

Options :

1. ✔ Sanger sequencing

2. ✖ Next-generation sequencing

3. ✖ Polymerase Chain Reaction (PCR)

4. ✖ Pyrosequencing

Question Number : 118 Question Id : 3838235278 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Which among the following is true for RFLP?

Options :

1. ✖ It cannot be used as a genetic marker

It refers to differences (or variations) in the DNA sequences at sites

2. ✔ recognized by restriction enzymes

3. ✖ Restriction enzymes are not used for digesting DNA in this process

4. ✖ It is a PCR based marker

Which among the following is not a transgenic plant?

Options :

1. ✖ Bt Cotton
2. ✖ Golden Rice
3. ✔ Samba Mahsuri
4. ✖ FLAVR SAVR

Question Number : 120 Question Id : 3838235280 Question Type : MCQ Option Shuffling : Yes

Display Question Number : Yes

Correct Marks : 1 Wrong Marks : 0

Cells signalling between distant cells mediated by hormones released from specific cells that travel to target cells, producing a slower, long-lasting response is known as

Options :

1. ✖ Paracrine signalling
2. ✔ Endocrine signalling
3. ✖ Autocrine signalling
4. ✖ Direct signalling