

**GEO-PHYSICS**  
**Paper – I**

Time Allowed : **Three Hours**

Maximum Marks : **200**

**Question Paper Specific Instructions**

*Please read each of the following instructions carefully before attempting questions :*

*There are **TEN** questions divided in **TWO** sections.*

*Candidate has to attempt **SIX** questions in all.*

*Question Nos. **1** and **6** are **compulsory**.*

*Out of the remaining **EIGHT** questions, **FOUR** questions are to be attempted choosing **TWO** from each Section.*

*The number of marks carried by a question / part is indicated against it.*

*Neat sketches are to be drawn to illustrate answers, wherever required. They shall be drawn in the space provided for answering the question itself.*

*Unless otherwise mentioned, symbols and notations have their usual standard meanings.*

*Assume suitable data, if necessary, and indicate the same clearly.*

*Attempts of questions shall be counted in sequential order. Unless struck off, attempt of a question shall be counted even if attempted partly.*

*Any page or portion of the page left blank in the Question-cum-Answer (QCA) Booklet must be clearly struck off.*

*Answers must be written in **ENGLISH** only.*

## SECTION A

- Q1.** (a) Derive Adams–Williamson equation and its application in Geophysics. Also give variation of Body-wave velocity ( $\alpha$ ) in the Earth's interior according to Earth Model IASP91. 10
- (b) State Fermat's principle and derive Snell's law using the same principle for geometry of incident and refracted ray on horizontal interface. 10
- (c) Write down the condition under which the magnetic dipole is presumed to be a point or isolated pole. Draw the magnetic effects in terms of H, Z and F profiles due to an isolated pole for  $I = 45^\circ$ , where I is the field inclination. 10
- (d) The diagonal elements of a covariance matrix computed for a linearized inverse problem having model parameters  $m_1, m_2, m_3, m_4, m_5$  are 49, 15, 3, 200, 40 respectively. Compute the standard deviation in the estimation of model parameter  $m_4$ . 10
- Q2.** (a) (i) Give Kepler's laws of planetary motion relating the empirical laws as expressions of fundamental physical laws. 6
- (ii) Define the following terms as parameters of an elliptical orbit :
- (1) Aphelion and Perihelion 2
- (2) Perigee and Apogee 2
- (b) Explain, briefly, Newton's law of gravitation. If a satellite is orbiting the Earth 250 km above the surface, what acceleration due to gravity does it experience ? Given that the radius of the Earth is  $6.38 \times 10^6$  m and the mass of the Earth is  $5.98 \times 10^{24}$  kg. 10
- (c) (i) Find the general formula for inverse of  $2 \times 2$  square matrix. 4
- (ii) Compute the inverse of the  $3 \times 3$  square matrix given as 6

$$A = \begin{bmatrix} 2 & 4 & 3 \\ 1 & -2 & -2 \\ -3 & 3 & 2 \end{bmatrix}.$$

**Q3.** (a) What forces are related to Isostasy ? A large area of continent consists of 30 km of crust with an average density of 2.8 g/cc and over 90 km thick material with density of 3.1 g/cc. It is covered with a 1.6 km thick layer of ice (density 0.9 g/cc) and is in isostatic equilibrium. Then the ice melts. After equilibrium has been regained, by how much has the rock surface of the continent changed ? (Density of asthenosphere is 3.2 g/cc). 10

(b) Describe the distortion of current flow at the plane interface using suitable sketch. Explain image theory approach in the case of electrical prospecting. Compute the value of reflection coefficient,  $k$ , for  $\rho_1 = 10$  ohm-m and  $\rho_2 = 40$  ohm-m, where  $\rho_1$  and  $\rho_2$  are the resistivities of the two media. 10

- (c) Discuss the following in seismic wave propagation :
- (i) Seismic Wave Attenuation 5
  - (ii) Seismic Wave Dispersion 5

**Q4.** (a) What causes Geomagnetism ? Give the definition of geomagnetic elements and the relationship of Cartesian coordinates ( $X_e, Y_e, Z_e$ ) and spherical polar ( $F_e, D, I$ ) sets of Earth's magnetic elements. 10

- (b) (i) Explain the role of eigenvalues and eigenvectors to solve the inverse problem. 3
- (ii) Find out the eigenvalues and eigenvectors of a  $2 \times 2$  square matrix 7

$$A = \begin{bmatrix} 2 & 1 \\ 1 & 2 \end{bmatrix}.$$

(c) Define ray parameter for spherical earth. Using ray parameter, derive the expression for travel time and epicentral distance. 10

- Q5.** (a) (i) Draw focal mechanism for the following :
- (1) Normal-faulting earthquake 2
  - (2) Thrust-faulting earthquake 2
- (ii) Describe the following seismic phases :
- (1) PKJKP 2
  - (2) PKiKP 2

(iii) Describe the Gutenberg–Richter relationship in seismology and its applications. 2

(b) Consider a thin wire carrying a current. Show the relation between electric and magnetic fields using suitable sketch. Explain Maxwell's equations for the electromagnetic fields. 10

(c) Consider a linear system  $Ax = b$ ,

$$\text{where } A = \begin{bmatrix} 3 & -1 & 1 \\ -1 & 3 & -1 \\ 1 & -1 & 3 \end{bmatrix}, \text{ and } b = \begin{bmatrix} -1 \\ 7 \\ 7 \end{bmatrix}$$

(i) Can we use Steepest Descent (SD) method for solving the above linear system? 4

(ii) If yes, compute three iterations by SD method starting with  $x_0 = [0, 0, 0]^T$ . 6

## SECTION B

- Q6.** (a) Find the solution of the following differential equation

$$\frac{d^2y}{dt^2} - y = 0, \quad y = y(t),$$

when  $y$  satisfies the initial conditions  $y(0) = 2$  and  $\frac{dy}{dt}(0) = \alpha$ , where  $\alpha$  is a positive constant. Then find the value of  $\alpha$  so that the solution approaches zero as  $t \rightarrow \infty$ .

10

- (b) Suppose we have some charge and current configuration in space which, at time  $t$ , produces an electric field  $\vec{E}(\vec{r}, t)$  and a magnetic field  $\vec{B}(\vec{r}, t)$ . In the next instant  $(t + dt)$ , the charges move around a bit. Show that the work done per unit time,  $\frac{dW}{dt}$ , by the electromagnetic

forces acting on the charges is equal to the rate of decrease in the energy stored in the fields contained in the volume  $V$  enclosed by the surface  $S$ , less the energy that flowed out through the surface  $S$ .

10

- (c) Starting from Maxwell equations prove :

(i) Coulomb's Law

5

(ii) Continuity Equation

5

- (d) Find the exact altitude of a GPS satellite that has an orbital period equal to precisely one-half of a sidereal day. Use a value of mean earth radius  $r_c = 6378.14$  km and sidereal day length of 23 hours 56 minutes 4.1 seconds.

10

- Q7.** (a) Calculate and determine the Laurent series for the function

$$f(z) = \frac{1}{z(z+5)},$$

valid for the region  $\{z : |z| < 5\}$ .

10

- (b) Write down the expressions for the real electric ( $\vec{E}$ ) and magnetic ( $\vec{B}$ ) fields for a monochromatic plane wave of amplitude  $E_0$ , frequency  $\omega$  and the phase angle zero that is travelling in the direction from the origin to the point (1, 1, 1) with polarization parallel to the xz-plane. 10
- (c) Show that the electromagnetic potentials in uniform electric and magnetic fields may be expressed as

$$\phi = \vec{E} \cdot \vec{r} \quad \text{and} \quad \vec{A} = \frac{1}{2}(\vec{B} \times \vec{r}),$$

where  $\vec{r}$  is the position vector of the point under consideration. 10

- Q8.** (a) Using the substitution  $z = e^{i\theta}$ , where  $\theta$  is real and positive, and the residue theorem, evaluate the integral 10

$$I = \int_0^{2\pi} \frac{1}{(2 + \sin \theta)^2} d\theta.$$

- (b) A spherical shell of radius  $R$ , carrying a uniform surface charge density  $\sigma$ , is set spinning at angular velocity  $\omega$ . Calculate its magnetic dipole moment. Show that, for  $r \gg R$ , the magnetic vector potential of the shell is that of a perfect dipole. 10
- (c) The radiation resistance of an antenna is  $80 \Omega$  and loss resistance is  $10 \Omega$ . Find its directivity if power gain is 20. 10

- Q9.** (a) Using the laws of transformation of the electric field  $\vec{E}$  and the magnetic field  $\vec{B}$ , under Lorentz transformations, show that the combination  $(\vec{E}^2 - c^2 \vec{B}^2)$  is relativistically invariant. 10
- (b) In a Young's double-slit experiment, the separation between the second-order bright fringe and the central bright fringe,  $Y$ , on a flat screen is  $0.0180 \text{ m}$ , when the light has a wavelength of  $425 \text{ nm}$ . Assume that the angles,  $\theta$ , that locate the fringes on the screen are so small that  $\sin \theta \approx \tan \theta$ . Calculate the separation  $Y$  when the wavelength of light is  $585 \text{ nm}$ . 10
- (c) What is GPS augmentation? Why is it required? Name a few of the GPS augmentation systems. 10

- Q10.** (a) What would be the height of the atmosphere if the air density 10
- (i) were uniform,
- (ii) decreased linearly to zero with height ?

Assume that at sea level the air pressure is 2.0 atm and the air density is  $1.3 \text{ kg/m}^3$ . [Given  $g = 9.8 \text{ m/s}^2$ ]

- (b) Find the Laplace transform of the function 10

$$F(t) = \frac{e^{at} - 1}{a}.$$

- (c) For some spherically symmetric distribution of charges, the potential on the surface of radius  $R$  is given to be  $V_0$ . Calculate the potential in the region  $r > R$ . Also calculate the potential for  $r < R$ , when no charges are present inside the sphere. 10

