

Agriculture

Section Id :	4855841026
Section Number :	1
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	50
Number of Questions to be attempted :	40
Section Marks :	200
Enable Mark as Answered Mark for Review and Clear Response :	Yes
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	4855842903
Question Shuffling Allowed :	Yes
Is Section Default? :	null

Question Number : 151 Question Id : 48558437866 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

In which method, the forecasts are prepared on the assumption that a current situation will behave on the lines of the past analogous situations?

1. Conventional or synoptic method
2. Statistical method
3. Numerical weather prediction techniques
4. Biological method

Options :

485584151461. 1
485584151462. 2
485584151463. 3
485584151464. 4

Question Number : 151 Question Id : 48558437866 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

किस विधि में इस अनुमान के आधार पर पूर्वानुमान तैयार किये जाते हैं कि वर्तमान स्थिति, पहली अनुरूप स्थिति के अनुसार व्यवहार्य होगी?

1. पारम्परिक अथवा साररूपी विधि
2. सांख्यिकीय विधि
3. संख्यात्मक मौसम पूर्वकथन तकनीक
4. जैविक विधि

Options :

485584151461. 1
485584151462. 2
485584151463. 3
485584151464. 4

Question Number : 152 Question Id : 48558437867 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

The maximum amount of water vapour that air could hold at a given temperature is termed as:

1. Relative moisture content
2. Relative humidity
3. Fog
4. Clouds

Options :

485584151465. 1
485584151466. 2
485584151467. 3
485584151468. 4

Question Number : 152 Question Id : 48558437867 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

किसी दिए गए तापमान पर हवा द्वारा वाष्प कणों को धारण करने की अधिकतम मात्रा को क्या कहते हैं?

1. सापेक्ष नमी की मात्रा
2. सापेक्ष आर्द्रता
3. कुहासा
4. बादल

Options :

485584151465. 1
485584151466. 2
485584151467. 3
485584151468. 4

Question Number : 153 Question Id : 48558437868 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Transfer of pollen grains from anther to the stigma of a flower present on different plant is known as:

1. Xenogamy
2. Geitonogamy
3. Autogamy
4. Chasmogamy

Options :

485584151469. 1
485584151470. 2
485584151471. 3
485584151472. 4

Question Number : 153 Question Id : 48558437868 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

किसी पुष्प के पराग कणों का परागकोष से वर्तिकाग्र में किसी अन्य पादप पर विद्यमान पुष्प के वर्तिकाग्र में होने वाले स्थानांतरण को क्या कहते हैं?

1. परनिषेचन
2. सजातपुष्पी परागण
3. स्वक्युम्भन
4. उन्मील परागण

Options :

485584151469. 1
485584151470. 2
485584151471. 3
485584151472. 4

Question Number : 154 Question Id : 48558437869 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Molecular scissors are most likely to be related to:

1. Cutting of mitochondria at specific location
2. Cutting of DNA at specific location
3. Cutting of chromosomes
4. Cutting of RNA at specific site

Options :

485584151473. 1
485584151474. 2
485584151475. 3
485584151476. 4

Question Number : 154 Question Id : 48558437869 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

आण्डिक कर्तक अधिकतर _____ से संबंधित हैं।

1. विशिष्ट अवस्थिति पर माइक्रोड्रिया के कर्तन से
2. विशिष्ट अवस्थिति पर गुणसूत्र कर्तन से
3. विशिष्ट अवस्थिति पर डी एन ए कर्तन से
4. विशिष्ट स्थल पर आर एन ए के कर्तन से

Options :

485584151473. 1
485584151474. 2
485584151475. 3
485584151476. 4

Question Number : 155 Question Id : 48558437870 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Choose the correct statement:

- A. ABO blood group is an example of multiple dominance.
- B. Animals that have had their DNA manipulated to possess and express an extra gene are known as mutagenic animals.
- C. During Bt cotton development, specific toxin genes were isolated from *Bacillus thuringiensis*.
- D. Lactic acid bacteria grow in milk and convert it into curd.

Choose the correct answer from the options given below:

1. A and C only
2. C and D only
3. A, B, D only
4. A, B, C only

Options :

485584151477. 1
485584151478. 2
485584151479. 3
485584151480. 4

Question Number : 155 Question Id : 48558437870 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

सही कथनों का चयन करें।

- A. ABO रक्त समूह बहु प्रभाविता का एक उदाहरण है।
- B. ऐसे पशु जो डी.एन.ए. का परिचालन एक अधिक जीन को प्राप्त तथा अभिव्यक्त करने के लिए कर चुके हैं उन्हें उत्परिवर्तजनी जीव कहते हैं।
- C. Bt कपास के विकास के दौरान, विशेष विषाक्त जीनों को बैसिलस थुरींगिऐसिस से पृथक् था।
- D. लैक्टिक अम्ल जीवाणु, दूध में उत्पन्न होकर उसको दही में परिवर्तित कर देते हैं।

नीचे दिए गए विकल्पों में से सही उत्तर का चयन कीजिए:

- 1. केवल A और C
- 2. केवल C और D
- 3. केवल A, B और D
- 4. केवल A, B और C

Options :

- 485584151477. 1
- 485584151478. 2
- 485584151479. 3
- 485584151480. 4

Question Number : 156 Question Id : 48558437871 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

The unit of inheritance is:

- 1. Gene
- 2. Protein
- 3. Progeny
- 4. Allele

Options :

- 485584151481. 1
- 485584151482. 2
- 485584151483. 3
- 485584151484. 4

Question Number : 156 Question Id : 48558437871 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

वंशागति की इकाई है :

1. जीन
2. प्रोटीन
3. संतति
4. अलील

Options :

485584151481. 1
485584151482. 2
485584151483. 3
485584151484. 4

Question Number : 157 Question Id : 48558437872 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Which of the following differ in RNA and DNA?

1. Purines and Pyrimidines
2. Sugar and Purines
3. Sugar and Pyrimidines
4. Purine and Proteins

Options :

485584151485. 1
485584151486. 2
485584151487. 3
485584151488. 4

Question Number : 157 Question Id : 48558437872 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

निम्नलिखित में से डी.एन.ए. तथा आर.एन.ए. में क्या भिन्न है?

1. प्यूरीन तथा पिरिमिडिन
2. शर्करा तथा प्यूरीन
3. शर्करा तथा पिरिमिडिन
4. प्यूरीन तथा प्रोटीन

Options :

485584151485. 1
485584151486. 2
485584151487. 3
485584151488. 4

Question Number : 158 Question Id : 48558437873 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Phylloquinone is known as:

1. Vitamin K
2. Vitamin B₁
3. Vitamin B₂
4. Vitamin A

Options :

485584151489. 1
485584151490. 2
485584151491. 3
485584151492. 4

Question Number : 158 Question Id : 48558437873 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

फिलोक्विनोन को _____ नाम से जाना जाता है।

1. विटामिन K
2. विटामिन B₁
3. विटामिन B₂
4. विटामिन A

Options :

485584151489. 1
485584151490. 2
485584151491. 3
485584151492. 4

Question Number : 159 Question Id : 48558437874 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Which of the following can be used as bio control agent in the treatment of plant disease?

1. Lactobacillus
2. Trichoderma
3. Chlorella
4. Anabaena

Options :

485584151493. 1
485584151494. 2
485584151495. 3
485584151496. 4

Question Number : 159 Question Id : 48558437874 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

निम्न में से किसको पादप रोगों के उपचार हेतु एक जैव नियंत्रण कारक की तरह उपयोग में लाया जा सकता है?

1. लैक्टोबैसिलस
2. ट्रिचोडर्मा
3. क्लोरेला
4. एनाबाना

Options :

485584151493. 1
485584151494. 2
485584151495. 3
485584151496. 4

Question Number : 160 Question Id : 48558437875 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Which of these pair is a biofertilizers?

1. Azolla and blue green algae
2. Nostoc and Legume
3. Rhizobium and grasses
4. Salmonella and E.coli

Options :

485584151497. 1
485584151498. 2
485584151499. 3
485584151500. 4

Question Number : 160 Question Id : 48558437875 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

निम्न में से कौन सा जैव उत्तरकों का युग्म है?

1. अजोला तथा नीला हरित शैवाल
2. नॉस्टॉक तथा शिख
3. राइज़ोबियम तथा विभिन्न घासे
4. सैल्मोनेला तथा ई. कोली

Options :

485584151497. 1
485584151498. 2
485584151499. 3
485584151500. 4

Question Number : 161 Question Id : 48558437876 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Which of the following Indian Cattle breeds are milch breeds?

- A. Gir
- B. Kenkatha
- C. Sahiwal
- D. Red Sindhi
- E. Tharparkar

Choose the correct answer from the options given below:

1. A, B, C, E only
2. B, C, D, E only
3. A, C, D, E only
4. A, B, C, D only

Options :

485584151501. 1
485584151502. 2
485584151503. 3
485584151504. 4

Question Number : 161 Question Id : 48558437876 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

नीचे दी गई भारतीय पशुओं की कौन सी नस्लें दुधारु नस्लें हैं?

- A. गिर
- B. कैकाथा
- C. सहीवाला
- D. रेड सिंधी
- E. धरपारकर

नीचे दिए गए विकल्पों में से सही उत्तर का चयन कीजिए:

- 1. केवल A, B, C, E
- 2. केवल B, C, D, E
- 3. केवल A, C, D, E
- 4. केवल A, B, C, D

Options :

- 485584151501. 1
- 485584151502. 2
- 485584151503. 3
- 485584151504. 4

Question Number : 162 Question Id : 48558437877 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Bhadwari Buffalo is known for higher:

- 1. Milk Production
- 2. Fat content in milk
- 3. Lactose content in milk
- 4. Body weight

Options :

- 485584151505. 1
- 485584151506. 2
- 485584151507. 3
- 485584151508. 4

Question Number : 162 Question Id : 48558437877 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

भदावरी भैंस उच्च _____ के लिए जानी जाती है।

1. दुग्ध उत्पादन
2. दूध में वसा की मात्रा
3. दूध में लैक्टोज की मात्रा
4. शरीर का भार

Options :

485584151505. 1
485584151506. 2
485584151507. 3
485584151508. 4

Question Number : 163 Question Id : 48558437878 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

The 'foot and mouth' disease of cattle is caused by :

1. Bacteria
2. Virus
3. Fungus
4. Actinomycetes

Options :

485584151509. 1
485584151510. 2
485584151511. 3
485584151512. 4

Question Number : 163 Question Id : 48558437878 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

पशुओं में "पैर और मुँह" रोग का कारण कौन सा जीव है?

1. जीवाणु
2. विषाणु
3. कवक
4. एक्टिनोमाइसिटीज

Options :

485584151509. 1
485584151510. 2
485584151511. 3
485584151512. 4

Question Number : 164 Question Id : 48558437879 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Match List I with List II

LIST I	LIST II
A. Black quarter	I. <i>Escherichia coli</i>
B. Anthrax	II. <i>Clostridium chauvoei</i>
C. Brucellosis	III. <i>Bacillus anthracis</i>
D. Calf scour	IV. <i>Brucella abortus</i>

Choose the correct answer from the options given below:

1. A-II, B-III, C-IV, D-I
2. A-I, B-II, C-IV, D-III
3. A-III, B-I, C-IV, D-II
4. A-I, B-III, C-IV, D-II

Options :

485584151513. 1
485584151514. 2
485584151515. 3
485584151516. 4

Question Number : 164 Question Id : 48558437879 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

सूची I के साथ सूची II का मिलान कीजिए।

सूची I रोग	सूची II कारक जीव
A. ब्रूकेल	I. <i>एस्करीशिया कोली</i>
B. एन्थ्रक्स	II. <i>क्लोस्ट्रिडियम चौवोई</i>
C. ब्रूसेल्लासिस	III. <i>बैसिलस एन्थ्रैसिस</i>
D. जेठा निघेर्षण	IV. <i>ब्रूसेला एबोर्टस</i>

नीचे दिए गए विकल्पों में से सही उत्तर का चयन कीजिए-

1. A-II, B-III, C-IV, D-I
2. A-I, B-II, C-IV, D-III
3. A-III, B-I, C-IV, D-II
4. A-I, B-III, C-IV, D-II

Options :

485584151513. 1
485584151514. 2
485584151515. 3
485584151516. 4

Question Number : 165 Question Id : 48558437880 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Stem: Identify the correct statements from the from the following

- A. Zebu cattle mature in 28 to 34 months
- B. Purebred cattle mature in 23 to 26 months.
- C. Majority of cows show heating sign during noon to 6 PM
- D. Foot and mouth disease in cattle is transmitted through contact with infected animal or material contaminated with discharge from lesions

Choose the correct statement from the options given below:

- 1. A, B and C
- 2. A and D
- 3. A, D and C
- 4. C and D

Options :

- 485584151517. 1
- 485584151518. 2
- 485584151519. 3
- 485584151520. 4

Question Number : 165 Question Id : 48558437880 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

निम्नलिखित में से सही कथन चुनिए:

- A. ज़ेबू पशु 28 से 34 महीनों में परिपक्व हो जाता है।
- B. शुद्ध नस्ल वाले पशु 23 से 26 महीनों में परिपक्व हो जाते हैं।
- C. दोपहर से सांय 6 PM बजे तक अधिकांश गायें गर्मी दर्शाती हैं।
- D. पशुओं में पैर और मुँह रोग संक्रमित जानवर या किसी विश्व के उत्सर्ज द्वारा संदूषित सामग्री के संपर्क में आने पर संचारित हो जाता है।

नीचे दिए गए विकल्पों में से सही उत्तर का चयन कीजिए।

- 1. केवल A, B और C
- 2. A और D
- 3. केवल A, D और C
- 4. केवल C और D

Options :

- 485584151517. 1
- 485584151518. 2
- 485584151519. 3
- 485584151520. 4

Question Number : 166 Question Id : 48558437881 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Choose the correct statements from the following:

- A. Colostrum contains IgG and Ig from cows immune system which give passive resistance against infection to calves.
- B. Colostrum contains IgG and Ig from cows immune system which give active resistance against infection to calves.
- C. Heifer is a female animal six month of age up to first calving.
- D. Heifer is a female animal from one year of age up to first calving.

Choose the correct answer from the options given below:

- 1. A, C only
- 2. B, C only
- 3. B and D
- 4. A and D only

Options :

- 485584151521. 1
- 485584151522. 2
- 485584151523. 3
- 485584151524. 4

Question Number : 166 Question Id : 48558437881 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

सही कथन चुनिए।

- A. कोलोस्ट्रम गाय की प्रतिरक्षा प्रणाली से IgG तथा Ig प्राप्त करता है जो बछड़ों को में संक्रमण के प्रति निष्क्रिय प्रतिरोध देता है।
- B. कोलोस्ट्रम गाय की प्रतिरक्षा प्रणाली से IgG तथा Ig प्राप्त करता है जो बछड़ों को संक्रमण के प्रति सक्रिय प्रतिरोध देता है।
- C. छः महीने से प्रथम वत्सजनन तक की आयु के मादा पशु को हाइफर कहते हैं।
- D. एक वर्ष से प्रथम वत्सजनन तक की आयु के मादा पशु को हाइफर कहते हैं।

नीचे दिए गए विकल्पों में से सही उत्तर का चयन कीजिए:

- 1. केवल A और C
- 2. केवल B और C
- 3. B और D
- 4. केवल A और D

Options :

- 485584151521. 1
- 485584151522. 2
- 485584151523. 3
- 485584151524. 4

Question Number : 167 Question Id : 48558437882 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

_____ milk is more suitable for preparation of rabri.

1. Buffalo
2. Cow
3. Sheep
4. Goat

Options :

485584151525. 1
485584151526. 2
485584151527. 3
485584151528. 4

Question Number : 167 Question Id : 48558437882 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

कौन से जानवर का दूध रबड़ी बनाने के लिए अधिक उपयुक्त है?

1. भैंस
2. गाय
3. भेड़
4. बकरी

Options :

485584151525. 1
485584151526. 2
485584151527. 3
485584151528. 4

Question Number : 168 Question Id : 48558437883 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Which of the following stabilizers are not used in Ice cream?

- A. Gelatin
- B. Guar gum
- C. Sodium alginate
- D. Polyacrylamide gel
- E. Monosodium glutamate

Choose the correct answer from the options given below:

- 1. A and B only
- 2. C and D only
- 3. D and E only
- 4. B and E only

Options :

- 485584151529. 1
- 485584151530. 2
- 485584151531. 3
- 485584151532. 4

Question Number : 168 Question Id : 48558437883 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

निम्न में से किस स्थायीकारी का उपयोग आइस-क्रीम बनाने के लिए नहीं किया जाता?

- A. जेलेटिन
- B. गुआर गम
- C. सोडियम ऑल्लिनेट
- D. पॉलीएक्रिलामाइड जेल
- E. मोनोसोडियम ग्लूटामेट

नीचे दिए गए विकल्पों में से सही उत्तर का चयन कीजिए:

- 1. केवल A और B
- 2. केवल C और D
- 3. केवल D और E
- 4. केवल B और E

Options :

- 485584151529. 1
- 485584151530. 2
- 485584151531. 3
- 485584151532. 4

Question Number : 169 Question Id : 48558437884 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Match List I with List II

LIST I Classification of milk product		LIST II Dairy product	
A.	Concentrated milk product	I.	Ghee
B.	Coagulated milk product	II.	Dahi
C.	Fermented milk product	III.	Paneer
D.	Fat rich milk product	IV.	Basundi

Choose the correct answer from the options given below:

1. A-IV, B-III, C-II, D-I
2. A-I, B-II, C-III, D-IV
3. A-III, B-IV, C-II, D-I
4. A-II, B-III, C-I, D-IV

Options :

485584151533. 1
485584151534. 2
485584151535. 3
485584151536. 4

Question Number : 169 Question Id : 48558437884 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

सूची I के साथ सूची II का मिलान कीजिए।

सूची I वर्गीकरण		सूची II डेयरी उत्पाद	
A.	गाढ़े दूध के उत्पाद	I.	घी
B.	जमे हुए दूध के उत्पाद	II.	दही
C.	किण्वित दूध के उत्पाद	III.	फनीर
D.	वसा की प्रचुर मात्रा वाले दूध उत्पाद	IV.	बासुन्दी

नीचे दिए गए विकल्पों में से सही उत्तर का चयन कीजिए।

1. A-IV, B-III, C-II, D-I
2. A-I, B-II, C-III, D-IV
3. A-III, B-IV, C-II, D-I
4. A-II, B-III, C-I, D-IV

Options :

485584151533. 1
485584151534. 2
485584151535. 3
485584151536. 4

Question Number : 170 Question Id : 48558437885 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

False fruit develops from:

1. Ovary
2. Ovary and Thalamus
3. Thalamus
4. Pollen

Options :

485584151537. 1
485584151538. 2
485584151539. 3
485584151540. 4

Question Number : 170 Question Id : 48558437885 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

कृत्रिम फल किससे विकसित होता है?

1. अंडाशय
2. पुष्पासन
3. अंडाशय तथा पुष्पासन
4. पराग

Options :

485584151537. 1
485584151538. 2
485584151539. 3
485584151540. 4

Question Number : 171 Question Id : 48558437886 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Which growth hormone remains least active in plants during optimum temperature?

1. Gibberellic acid
2. Abscissic acid
3. Auxins
4. Jasmonic acid

Options :

485584151541. 1
485584151542. 2
485584151543. 3
485584151544. 4

Question Number : 171 Question Id : 48558437886 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

अनुकूलतम तापमान पर पादपों में कौन सा वृद्धि हार्मोन सबसे कम सक्रिय होता है?

1. जिबबरेलिक अम्ल
2. एब्सिसिक अम्ल
3. ऑक्सिन
4. जैस्मोनिक अम्ल

Options :

485584151541. 1
485584151542. 2
485584151543. 3
485584151544. 4

Question Number : 172 Question Id : 48558437887 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Calcium is a _____ nutrient.

1. Primary
2. Secondary
3. Micro
4. Trace

Options :

485584151545. 1
485584151546. 2
485584151547. 3
485584151548. 4

Question Number : 172 Question Id : 48558437887 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

कैल्शियम एक _____ पोषक तत्व है।

1. प्राथमिक
2. द्वितीयक
3. सूक्ष्म
4. लेश

Options :

485584151545. 1
485584151546. 2
485584151547. 3
485584151548. 4

Question Number : 173 Question Id : 48558437888 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Which of the following soils is dominated by cracking clay?

1. Alluvial soil
2. Red soil
3. Black soil
4. Desert soil

Options :

485584151549. 1
485584151550. 2
485584151551. 3
485584151552. 4

Question Number : 173 Question Id : 48558437888 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

निम्न में से कौन सी मृदा में चटकी हुई चिकनी मिट्टी की प्रभावित होती है?

1. जलोढ़ मृदा
2. लाल मृदा
3. काली मृदा
4. रेगिस्तान की मृदा

Options :

485584151549. 1
485584151550. 2
485584151551. 3
485584151552. 4

Question Number : 174 Question Id : 48558437889 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

The capacity of a soil to supply sufficient quantities and proportions of essential plant nutrients required for optimal growth of specified plants as governed by the chemical, physical, and biological attributes of soil is called:

1. Soil function
2. Soil productivity
3. Soil fertility
4. Soil sickness

Options :

485584151553. 1
485584151554. 2
485584151555. 3
485584151556. 4

Question Number : 174 Question Id : 48558437889 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

विशिष्ट पादपों की अधिकतम वृद्धि के लिए, मृदा के रासायनिक भौतिक तथा जैविक गुणों द्वारा संचालित, पादपों में आवश्यक पोषक तत्वों की पर्याप्त मात्रा तथा अनुपात में आपूर्ति करने की मृदा की क्षमता को क्या कहते हैं?

1. मृदा का कार्य
2. मृदा की उत्पादकता
3. मृदा की उर्वरता
4. मृदा की बीमारी

Options :

485584151553. 1
485584151554. 2
485584151555. 3
485584151556. 4

Question Number : 175 Question Id : 48558437890 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Soil moisture is measured by:

1. Psychrometer
2. Stelometer
3. Tensiometer
4. Hygrometer

Options :

485584151557. 1
485584151558. 2
485584151559. 3
485584151560. 4

Question Number : 175 Question Id : 48558437890 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

मृदा में नमी को _____ द्वारा मापा जाता है।

1. साइक्रोमीटर
2. स्टेलोमीटर
3. पृष्ठतनावमापी
4. आर्द्रतामापी

Options :

485584151557. 1
485584151558. 2
485584151559. 3
485584151560. 4

Question Number : 176 Question Id : 48558437891 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Emitters are the main components of _____ system.

1. Sub surface irrigation
2. Surface irrigation
3. Drip irrigation
4. Sprinkler irrigation

Options :

485584151561. 1
485584151562. 2
485584151563. 3
485584151564. 4

Question Number : 176 Question Id : 48558437891 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

उत्सर्जक _____ प्रणाली के मुख्य घटक होते हैं।

1. अधः पृष्ठीय सिंचाई
2. पृष्ठीय सिंचाई
3. टपकन (बूँद) सिंचाई
4. सेकत सिंचाई

Options :

485584151561. 1
485584151562. 2
485584151563. 3
485584151564. 4

Question Number : 177 Question Id : 48558437892 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Which of the following is/are not the criteria for scheduling irrigation.

- A. Soil water depletion
- B. Plant indices
- C. Physiological stages
- D. Check basin

Choose the correct answer from the options given below:

1. A and B only
2. C and D only
3. A only
4. D only

Options :

485584151565. 1
485584151566. 2
485584151567. 3
485584151568. 4

Question Number : 177 Question Id : 48558437892 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

निम्न में से कौन सा सिंचाई की कार्यसूची बनाने का मापदंड नहीं है?

- A. मृदा जल अवक्षय
- B. पादप अक्षांक
- C. शरीरक्रियात्मक अवस्थाएँ
- D. जॉच प्रोणी

नीचे दिए गए विकल्पों में से सही उत्तर का चयन कीजिए।

1. केवल A और B
2. केवल C और D
3. केवल A
4. केवल D

Options :

- 485584151565. 1
- 485584151566. 2
- 485584151567. 3
- 485584151568. 4

Question Number : 178 Question Id : 48558437893 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Who is the first person to use the word "weed"?

1. Jenny
2. Arnon
3. Jethro Tull
4. Dokuchaiev

Options :

- 485584151569. 1
- 485584151570. 2
- 485584151571. 3
- 485584151572. 4

Question Number : 178 Question Id : 48558437893 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

'अपतृण' शब्द का प्रयोग करने वाला प्रथम व्यक्ति कौन है?

1. जैनी
2. आर्नन
3. जैथो टुल
4. लीकुशेव

Options :

485584151569. 1
485584151570. 2
485584151571. 3
485584151572. 4

Question Number : 179 Question Id : 48558437894 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

_____ weeds can be controlled by deep ploughing and exposing them to sun heat or by suitable combination of mechanical and chemical methods.

1. Annual
2. Biennial
3. Rabi season
4. Perennial

Options :

485584151573. 1
485584151574. 2
485584151575. 3
485584151576. 4

Question Number : 179 Question Id : 48558437894 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

_____ अपतृण को, खेत को गहरा जोतकर तथा उन्हें सूर्य का प्रकाश दिखाकर अथवा यांत्रिक व रासायनिक विधियों के उपयुक्त संयोजन द्वारा नियंत्रित किया जा सकता है।

1. वार्षिक
2. द्विवर्षी
3. रबी के मौसम के
4. ब्रह्ममासी

Options :

485584151573. 1
485584151574. 2

485584151575. 3
485584151576. 4

Question Number : 180 Question Id : 48558437895 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Choose the correct statements from the following:

- A. *Cajanus cajan* L. is not a correct botanical name of pigeonpea.
- B. Powdery mildew is a common disease in blackgram.
- C. *Arachis hypogaea* L. is botanical name of peanut.
- D. Tikka disease is very common in peanut.

Choose the correct answer from the options given below:

- 1. A, B and C only
- 2. B, C and D only
- 3. C and D only
- 4. A and C only

Options :

485584151577. 1
485584151578. 2
485584151579. 3
485584151580. 4

Question Number : 180 Question Id : 48558437895 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

सही कथन का चयन करें।

- A. कैजानस केजान एल. अरहर का सही वानस्पतिक नाम नहीं है।
- B. चूर्णिल असिता, काले बने में पाए जाने वाली सामान्य रोग है।
- C. अरेकिस हाइपोजिया एल. मूँगफली का वानस्पतिक नाम है।
- D. मूँगफली में टिकका रोग का पाया जाना सामान्य है।

नीचे दिए गए विकल्पों में से सही उत्तर का चयन कीजिए-

- 1. केवल A, B और C
- 2. केवल B, C और D
- 3. केवल C और D
- 4. केवल A और C

Options :

485584151577. 1
485584151578. 2
485584151579. 3
485584151580. 4

Question Number : 181 Question Id : 48558437896 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Match List I with List II

LIST I Crop		LIST II Disease	
A.	Sugarcane	I.	Grain smut
B.	Rice	II.	Grassy shoot
C.	Sowar	III.	Wilt
D.	Cotton	IV.	Blast

Choose the correct answer from the options given below:

1. A-I, B-II, C-III, D-IV
2. A-I, B-II, C-IV, D-III
3. A-II, B-IV, C-I, D-III
4. A-III, B-I, C-II, D-IV

Options :

485584151581. 1
485584151582. 2
485584151583. 3
485584151584. 4

Question Number : 181 Question Id : 48558437896 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

सूची I के साथ सूची II का मिलान कीजिए।

सूची I शास्य		सूची II रोग	
A.	गन्ना	I.	अनाज केड
B.	चायरा	II.	घासमय प्ररोह
C.	ज्वार	III.	मरुति
D.	कपास	IV.	स्फोटन

नीचे दिए गए विकल्पों में से सही उत्तर का चयन कीजिए।

1. A-I, B-II, C-III, D-IV
2. A-I, B-II, C-IV, D-III
3. A-II, B-IV, C-I, D-III
4. A-III, B-I, C-II, D-IV

Options :

485584151581. 1
485584151582. 2
485584151583. 3
485584151584. 4

Question Number : 182 Question Id : 48558437897 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Match List I with List II

LIST I Crop		LIST II Botanical name	
A.	Jowar	I.	<i>Cicer arietinum</i>
B.	Rice	II.	<i>Gossypium species</i>
C.	Coconut	III.	<i>Oryza sativa</i>
D.	Gram	IV.	<i>Sorghum bicolor</i>

Choose the correct answer from the options given below:

1. A-I, B-II, C-III, D-IV
2. A-IV, B-III, C-II, D-I
3. A-III, B-II, C-I, D-IV
4. A-II, B-I, C-III, D-IV

Options :

485584151585. 1
485584151586. 2
485584151587. 3
485584151588. 4

Question Number : 182 Question Id : 48558437897 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

सूची I के साथ सूची II का मिलान कीजिए।

सूची I शस्य		सूची II बानस्पतिक नाम	
A.	ज्वार	I.	साइसर एरिटिनम
B.	चावल	II.	गोसोपियम प्रजातियाँ
C.	कपास	III.	ओरिझा सेटाइवा
D.	चना	IV.	सोरघम बाइकलर

नीचे दिए गए विकल्पों में से सही उत्तर का चयन कीजिए:

1. A-I, B-II, C-III, D-IV
2. A-IV, B-III, C-II, D-I
3. A-III, B-II, C-I, D-IV
4. A-II, B-I, C-III, D-IV

Options :

485584151585. 1
485584151586. 2
485584151587. 3
485584151588. 4

Question Number : 183 Question Id : 48558437898 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Identify the alternate bearing variety of mango

1. Dasbehari
2. Annapali
3. Mallika
4. Pusa Arunima

Options :

485584151589. 1
485584151590. 2
485584151591. 3
485584151592. 4

Question Number : 183 Question Id : 48558437898 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

आम की एकांतर वहन किसम की पहचान करें

1. दशहरी
2. आन्नपाली
3. मल्लिका
4. पूसा अरुणिमा

Options :

485584151589. 1
485584151590. 2
485584151591. 3
485584151592. 4

Question Number : 184 Question Id : 48558437899 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Given below are the different fruit crops grown in India. Arrange them in decreasing order of production.

- A. Mango
- B. Papaya
- C. Banana
- D. Citrus

Choose the correct sequence

- 1. A, C, B, D
- 2. A, C, D, B
- 3. C, A, B, D
- 4. C, A, D, B

Options :

- 485584151593. 1
- 485584151594. 2
- 485584151595. 3
- 485584151596. 4

Question Number : 184 Question Id : 48558437899 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

भारत में उगाई जाने वाली विभिन्न फलों की फसलें नीचे दी गई हैं। इन्हें इनके उत्पादन के घटते हुए क्रम में लिखें।

- A. आम
- B. पपीता
- C. केला
- D. नींबू-वंश

नीचे दिए गए विकल्पों में से सही उत्तर का चयन कीजिए:

- 1. A, C, B, D
- 2. A, C, D, B
- 3. C, A, B, D
- 4. C, A, D, B

Options :

- 485584151593. 1
- 485584151594. 2
- 485584151595. 3
- 485584151596. 4

Question Number : 185 Question Id : 48558437900 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Which fruit plant is called Apple of paradise?

1. Banana
2. Apple
3. Beal
4. Jackfruit

Options :

485584151597. 1
485584151598. 2
485584151599. 3
485584151600. 4

Question Number : 185 Question Id : 48558437900 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

फल के किस पादप को स्वर्ग का सेब कहा जाता है?

1. केला
2. सेब
3. बेल
4. कटहल

Options :

485584151597. 1
485584151598. 2
485584151599. 3
485584151600. 4

Question Number : 186 Question Id : 48558437901 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Which one is **not** an early maturing potato variety?

1. Kufri Surya
2. Kufri Ashoka
3. Kufri Sinduri
4. Kufri Chandramukhi

Options :

485584151601. 1
485584151602. 2
485584151603. 3
485584151604. 4

Question Number : 186 Question Id : 48558437901 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

निम्न में से आलू की कौन सी किस्म शीघ्र परिपक्व होने वाली नहीं है?

1. कुफ़री सूर्या
2. कुफ़री अशोका
3. कुफ़री सिन्दूरी
4. कुफ़री चन्द्रमुखी

Options :

485584151601. 1
485584151602. 2
485584151603. 3
485584151604. 4

Question Number : 187 Question Id : 48558437902 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Match List I with List II

LIST I	LIST II
A. Mango	I. <i>Raphanus sativus</i>
B. Cabbage	II. <i>Brassica oleracea</i>
C. Onion	III. <i>Mangifera indica</i>
D. Radish	IV. <i>Allium cepa</i>

Choose the correct answer from the options given below:

1. A-I, B-IV, C-III, D-II
2. A-II, B-I, C-III, D-IV
3. A-III, B-II, C-IV, D-I
4. A-I, B-II, C-III, D-IV

Options :

485584151605. 1
485584151606. 2
485584151607. 3
485584151608. 4

Question Number : 187 Question Id : 48558437902 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

सूची I के साथ सूची II का मिलान कीजिए।

सूची I		सूची II	
A.	आम	I.	रेफ़ेनस सेटाइवस
B.	बंजगोभी	II.	ब्रासिका ज़ोलिरोसिया
C.	प्याज़	III.	मेज़ीफेरा इंडिका
D.	मूली	IV.	एलियम सीपा

नीचे दिए गए विकल्पों में से सही उत्तर का चयन कीजिए।

1. A-I, B-IV, C-III, D-II
2. A-II, B-I, C-III, D-IV
3. A-III, B-II, C-IV, D-I
4. A-I, B-II, C-III, D-IV

Options :

485584151605. 1
485584151606. 2
485584151607. 3
485584151608. 4

Question Number : 188 Question Id : 48558437903 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0
Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

What is the main component of Salisbury's diluent?

1. Sodium Chloride
2. Sodium Citrate
3. Sodium Oxalate
4. Sodium dithionate

Options :

485584151609. 1
485584151610. 2
485584151611. 3
485584151612. 4

Question Number : 188 Question Id : 48558437903 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0
Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

सैलसबरी तनुकारी का मुख्य घटक कौन सा है?

1. सोडियम क्लोराइड
2. सोडियम सिट्रेट
3. सोडियम आक्सेलेट
4. सोडियम डाइथायोनेट

Options :

485584151609. 1
485584151610. 2
485584151611. 3
485584151612. 4

Question Number : 189 Question Id : 48558437904 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Total soluble solids in fruit jam should not be less than _____ degree Brix.

1. 68.5
2. 65.5
3. 72.5
4. 62.5

Options :

485584151613. 1
485584151614. 2
485584151615. 3
485584151616. 4

Question Number : 189 Question Id : 48558437904 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

फलों के जैम में कुल घुलनशील ठोस की मात्रा _____ डिग्री ब्रिक्स से कम नहीं होनी चाहिए।

1. 68.5
2. 65.5
3. 72.5
4. 62.5

Options :

485584151613. 1
485584151614. 2
485584151615. 3
485584151616. 4

Question Number : 190 Question Id : 48558437905 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

Match List I with List II

LIST I - Crop		LIST II- Variety	
A	Papaya	I	Perlate
B	Banana	II	L-49
C	Grapes	III	Solo
D	Guava	IV	Nendran

Choose the correct answer from the options given below:

1. A-III, B-II, C-I, D-IV
2. A-IV, B-III, C-II, D-I
3. A-II, B-III, C-I, D-IV
4. A-III, B-IV, C-I, D-II

Options :

485584151617. 1
485584151618. 2
485584151619. 3
485584151620. 4

Question Number : 190 Question Id : 48558437905 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	MCQ

सूची I के साथ सूची II का मिलान कीजिए।

सूची I		सूची II	
A	पपीता	I	परलैट
B	केला	II	L-49
C	अंगूर	III	सोलो
D	अमरूद	IV	नेन्दन

नीचे दिए गए विकल्पों में से सही उत्तर का चयन कीजिए

1. A-III, B-II, C-I, D-IV
2. A-IV, B-III, C-II, D-I
3. A-II, B-III, C-I, D-IV
4. A-III, B-IV, C-I, D-II

Options :

485584151617. 1
485584151618. 2
485584151619. 3
485584151620. 4

Sub-Section Number :

Sub-Section Id :

Question Shuffling Allowed :

2

4855842904

No

Question Number : 191 Question Id : 48558437906 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	Comp1

Read the passage and answer question

Special feeds are the substances which are added in the roughage component of the diet to enrich its nutritive value. Low quality dry roughages like wheat straw, paddy straw, jawar kadbi and even crop residues are poor in their nutritive value and palatability. However, all these fodders form the major proportion of staple diets of the ruminants. Hence the enrichment of these fodders with suitable low-cost energy and protein sources make them not only palatable but they can be efficiently and completely utilized by the ruminants. Ruminants can efficiently digest fertilizer grade urea with the help of micro organisms in to quality proteins, hence urea is used to enrich such low quality roughages. Feed urea provides 2900 g crude protein / kg. When urea is heated, biuret is obtained. Both are useful in ruminants' feeding. Biuret provides 2550g crude protein / kg. Use of urea molasses for increasing nutritive value and palatability of wheat straw, jawar kadbi, etc. is now a day practiced for their efficient utilization in the livestock farms.

How much quantity of crude protein is provided by feeding urea to livestock?

1. 2900 gm/kg
2. 2550 gm/kg
3. 2800 gm/kg
4. 1680 gm/kg

Options :

485584151621. 1
485584151622. 2
485584151623. 3
485584151624. 4

Question Number : 191 Question Id : 48558437906 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	Comp1

दिए गए अनुच्छेद को पढ़ें और प्रश्नों के उत्तर दें।

विशेष आहार वे पदार्थ हैं जिन्हें भोजन के रेशेदार तत्वों में उसके पोषक तत्वों को समृद्ध बनाने के लिए डाला जाता है। निम्न गुणवत्ता वाले शुष्क रेशे जैसे गेहूँ की भूसी, धान की भूसी, ज्वार कदबी तथा यहाँ तक कि शसप अवशिष्ट भी पोषक तत्वों की मात्रा तथा स्वाद में निकृष्ट होते हैं। फिर भी, ये सभी चारे जुगाली करने वाले पशुओं के भोजन का मुख्य भाग होते हैं। इसलिए इन चारों को उपयुक्त कम खर्च वाले ऊर्जा तथा प्रोटीन के स्रोतों द्वारा समृद्ध बनाने से ये न केवल स्वादिष्ट हो जाते हैं अपितु ये इन पशुओं द्वारा कुशलतापूर्वक तथा पूर्ण रूप से उपयोग कर लिए जाते हैं। ये पशु उर्वरकों, ग्रेड यूरिया को सूक्ष्मजीवियों की सहायता द्वारा गुणवत्तापूर्ण प्रोटीन के रूप में कुशलता से पचा लेते हैं। इसलिए ऐसे निम्न गुणवत्ता वाले रेशेदार पदार्थों को यूरिया द्वारा समृद्ध बनाया जाता है। यूरिया आहार 2900 ग्रा. अपक प्रोटीन/ कि. ग्रा. प्रदान करता है। जब यूरिया को गर्म किया जाता है तो बाइयूरेट प्राप्त होता है। जुगाली करने वाले पशुओं के भोजन के लिए दोनों ही उपयोगी हैं। बाइयूरेट 2550 ग्रा. अपक प्रोटीन / कि.ग्रा. प्रदान करता है। यूरिया के उपयोग गेहूँ की भूसी, ज्वार कदबी आदि के पोषक तत्वों तथा स्वाद को बढ़ाने के लिए आजकल शीरे का उपयोग किया जाता है जिससे कि पशुओं के फार्म पर उनका पूरी तरह से उपयोग हो सके।

पशुओं के भोजन में यूरिया डालने से अपक प्रोटीन की कितनी मात्रा प्रदान की जाती है?

1. 2900 ग्रा. अपक प्रोटीन /कि.ग्रा.
2. 2550 ग्रा. अपक प्रोटीन /कि.ग्रा.
3. 2800 ग्रा. अपक प्रोटीन /कि.ग्रा.
4. 1680 ग्रा. अपक प्रोटीन /कि.ग्रा.

Options :

485584151621. 1
485584151622. 2
485584151623. 3
485584151624. 4

Question Number : 192 Question Id : 48558437907 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	Compl

Read the passage and answer question

Special feeds are the substances which are added in the roughage component of the diet to enrich its nutritive value. Low quality dry roughages like wheat straw, paddy straw, jawar kadbi and even crop residues are poor in their nutritive value and palatability. However, all these fodders form the major proportion of staple diets of the ruminants. Hence the enrichment of these fodders with suitable low-cost energy and protein sources make them not only palatable but they can be efficiently and completely utilized by the ruminants. Ruminants can efficiently digest fertilizer grade urea with the help of micro organisms in to quality proteins, hence urea is used to enrich such low quality roughages. Feed urea provides 2900 g crude protein / kg. When urea is heated, biuret is obtained. Both are useful in ruminants' feeding. Biuret provides 2550g crude protein / kg. Use of urea molasses for increasing nutritive value and palatability of wheat straw, jawar kadbi, etc. is now a day practiced for their efficient utilization in the livestock farms.

What is formed when urea is heated?

1. Biuret
2. Molasses
3. Digester
4. Liquid urea

Options :

485584151625. 1
485584151626. 2
485584151627. 3
485584151628. 4

Question Number : 192 Question Id : 48558437907 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	Compl

दिए गए अनुच्छेद को पढ़ें और प्रश्नों के उत्तर दें।

विशेष आहार ले पदार्थ हैं जिन्हें भोजन के रेशेदार तत्वों में उसके पोषक तत्वों को समृद्ध बनाने के लिए डाला जाता है। निम्न गुणवत्ता वाले शुष्क रेशे जैसे गेहूँ की भूसी, धान की भूसी, ज्वार कदबी तथा यहाँ तक कि शस्य अवशिष्ट भी पोषक तत्वों की मात्रा तथा स्वाद में निकृष्ट होते हैं। फिर भी, ये सभी चारे जुगाली करने वाले पशुओं के भोजन का मुख्य भाग होते हैं। इसलिए इन चारों को उपयुक्त कम खर्च वाले ऊर्जा तथा प्रोटीन के स्रोतों द्वारा समृद्ध बनाने से ये न केवल स्वादिष्ट हो जाते हैं अपितु ये इन पशुओं द्वारा कुशलतापूर्वक तथा पूर्ण रूप से उपयोग कर लिए जाते हैं। ये पशु उर्वरकों - ग्रेड यूरिया को सूक्ष्मजीवियों की सहायता द्वारा गुणवत्तापूर्ण प्रोटीन के रूप में कुशलता से पचा लेते हैं। इसलिए ऐसे निम्न गुणवत्ता वाले रेशेदार पदार्थों को यूरिया द्वारा समृद्ध बनाया जाता है। यूरिया आहार 2900 ग्रा. अपक प्रोटीन/ कि. ग्रा. प्रदान करता है। जब यूरिया को गर्म किया जाता है तो बाइयूरेट प्राप्त होता है। जुगाली करने वाले पशुओं के भोजन के लिए दोनों ही उपयोगी हैं। बाइयूरेट 2550 ग्रा. अपक प्रोटीन / कि.ग्रा. प्रदान करता है। यूरिया के उपयोग गेहूँ की भूसी, ज्वार कदबी आदि के पोषक तत्वों तथा स्वाद को बढ़ाने के लिए आजकल शीरे का उपयोग किया जाता है जिससे कि पशुओं के फार्म पर उनका पूरी तरह से उपयोग हो सके।

यूरिया को गर्म करने पर क्या बनता है?

1. बाइयूरेट
2. शीरा
3. संपाचक
4. तरल यूरिया

Options :

485584151625. 1
485584151626. 2
485584151627. 3
485584151628. 4

Question Number : 193 Question Id : 48558437908 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	Comp1

Read the passage and answer question

Special feeds are the substances which are added in the roughage component of the diet to enrich its nutritive value. Low quality dry roughages like wheat straw, paddy straw, jawar kadbi and even crop residues are poor in their nutritive value and palatability. However, all these fodders form the major proportion of staple diets of the ruminants. Hence the enrichment of these fodders with suitable low-cost energy and protein sources make them not only palatable but they can be efficiently and completely utilized by the ruminants. Ruminants can efficiently digest fertilizer grade urea with the help of micro organisms in to quality proteins, hence urea is used to enrich such low quality roughages. Feed urea provides 2900 g crude protein / kg. When urea is heated, biuret is obtained. Both are useful in ruminants' feeding. Biuret provides 2550g crude protein / kg. Use of urea molasses for increasing nutritive value and palatability of wheat straw, jawar kadbi, etc. is now a day practiced for their efficient utilization in the livestock farms.

What helps the ruminants to digest fertilizer grade urea?

1. Molasses
2. Enzymes
3. Micro-organisms
4. Biuret

Options :

485584151629. 1
485584151630. 2
485584151631. 3
485584151632. 4

Question Number : 193 Question Id : 48558437908 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	Comp1

दिए गए अनुच्छेद को पढ़ें और प्रश्नों के उत्तर दें।

विशेष आहार वे पदार्थ हैं जिन्हें भोजन के रेशेदार तत्वों में उसके पोषक तत्वों को समृद्ध बनाने के लिए डाला जाता है। निम्न गुणवत्ता वाले शुष्क रेशे जैसे गेहूँ की भूसी, धान की भूसी, ज्वार कदबी तथा यहाँ तक कि शस्य अवशिष्ट भी पोषक तत्वों की मात्रा तथा स्वाद में निकृष्ट होते हैं। फिर भी, ये सभी चारे जुगाली करने वाले पशुओं के भोजन का मुख्य भाग होते हैं। इसलिए इन चारों को उपयुक्त कम खर्च वाले ऊर्जा तथा प्रोटीन के स्रोतों द्वारा समृद्ध बनाने से ये न केवल स्वादिष्ट हो जाते हैं अपितु ये इन पशुओं द्वारा कुशलतापूर्वक तथा पूर्ण रूप से उपयोग कर लिए जाते हैं। ये पशु उर्वरकों - ग्रेड यूरिया को सूक्ष्मजीवियों की सहायता द्वारा गुणवत्तापूर्ण प्रोटीन के रूप में कुशलता से पचा लेते हैं। इसलिए ऐसे निम्न गुणवत्ता वाले रेशेदार पदार्थों को यूरिया द्वारा समृद्ध बनाया जाता है। यूरिया आहार 2900 ग्रा. अपक प्रोटीन/ कि. ग्रा. प्रदान करता है। जब यूरिया को गर्म किया जाता है तो बाइयूरेट प्राप्त होता है। जुगाली करने वाले पशुओं के भोजन के लिए दोनों ही उपयोगी हैं। बाइयूरेट 2550 ग्रा. अपक प्रोटीन / कि.ग्रा. प्रदान करता है। यूरिया के उपयोग गेहूँ की भूसी, ज्वार कदबी आदि के पोषक तत्वों तथा स्वाद को बढ़ाने के लिए आजकल शीरे का उपयोग किया जाता है जिससे कि पशुओं के फार्म पर उनका पूरी तरह से उपयोग हो सके।

जुगाली करने वाले पशु उर्वरक ग्रेड यूरिया को कैसे पचा सकते हैं?

1. शीरे
2. ऐंजाइम
3. सूक्ष्मजीवियों
4. बाइयूरेट

Options :

485584151629. 1
485584151630. 2
485584151631. 3
485584151632. 4

Question Number : 194 Question Id : 48558437909 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	Comp1

Read the passage and answer question

Special feeds are the substances which are added in the roughage component of the diet to enrich its nutritive value. Low quality dry roughages like wheat straw, paddy straw, jawar kadbi and even crop residues are poor in their nutritive value and palatability. However, all these fodders form the major proportion of staple diets of the ruminants. Hence the enrichment of these fodders with suitable low-cost energy and protein sources make them not only palatable but they can be efficiently and completely utilized by the ruminants. Ruminants can efficiently digest fertilizer grade urea with the help of micro organisms in to quality proteins, hence urea is used to enrich such low quality roughages. Feed urea provides 2900 g crude protein / kg. When urea is heated, biuret is obtained. Both are useful in ruminants' feeding. Biuret provides 2550g crude protein / kg. Use of urea molasses for increasing nutritive value and palatability of wheat straw, jawar kadbi, etc. is now a day practiced for their efficient utilization in the livestock farms.

Low nutritive value dry roughness include:

- A. Jowar Kadbi
- B. Lucerne
- C. Wheat straw
- D. Paddy straw

Choose the correct answer from the options given below:

- 1. A, B & C only
- 2. A, B & D only
- 3. A, C and D only
- 4. B, C and D only

Options :

- 485584151633. 1
- 485584151634. 2
- 485584151635. 3
- 485584151636. 4

Question Number : 194 Question Id : 48558437909 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	Comp1

दिए गए अनुच्छेद को पढ़ें और प्रश्नों के उत्तर दें।

विशेष आहार वे पदार्थ हैं जिन्हें भोजन के रेशेदार तत्वों में उसके पोषक तत्वों को समृद्ध बनाने के लिए डाला जाता है। निम्न गुणवत्ता वाले शुष्क रेशे जैसे गेहूँ की भूसी, धान की भूसी, ज्वार कदबी तथा यहाँ तक कि शसप अवशिष्ट भी पोषक तत्वों की मात्रा तथा स्वाद में निकृष्ट होते हैं। फिर भी, ये सभी चारे जुगाली करने वाले पशुओं के भोजन का मुख्य भाग होते हैं। इसलिए इन चारों को उपयुक्त कम खर्च वाले ऊर्जा तथा प्रोटीन के स्रोतों द्वारा समृद्ध बनाने से ये न केवल स्वादिष्ट हो जाते हैं अपितु ये इन पशुओं द्वारा कुशलतापूर्वक तथा पूर्ण रूप से उपयोग कर लिए जाते हैं। ये पशु उर्वरकों, प्रेठ घूरिया को सूक्ष्मजीवियों की सहायता द्वारा गुणवत्तापूर्ण प्रोटीन के रूप में कुशलता से पचा लेते हैं। इसलिए ऐसे निम्न गुणवत्ता वाले रेशेदार पदार्थों को घूरिया द्वारा समृद्ध बनाया जाता है। घूरिया आहार 2900 ग्रा. अपक प्रोटीन/ कि. ग्रा. प्रदान करता है। जब घूरिया को गर्म किया जाता है तो बाइयूरेट प्राप्त होता है। जुगाली करने वाले पशुओं के भोजन के लिए दोनों ही उपयोगी हैं। बाइयूरेट 2550 ग्रा. अपक प्रोटीन / कि.ग्रा. प्रदान करता है। घूरिया के उपयोग गेहूँ की भूसी, ज्वार कदबी आदि के पोषक तत्वों तथा स्वाद को बढ़ाने के लिए आजकल शीरे का उपयोग किया जाता है जिससे कि पशुओं के फार्म पर उनका पूरी तरह से उपयोग हो सके।

निम्न पोषण वाले शुष्क रेशदार पदार्थों में क्या क्या सम्मिलित हैं?

- A. ज्वार कदबी
- B. ल्यूसरीन
- C. गोहूँ की भूसी
- D. धान की भूसी

नीचे दिए गए विकल्पों में से सही उत्तर का चयन कीजिए:

1. केवल A, B और C
2. केवल A, B और D
3. केवल A, C और D
4. केवल B, C और D

Options :

- 485584151633. 1
- 485584151634. 2
- 485584151635. 3
- 485584151636. 4

Question Number : 195 Question Id : 48558437910 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	Compl

Read the passage and answer question

Special feeds are the substances which are added in the roughage component of the diet to enrich its nutritive value. Low quality dry roughages like wheat straw, paddy straw, jawar kadbi and even crop residues are poor in their nutritive value and palatability. However, all these fodders form the major proportion of staple diets of the ruminants. Hence the enrichment of these fodders with suitable low-cost energy and protein sources make them not only palatable but they can be efficiently and completely utilized by the ruminants. Ruminants can efficiently digest fertilizer grade urea with the help of micro organisms in to quality proteins, hence urea is used to enrich such low quality roughages. Feed urea provides 2900 g crude protein / kg. When urea is heated, biuret is obtained. Both are useful in ruminants' feeding. Biuret provides 2550g crude protein / kg. Use of urea molasses for increasing nutritive value and palatability of wheat straw, jawar kadbi, etc. is now a day practiced for their efficient utilization in the livestock farms.

What is used to increase the nutritive value of wheat straw for feeding livestock?

1. Lime
2. Urea - molasses
3. Chocolate flavour
4. Micro organisms

Options :

- 485584151637. 1
- 485584151638. 2
- 485584151639. 3
- 485584151640. 4

Question Number : 195 Question Id : 48558437910 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	Comp1

दिए गए अनुच्छेद को पढ़ें और प्रश्नों के उत्तर दें।

विशेष आहार वे पदार्थ हैं जिन्हें भोजन के रेशेदार तत्वों में उसके पोषक तत्वों को समृद्ध बनाने के लिए डाला जाता है। निम्न गुणवत्ता वाले शुष्क रेशे जैसे गेहूँ की भूसी, धान की भूसी, ज्वार कदबी तथा यहाँ तक कि शस्य अवशिष्ट भी पोषक तत्वों की मात्रा तथा स्वाद में निकृष्ट होते हैं। फिर भी, ये सभी चारे जुगाली करने वाले पशुओं के भोजन का मुख्य भाग होते हैं। इसलिए इन चारों को उपयुक्त कम खर्च वाले ऊर्जा तथा प्रोटीन के स्रोतों द्वारा समृद्ध बनाने से ये न केवल स्वादिष्ट हो जाते हैं अपितु ये इन पशुओं द्वारा कुशलतापूर्वक तथा पूर्ण रूप से उपयोग कर लिए जाते हैं। ये पशु उर्वरकों, ग्रेड यूरिया को सूक्ष्मजीवियों की सहायता द्वारा गुणवत्तापूर्ण प्रोटीन के रूप में कुशलता से पचा लेते हैं। इसलिए ऐसे निम्न गुणवत्ता वाले रेशेदार पदार्थों को यूरिया द्वारा समृद्ध बनाया जाता है। यूरिया आहार 2900 ग्रा. अपक प्रोटीन/ कि. ग्रा. प्रदान करता है। जब यूरिया को गर्म किया जाता है तो बाइयूरेट प्राप्त होता है। जुगाली करने वाले पशुओं के भोजन के लिए दोनों ही उपयोगी हैं। बाइयूरेट 2550 ग्रा. अपक प्रोटीन / कि.ग्रा. प्रदान करता है। यूरिया के उपयोग गेहूँ की भूसी, ज्वार कदबी आदि के पोषक तत्वों तथा स्वाद को बढ़ाने के लिए आजकल शीर का उपयोग किया जाता है जिससे कि पशुओं के फार्म पर उनका पूरी तरह से उपयोग हो सके।

मवेशियों को खिलाने के लिए गेहूँ की भूसी में पोषक तत्वों को बढ़ाने के लिए निम्न में से किसका उपयोग किया जाता है?

1. चूना
2. यूरिया-शीरा
3. चाकलेट का स्वाद
4. सूक्ष्मजीवी

Options :

485584151637. 1
485584151638. 2
485584151639. 3
485584151640. 4

Sub-Section Number :

3

Sub-Section Id :

4855842905

Question Shuffling Allowed :

No

Is Section Default? :

null

Question Number : 196 Question Id : 48558437911 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	Comp2

Read the passage carefully and answer questions

The agriculture and allied activities sector significantly contributed to the country's overall growth and development by ensuring food security. The Indian agriculture sector has been growing at an average annual growth rate of 4-6 per cent during the last six years. It grew by 3.0 per cent in 2021-22 compared to 3.3 per cent in 2020-21. In recent years, India has also rapidly emerged as the net exporter of agricultural products in 2020-21, exports of agriculture and allied products from India grew by 18 per cent over the previous year. During 2021-22, agricultural exports reached an all-time high of USD 50.2 billion. This period of buoyant performance could be ascribed to the measures taken by the Government to promote farmer-producer organisations, encourage crop diversification, and improve productivity in agriculture through support provided for mechanisation and the creation of the Agriculture Infrastructure Fund. Income support to farmers through the Pradhan Mantri Kisan Samman Nidhi (PM-KISAN) and the promotion of allied activities has led to diversification in sources of farmers' income, improving their resilience to weather shocks. The production of food grains and Oil seeds has been increasing Year-on Year (YOY). Production of pulses has also been notably higher than the average of 23.8 million tonnes in the last five years. Changing climate has been impacting agriculture adversely. The year 2022 witnessed an early heat wave during the wheat-harvesting season, adversely affecting its production. The year experienced a decline in the sown area for paddy cultivation too the Kharif season due to delayed monsoons and deficient rainfall.

Wheat production was adversely affected during 2022 due to:

1. Scanty rainfall at critical stage
2. Brown rust attack throughout the season
3. Heat wave during harvesting season
4. Locust attack in North-West India

Options :

485584151641. 1
485584151642. 2
485584151643. 3
485584151644. 4

Question Number : 196 Question Id : 48558437911 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	Comp2

दिए गए अनुच्छेद को पढ़ें तथा प्रश्नों के उत्तर दें।

कृषि तथा कृषि संबंधी कार्यक्षेत्र ने खाद्य सुरक्षा को सुनिश्चित करते हुए देश की समग्र वृद्धि तथा विकास में सार्थक योगदान दिया है। पिछले छः वर्षों से भारतीय कृषि क्षेत्र 4.6% की औसत वार्षिक वृद्धि दर से वृद्धि कर रहा है। 2020-21 की 3.3% वृद्धि की तुलना में 2021-22 में 3.0 % हुई। हाल ही के वर्षों में, भारत कृषि उत्पादों के निर्यातों के रूप में तेजी से उभरा है। पिछले वर्ष की तुलना में, 2020-21 में भारत के कृषि तथा कृषि संबंधी उत्पादों के निर्यात में 18% की वृद्धि हुई। 2021-22 के दौरान, कृष्य निर्यात US \$50.2 बिलियन हमेशा से अधिक पहुँच गया। ऐसी उत्पादों पर प्रदर्शन वाली अवधि का श्रेय सरकार द्वारा किसान-उत्पादक संगठनों को प्रेरित करने, शस्य विविधता को प्रोत्साहन देने तथा कृषि में उत्पादकता के सुधार हेतु पात्रीकरण और कृषि संरचनात्मक ढाँचे के लिए धन के सर्जन हेतु दिए गए अवलंब तथा किए गए उपायों को दिया जा सकता है। प्रधानमंत्री किसान सम्मान निधि (PM-KISAN) द्वारा किसानों को आय में सहायता देने तथा संबद्ध कार्यों के प्रोत्साहन द्वारा मौसमी आघातों के प्रति उनके लचीलेपन (सहन करने) में सुधार लाते हुए किसानों को, आय के विभिन्न स्रोतों की तरफ अग्रसर किया है। 2021-22 के लिए चौथे अग्रिम अनुमानिक खर्च के अनुसार खाद्यान्नों तथा तैलीय बीजों की उत्पादन वर्ष दर वर्ष (YOY) बढ़ रहा है। दलहन उत्पाद भी पिछले पाँच वर्षों के औसत उत्पादन 23.8 मिलियन टनों से सार्थक रूप से अधिक हुआ है। हालाँकि, पूर्व में दिए सूचक के अनुसार बदलती हुई जलवायु, कृषि पर विपरीत प्रभाव डाल रही है। वर्ष 2022 में गेहूँ की कटाई के समय में समयपूर्व ही गरमी की लहर को झेला गया जिससे उत्पादन पर विपरीत प्रभाव आया। इस वर्ष में खरीफ के मौसम में धान की फसल के लिए बुवाई क्षेत्र में ह्रास अनुभव किया गया जो कि विलंबित मानसून तथा वर्षावृष्टि में कमी के कारण हुआ।

_____ के कारण 2022 वर्ष में गेहूँ का उत्पादन विपरीत रूप से प्रभावित हुआ।

1. प्राकृतिक अवस्था पर अल्प वर्षावृष्टि
2. पूरे मौसम में किट्ट का प्रकोप
3. कटाई के समय में ताप की लहर
4. उत्तर पश्चिमी भारत में टिड्डों का आक्रमण

Options :

485584151641. 1
485584151642. 2
485584151643. 3
485584151644. 4

Question Number : 197 Question Id : 48558437912 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	Comp2

Read the passage carefully and answer questions

The agriculture and allied activities sector significantly contributed to the country's overall growth and development by ensuring food security. The Indian agriculture sector has been growing at an average annual growth rate of 4-6 per cent during the last six years. It grew by 3.0 per cent in 2021-22 compared to 3.3 per cent in 2020-21. In recent years, India has also rapidly emerged as the net exporter of agricultural products in 2020-21, exports of agriculture and allied products from India grew by 18 per cent over the previous year. During 2021-22, agricultural exports reached an all-time high of USD 50.2 billion. This period of buoyant performance could be ascribed to the measures taken by the Government to promote farmer-producer organisations, encourage crop diversification, and improve productivity in agriculture through support provided for mechanisation and the creation of the Agriculture Infrastructure Fund. Income support to farmers through the Pradhan Mantri Kisan Samman Nidhi (PM-KISAN) and the promotion of allied activities has led to diversification in sources of farmers' income, improving their resilience to weather shocks. The production of food grains and Oil seeds has been increasing Year-on Year (YOY). Production of pulses has also been notably higher than the average of 23.8 million tonnes in the last five years. Changing climate has been impacting agriculture adversely. The year 2022 witnessed an early heat wave during the wheat-harvesting season, adversely affecting its production. The year experienced a decline in the sown area for paddy cultivation too the Kharif season due to delayed monsoons and deficient rainfall.

The agricultural exports of India has reached to US \$ _____.

1. 1 trillion
2. 75 billion
3. 100 billion
4. 50 billion

Options :

485584151645. 1
485584151646. 2
485584151647. 3
485584151648. 4

Question Number : 197 Question Id : 48558437912 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	Comp2

दिए गए अनुच्छेद को पढ़ें तथा प्रश्नों के उत्तर दें।

कृषि तथा कृषि संबंधी कार्यक्षेत्र ने खाद्य सुरक्षा को सुनिश्चित करते हुए देश की समग्र वृद्धि तथा विकास में सार्थक योगदान दिया है। पिछले छः वर्षों से भारतीय कृषि क्षेत्र 4.6% की औसत वार्षिक वृद्धि दर से वृद्धि कर रहा है। 2020-21 की 3.3% वृद्धि की तुलना में 2021-22 में 3.0 % हुई। हाल ही के वर्षों में, भारत कृषि उत्पादों के निर्यातों के रूप में तेजी से उभरा है। पिछले वर्ष की तुलना में, 2020-21 में भारत के कृषि तथा कृषि संबंधी उत्पादों के निर्यात में 18% की वृद्धि हुई। 2021-22 के दौरान, कृष्य निर्यात US \$50.2 बिलियन हमेशा से अधिक पहुँच गया। ऐसी उत्पादों प्रदर्शन वाली अवधि का श्रेय सरकार द्वारा किसान -उत्पादक संगठनों को प्रेरित करने , शस्य विविधता को प्रोत्साहन देने तथा कृषि में उत्पादकता के सुधार हेतु पात्रीकरण और कृषि संरचनात्मक ढाँचे के लिए धन के सर्जन हेतु दिए गए अवलंब तथा किए गए उपायों को दिया जा सकता है। प्रधानमंत्री किसान सम्मान निधि (PM-KISAN) द्वारा किसानों को आय में सहायता देने तथा संबद्ध कार्यों के प्रोत्साहन द्वारा मौसमी आघातों के प्रति उनके लचीलेपन (सहन करने) में सुधार लाते हुए किसानों को , आय के विभिन्न स्रोतों की तरफ अग्रसर किया है। 2021-22 के लिए चौथे अग्रिम अनुमानिक खर्च के अनुसार खाद्यान्नों तथा तैलीय बीजों की उत्पादन वर्ष दर वर्ष (YOY) बढ़ रहा है। वलाहन उत्पाद भी पिछले पाँच वर्षों के औसत उत्पादन 23.8 मिलियन टनों से सार्थक रूप से अधिक हुआ है। हालाँकि, पूर्व में दिए सूचक के अनुसार बदलती हुई जलवायु, कृषि पर विपरीत प्रभाव डाल रही है। वर्ष 2022 में गेहूँ की कटाई के समय में समयपूर्व ही गरमी की लहर को झेला गया जिससे उत्पादन पर विपरीत प्रभाव आया। इस वर्ष में खरीफ के मौसम में धान की फसल के लिए बुवाई क्षेत्र में ह्रास अनुभव किया गया जो कि विलंबित मानसून तथा वर्षावृष्टि में कमी के कारण हुआ।

भारत के कृषि निर्यात US \$ _____ तक पहुँच गए हैं।

1. 1 ट्रिलियन
2. 75 बिलियन
3. 100 बिलियन
4. 50 बिलियन

Options :

485584151645. 1
485584151646. 2
485584151647. 3
485584151648. 4

Question Number : 198 Question Id : 48558437913 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	Comp2

Read the passage carefully and answer questions

The agriculture and allied activities sector significantly contributed to the country's overall growth and development by ensuring food security. The Indian agriculture sector has been growing at an average annual growth rate of 4-6 per cent during the last six years. It grew by 3.0 per cent in 2021-22 compared to 3.3 per cent in 2020-21. In recent years, India has also rapidly emerged as the net exporter of agricultural products in 2020-21, exports of agriculture and allied products from India grew by 18 per cent over the previous year. During 2021-22, agricultural exports reached an all-time high of USD 50.2 billion. This period of buoyant performance could be ascribed to the measures taken by the Government to promote farmer-producer organisations, encourage crop diversification, and improve productivity in agriculture through support provided for mechanisation and the creation of the Agriculture Infrastructure Fund. Income support to farmers through the Pradhan Mantri Kisan Samman Nidhi (PM-KISAN) and the promotion of allied activities has led to diversification in sources of farmers' income, improving their resilience to weather shocks. The production of food grains and Oil seeds has been increasing Year-on Year (YOY). Production of pulses has also been notably higher than the average of 23.8 million tonnes in the last five years. Changing climate has been impacting agriculture adversely. The year 2022 witnessed an early heat wave during the wheat-harvesting season, adversely affecting its production. The year experienced a decline in the sown area for paddy cultivation too the Kharif season due to delayed monsoons and deficient rainfall.

Pradhan Mantri Kisan Samman Nidhi (PM-KISAN) scheme has been operationalised to specifically provide:

1. Scholarships to farmer's children
2. Income support to farmers
3. Crop insurance coverage for farmers
4. Pension to farm women

Options :

485584151649. 1
485584151650. 2
485584151651. 3
485584151652. 4

Question Number : 198 Question Id : 48558437913 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	Comp2

दिए गए अनुच्छेद को पढ़ें तथा प्रश्नों के उत्तर दें।

कृषि तथा कृषि संबंधी कार्यक्षेत्र ने खाद्य सुरक्षा को सुनिश्चित करते हुए देश की समग्र वृद्धि तथा विकास में सार्थक योगदान दिया है। पिछले छः वर्षों से भारतीय कृषि क्षेत्र 4.6% की औसत वार्षिक वृद्धि दर से वृद्धि कर रहा है। 2020-21 की 3.3% वृद्धि की तुलना में 2021-22 में 3.0 % हुई। हाल ही के वर्षों में, भारत कृषि उत्पादों के निर्यातों के रूप में तेजी से उभरा है। पिछले वर्ष की तुलना में, 2020-21 में भारत के कृषि तथा कृषि संबंधी उत्पादों के निर्यात में 18% की वृद्धि हुई। 2021-22 के दौरान, कृष्य निर्यात US \$50.2 बिलियन हमेशा से अधिक पहुँच गया। ऐसी उत्पादों पर प्रदर्शन वाली अवधि का श्रेय सरकार द्वारा किसान-उत्पादक संगठनों को प्रेरित करने, शस्य विविधता को प्रोत्साहन देने तथा कृषि में उत्पादकता के सुधार हेतु यांत्रिकरण और कृषि संरचनात्मक ढाँचे के लिए धन के सर्जन हेतु दिए गए अवलंब तथा किए गए उपायों को दिया जा सकता है। प्रधानमंत्री किसान सम्मान निधि (PM-KISAN) द्वारा किसानों को आय में सहायता देने तथा संबद्ध कार्यों के प्रोत्साहन द्वारा मौसमी आघातों के प्रति उनके लचीलेपन (सहन करने) में सुधार लाते हुए किसानों को, आय के विभिन्न स्रोतों की तरफ अग्रसर किया है। 2021-22 के लिए चौथे अग्रिम अनुमानिक खर्च के अनुसार खाद्यान्नों तथा तैलीय बीजों की उत्पादन वर्ष दर वर्ष (YOY) बढ़ रहा है। दलहन उत्पाद भी पिछले पाँच वर्षों के औसत उत्पादन 23.8 मिलियन टनों से सार्थक रूप से अधिक हुआ है। हालाँकि, पूर्व में दिए सूचक के अनुसार बदलती हुई जलवायु, कृषि पर विपरीत प्रभाव डाल रही है। वर्ष 2022 में गेहूँ की कटाई के समय में समयपूर्व ही गरमी की लहर को झेला गया जिससे उत्पादन पर विपरीत प्रभाव आया। इस वर्ष में खरीफ के मौसम में धान की फसल के लिए बुवाई क्षेत्र में ह्रास अनुभव किया गया जो कि विलंबित मानसून तथा वर्षावृष्टि में कमी के कारण हुआ।

प्रधानमंत्री किसान सम्मान निधि (PM-KISAN) योजना विशेषरूप से _____ प्रदान करने के लिए चलाई गई।

1. किसानों के बच्चों को छात्रवृत्ति देने के लिए
2. किसानों को आय का अवलंब प्रदान करने के लिए
3. किसानों को शस्य बीमा प्रदान करने के लिए
4. खेतिहर महिलाओं को पेंशन देने के लिए

Options :

485584151649. 1
485584151650. 2
485584151651. 3
485584151652. 4

Question Number : 199 Question Id : 48558437914 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	Comp2

Read the passage carefully and answer questions

The agriculture and allied activities sector significantly contributed to the country's overall growth and development by ensuring food security. The Indian agriculture sector has been growing at an average annual growth rate of 4-6 per cent during the last six years. It grew by 3.0 per cent in 2021-22 compared to 3.3 per cent in 2020-21. In recent years, India has also rapidly emerged as the net exporter of agricultural products in 2020-21, exports of agriculture and allied products from India grew by 18 per cent over the previous year. During 2021-22, agricultural exports reached an all-time high of USD 50.2 billion. This period of buoyant performance could be ascribed to the measures taken by the Government to promote farmer-producer organisations, encourage crop diversification, and improve productivity in agriculture through support provided for mechanisation and the creation of the Agriculture Infrastructure Fund. Income support to farmers through the Pradhan Mantri Kisan Samman Nidhi (PM-KISAN) and the promotion of allied activities has led to diversification in sources of farmers' income, improving their resilience to weather shocks. The production of food grains and Oil seeds has been increasing Year-one Year (YOY). Production of pulses has also been notably higher than the average of 23.8 million tonnes in the last five years. Changing climate has been impacting agriculture adversely. The year 2022 witnessed an early heat wave during the wheat-harvesting season, adversely affecting its production. The year experienced a decline in the sown area for paddy cultivation too the Kharif season due to delayed monsoons and deficient rainfall.

The average annual growth rate of the Indian agriculture sector during last six year had been:

1. 3%
2. 4.6%
3. 18%
4. 23.8%

Options :

485584151653. 1
485584151654. 2
485584151655. 3
485584151656. 4

Question Number : 199 Question Id : 48558437914 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	Comp2

दिए गए अनुच्छेद को पढ़ें तथा प्रश्नों के उत्तर दें।

कृषि तथा कृषि संबंधी कार्यक्षेत्र ने खाद्य सुरक्षा को सुनिश्चित करते हुए देश की समग्र वृद्धि तथा विकास में सार्थक योगदान दिया है। पिछले छः वर्षों से भारतीय कृषि क्षेत्र 4.6% की औसत वार्षिक वृद्धि दर से वृद्धि कर रहा है। 2020-21 की 3.3% वृद्धि की तुलना में 2021-22 में 3.0 % हुई। हाल ही के वर्षों में, भारत कृषि उत्पादों के निर्यातों के रूप में तेजी से उभरा है। पिछले वर्ष की तुलना में, 2020-21 में भारत के कृषि तथा कृषि संबंधी उत्पादों के निर्यात में 18% की वृद्धि हुई। 2021-22 के दौरान, कृष्य निर्यात US \$50.2 बिलियन हमेशा से अधिक पहुँच गया। ऐसी उत्पादों प्रदर्शन वाली अवधि का श्रेय सरकार द्वारा किसान-उत्पादक संगठनों को प्रेरित करने, शस्य विविधता को प्रोत्साहन देने तथा कृषि में उत्पादकता के सुधार हेतु पात्रीकरण और कृषि संरचनात्मक ढाँचे के लिए धन के सर्जन हेतु दिए गए अवलंब तथा किए गए उपायों को दिया जा सकता है। प्रधानमंत्री किसान सम्मान निधि (PM-KISAN) द्वारा किसानों को आय में सहायता देने तथा संबद्ध कार्यों के प्रोत्साहन द्वारा मौसमी आघातों के प्रति उनके लचीलेपन (सहन करने) में सुधार लाते हुए किसानों को, आय के विभिन्न स्रोतों की तरफ अग्रसर किया है। 2021-22 के लिए चौथे अग्रिम अनुमानिक खर्च के अनुसार खाद्यान्नों तथा तैलीय बीजों की उत्पादन वर्ष दर वर्ष (YOY) बढ़ रहा है। वलाहन उत्पाद भी पिछले पाँच वर्षों के औसत उत्पादन 23.8 मिलियन टनों से सार्थक रूप से अधिक हुआ है। हालाँकि, पूर्व में दिए सूचक के अनुसार बदलती हुई जलवायु, कृषि पर विपरीत प्रभाव डाल रही है। वर्ष 2022 में गेहूँ की कटाई के समय में समयपूर्व ही गरमी की लहर को झेला गया जिससे उत्पादन पर विपरीत प्रभाव आया। इस वर्ष में खरीफ के मौसम में धान की फसल के लिए बुवाई क्षेत्र में ह्रास अनुभव किया गया जो कि विलंबित मानसून तथा वर्षावृष्टि में कमी के कारण हुआ।

पिछले छः वर्षों में भारत के कृषि क्षेत्र का औसत वार्षिक वृद्धि दर _____ % रहा।

1. 3
2. 4.6
3. 18
4. 23.8

Options :

485584151653. 1
485584151654. 2
485584151655. 3
485584151656. 4

Question Number : 200 Question Id : 48558437915 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	Comp2

Read the passage carefully and answer questions

The agriculture and allied activities sector significantly contributed to the country's overall growth and development by ensuring food security. The Indian agriculture sector has been growing at an average annual growth rate of 4-6 per cent during the last six years. It grew by 3.0 per cent in 2021-22 compared to 3.3 per cent in 2020-21. In recent years, India has also rapidly emerged as the net exporter of agricultural products in 2020-21, exports of agriculture and allied products from India grew by 18 per cent over the previous year. During 2021-22, agricultural exports reached an all-time high of USD 50.2 billion. This period of buoyant performance could be ascribed to the measures taken by the Government to promote farmer-producer organisations, encourage crop diversification, and improve productivity in agriculture through support provided for mechanisation and the creation of the Agriculture Infrastructure Fund. Income support to farmers through the Pradhan Mantri Kisan Samman Nidhi (PM-KISAN) and the promotion of allied activities has led to diversification in sources of farmers' income, improving their resilience to weather shocks. The production of food grains and Oil seeds has been increasing Year-on Year (YOY). Production of pulses has also been notably higher than the average of 23.8 million tonnes in the last five years. Changing climate has been impacting agriculture adversely. The year 2022 witnessed an early heat wave during the wheat-harvesting season, adversely affecting its production. The year experienced a decline in the sown area for paddy cultivation too the Kharif season due to delayed monsoons and deficient rainfall.

In 2022, there was a decline in the sown area of paddy in the kharif season, primarily due to:

1. Delayed harvesting of wheat
2. Early heat wave
3. Early floods
4. Delayed monsoons

Options :

485584151657. 1
485584151658. 2
485584151659. 3
485584151660. 4

Question Number : 200 Question Id : 48558437915 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None
Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 5 Wrong Marks : 1

Question Key Details :

Key	Value
Comprehension	Comp2

दिए गए अनुच्छेद को पढ़ें तथा प्रश्नों के उत्तर दें।

कृषि तथा कृषि संबंधी कार्यक्षेत्र ने खाद्य सुरक्षा को सुनिश्चित करते हुए देश की समग्र वृद्धि तथा विकास में सार्थक योगदान दिया है। पिछले छः वर्षों से भारतीय कृषि क्षेत्र 4.6% की औसत वार्षिक वृद्धि दर से वृद्धि कर रहा है। 2020-21 की 3.3% वृद्धि की तुलना में 2021-22 में 3.0 % हुई। हाल ही के वर्षों में, भारत कृषि उत्पादों के निर्यातों के रूप में तेजी से उभरा है। पिछले वर्ष की तुलना में, 2020-21 में भारत के कृषि तथा कृषि संबंधी उत्पादों के निर्यात में 18% की वृद्धि हुई। 2021-22 के दौरान, कृष्य निर्यात US \$50.2 बिलियन हमेशा से अधिक पहुँच गया। ऐसी उत्पादों पर प्रदर्शन वाली अवधि का श्रेय सरकार द्वारा किसान-उत्पादक संगठनों को प्रेरित करने, शस्य विविधता को प्रोत्साहन देने तथा कृषि में उत्पादकता के सुधार हेतु पांजीकरण और कृषि संरचनात्मक ढाँचे के लिए धन के सर्जन हेतु दिए गए अवलंब तथा किए गए उपायों को दिया जा सकता है। प्रधानमंत्री किसान सम्मान निधि (PM-KISAN) द्वारा किसानों को आय में सहायता देने तथा संबद्ध कार्यों के प्रोत्साहन द्वारा मौसमी आघातों के प्रति उनके लचीलेपन (सहन करने) में सुधार लाते हुए किसानों को, आय के विभिन्न स्रोतों की तरफ अग्रसर किया है। 2021-22 के लिए चौथे अग्रिम अनुमानिक खर्च के अनुसार खाद्यान्नों तथा तैलीय बीजों की उत्पादन वर्ष दर वर्ष (YOY) बढ़ रहा है। दलहन उत्पाद भी पिछले पाँच वर्षों के औसत उत्पादन 23.8 मिलियन टनों से सार्थक रूप से अधिक हुआ है। हालाँकि, पूर्व में दिए सूचक के अनुसार बदलती हुई जलवायु, कृषि पर विपरीत प्रभाव डाल रही है। वर्ष 2022 में गेहूँ की कटाई के समय में समयपूर्व ही गरमी की लहर को झेला गया जिससे उत्पादन पर विपरीत प्रभाव आया। इस वर्ष में खरीफ के मौसम में धान की फसल के लिए बुवाई क्षेत्र में ह्रास अनुभव किया गया जो कि विलंबित मानसून तथा वर्षावृष्टि में कमी के कारण हुआ।

वर्ष 2022 में, खरीफ के मौसम में, धान के बुवाई क्षेत्र में ह्रास हुआ, जो मुख्यतः _____ के कारण था।

1. गेहूँ की विलंबित कटाई
2. समय से पूर्व ताप लहर
3. समय से पूर्व बाढ़
4. विलंबित मानसून

Options :

485584151657. 1
485584151658. 2
485584151659. 3
485584151660. 4

Biology

Group Number :	6
Group Id :	485584887
Group Maximum Duration :	45
Group Minimum Duration :	45
Show Attended Group? :	No
Edit Attended Group? :	No
Break time :	0
Group Marks :	200
Is this Group for Examiner? :	No
Examiner permission :	Cant View
Show Progress Bar? :	No

Biology

Section Id :	4855841027
Section Number :	1
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	50
Number of Questions to be attempted :	40
Section Marks :	200