

CUET UG 2023 Chemistry Question Paper PDF (May 25, 2023) (Shift 3)

- Number of coulombs required for the reduction of 1 mol of MnO_4^- to Mn^{2+} is
 (a) $1.93 \times 10^5 \text{C}$ (b) $4.825 \times 10^5 \text{C}$
 (c) $5.79 \times 10^5 \text{C}$ (d) $2.89 \times 10^5 \text{C}$
- Match List I with List II.

List I	List II
A. Zone refining	I. Titanium
B. Mond's process	II. Zinc
C. Electrolytic refining	III. Nickel
D. van-Arkel method	IV. Germanium

 (a) A-III, B-I, C-IV, D-II (b) A-IV, B-II, C-III, D-I
 (c) A-IV, B-III, C-II, D-I (d) A-II, B-IV, C-I, D-III
- The IUPAC name of the compound

$$\text{CH}_3 - \underset{\text{C}_2\text{H}_5}{\underset{\text{Br}}{\text{C}}} = \text{C} - \text{CH}_2\text{OH}$$
 is
 (a) 2-Bromo-3-methyl pent-2-en-1-ol
 (b) 2-Bromo-3-ethyl but-2-en-1-ol
 (c) 2-Bromo-3-methyl but-2-en-1-ol
 (d) 2-Ethyl-3-bromo but-2-en-1-ol
- According to Arrhenius rate equation, rate constant k is equal to $A \cdot e^{-E_a/RT}$. Which of the following options represents the graph of $\ln k$ vs $\frac{1}{T}$?
- Since physisorption arises mainly because of van der Waals forces, it means adsorption is : (pick the incorrect option)
 (a) Non-specific in nature
 (b) Reversible in nature
 (c) Multimolecular in layer
 (d) Enthalpy dependent
- A solution of copper sulphate cannot be stored in zinc vessel because
 (a) Copper is more reactive than zinc
 (b) Reduction potential of copper is less than zinc
 (c) Oxidation potential of copper is higher than zinc
 (d) Reduction potential of copper is higher than zinc
- Which of the following are the characteristics of chemisorption?
 A. Highly specific in nature
 B. Low activation energy
 C. High heat of adsorption
 D. Reversible in nature
 Choose the correct answer from the options given below:
 (a) A and D only (b) A and C only
 (c) B and D only (d) B and C only
- The molecular formula of dodecacarbonyltrimanganese(0)
 (a) $[\text{Mn}_2(\text{CO})_{11}]$ (b) $[\text{Mn}_3(\text{CO})_{12}]$
 (c) $[\text{Mn}_3(\text{CO})_{10}]$ (d) $[\text{Mn}_2(\text{CO})_{12}]$
- In the given equations (Note: equations are not balanced)

$$\text{Zn} + \text{Conc. HNO}_3 \rightarrow \text{Zn}(\text{NO}_3)_2 + \text{[x]} + \text{H}_2\text{O} \quad \dots(1)$$

$$\text{Zn} + \text{Dil. HNO}_3 \rightarrow \text{Zn}(\text{NO}_3)_2 + \text{[y]} + \text{H}_2\text{O} \quad \dots(2)$$
 the compounds x and y respectively are:
 (a) NO_2 and NO (b) NO_2 and NO_2
 (c) N_2O and NO_2 (d) NO_2 and N_2O
- The most effective electrolyte for the coagulation of $\text{Fe}_2\text{O}_3 \cdot \text{H}_2\text{O}/\text{Fe}^{3+}$ is
 A. AgCl B. FeCl_3
 C. MgCl_2 D. $\text{K}_4[\text{Fe}(\text{CN})_6]$
 E. KCl
 Choose the correct answer from the options given below:
 (a) A and B only (b) D only
 (c) E only (d) C only
- Which among the following are correctly matched?
 A. $\text{C}_6\text{H}_5\text{OCH}_2\text{CH}_3$ - Phenetole
 B. $\text{C}_6\text{H}_5\text{O}(\text{CH}_2)_6\text{CH}_3$ - Heptyl phenyl ether
 C. $\text{C}_6\text{H}_5\text{OCH}_3$ - Dimethyl ether
 D. $\text{C}_2\text{H}_5\text{OCH}_2\text{CH}_3$ - Methyl ethyl ether
 Choose the correct answer from the options given below:
 (a) A and B only (b) C and D only
 (c) A and C only (d) B and D only
- When Br_2 is treated with aqueous solution of NaF , NaCl , NaI separately
 (a) F_2 , Cl_2 , I_2 are liberated
 (b) Only F_2 and Cl_2 are liberated
 (c) Only Cl_2 is liberated
 (d) Only I_2 is liberated

13. In a pure crystal, the lattice point cannot be occupied by _____

(a) an atom (b) a molecule
(c) an ion (d) an electron

14. Out of the following compounds, which will give iodoform test.

A. Isopropyl alcohol
B. Isobutyl alcohol
C. Secondary butyl alcohol
D. Ethyl alcohol
E. Acetic Acid


Choose the correct answer from the options given below:

(a) A, B, D (b) A, C, D
(c) A, D (d) A, D, E


15. Oxidation of acetaldehyde with SeO_2 forms:

(a) Ethanoic acid (b) Methanolic acid
(c) Glyoxal (d) Oxalic acid

16. The product 'Y' in the following reaction sequence is



17. The synthesis of alkyl fluoride is best accomplished by the following reaction



The reaction is termed as:

(a) Swarts reaction (b) Finkelstein reaction
(c) Wurtz reaction (d) Fittig reaction

18. What is/are true regarding most of the medicines

A. They are colloidal in nature
B. Their particle size range from 1-1000 nm
C. They have large surface area
D. They are easily assimilated


Choose the correct answer from the options given below:

(a) A, B only (b) B, C only
(c) A, B, C only (d) A, B, C, D only





19. Mn_2O_7 , CrO and V_2O_5 respectively are:

(a) Acidic, amphoteric and basic
(b) Basic, acidic and amphoteric
(c) Amphoteric, basic and acidic
(d) Acidic, basic and amphoteric

20. $\text{H}_3\text{C}-\text{CH}-\text{CH}-\text{CH}_3 + \text{HBr} \rightarrow \text{A}$



A (predominantly) is



21. Match List I with List II

List I

List II

(van't Hoff factor)

A. $\text{K}_4[\text{Fe}(\text{CN})_6]$ I. 3
B. K_2SO_4 II. 0.5
C. CH_3COOH in benzene III. 5
D. KCl IV. 2

Choose the correct answer from the options given below:

(a) A-III, B-I, C-II, D-IV (b) A-III, B-I, C-IV, D-II
(c) A-II, B-I, C-III, D-IV (d) A-II, B-III, C-I, D-IV

22. Chlorine is extracted from brine by


(a) Oxidation (b) Leaching
(c) Distillation (d) Reduction

23. Match List I with List II: Match the test use for distinguishing the organic compounds


List I

List II

A. $(\text{CH}_3)_3\text{N}$, $\text{CH}_3\text{CH}_2\text{CH}_2\text{NH}_2$ I. Tollen's test
B. HCOOH , CH_3COOH II. Lucas test
C. $\text{CH}_3-\text{C}(=\text{O})-\text{CH}_2-\text{CH}_2\text{CH}_3$ III. Carbylamine test



- D. $\text{CH}-\text{CH}_2-\text{CH}_2-\text{CH}_2-\text{OH}$ IV. Iodoform test



Choose the correct answer from the options given below:

(a) A-I, B-II, C-III, D-IV (b) A-III, B-II, C-I, D-IV
(c) A-III, B-I, C-IV, D-II (d) A-III, B-IV, C-II, D-I

24. Match List I with List II

- | List-I | List-II |
|---|----------------------------|
| A. Mathematical expression for rate of reaction | I. rate constant |
| B. Rate of reaction for zero order reaction is equal to | II. rate law |
| C. Unit of rate constant for zero order reaction is same as that of | III. order of slowest step |
| D. Order of a complex reaction is determined by | IV. rate of reaction |

Choose the correct answer from the options given below:

- (a) A-III, B-IV, C-II, D-I (b) A-I, B-II, C-III, D-IV
 (c) A-II, B-I, C-IV, D-III (d) A-IV, B-III, C-I, D-II
25. Aryl halides do not undergo nucleophilic substitution reactions under ordinary conditions because
- approach of nucleophile is retarded
 - carbon carrying halogen atom is sp^3 hybridised
 - the substrate molecule is destabilised due to resonance
 - of partial double bond character between carbon and halogen.

Choose the correct answer from the options given below:

- (a) A and D only (b) B and C only
 (c) A and C only (d) B and D only
26. Arrange the given compounds in order of decreasing oxidation state of nitrogen

- A. N_2 B. NO C. HNO_3 D. NH_4Cl

Choose the correct answer from the options given below

- (a) $HNO_3 > NO > NH_4Cl > N_2$
 (b) $HNO_3 > NO > N_2 > NH_4Cl$
 (c) $HNO_3 > NH_4Cl > NO > N_2$
 (d) $NO > HNO_3 > NH_4Cl > N_2$

27. For a substance at a given temperature, the osmotic pressure of its concentrated solution

- Is same as that of dilute solution
- Is lower than that of dilute solution
- Is higher than that of dilute solution
- Cannot be compared with osmotic pressure of dilute solution






28. Match List I with List II

- | List I | List II |
|--------------------|--|
| A. Cubic cell | I. $\alpha = \beta = \gamma = 90^\circ$ |
| B. Monoclinic cell | II. $\alpha = \beta = 90^\circ, \gamma = 120^\circ$ |
| C. Triclinic cell | III. $\alpha = \gamma = 90^\circ, \beta \neq 90^\circ$ |
| D. Hexagonal cell | IV. $\alpha \neq \beta \neq \gamma \neq 90^\circ$ |

Choose the correct answer from the options given below:


- (a) A-I, B-III, C-II, D-IV (b) A-III, B-I, C-II, D-IV
 (c) A-III, B-I, C-IV, D-II (d) A-I, B-III, C-IV, D-II

29. The products X and Y for the below reaction are:



30. Isomerism shown by $[Co(NH_3)_3(NO_2)_3]$ is
- Cis and trans
 - Facial and meridional
 - Optical
 - Solvate


31. On the basis of the information available from the reaction



The minimum e.m.f. required to carry the electrolysis of Al_2O_3 is ($F = 96500 \text{ C mol}^{-1}$)


- 2.14 V
- 4.29 V
- 6.42 V
- 8.56 V

32. Identify the product 'X' in the following reaction:



- C_2H_4
- C_2H_6
- C_3H_8
- C_3H_6

33. Which of the following compound is most reactive towards nucleophilic addition reaction?



34. The activation energy for a reaction at a temperature T K was found to be $2.303 RT$ J/mol.

The ratio of the rate constant to Arrhenius factor is

- (a) 10^{-1} (b) 10^{-2}
(c) 2×10^{-2} (d) 2×10^{-3}
35. Which of the following hormone is responsible for the development of secondary female characteristic and participate in control of menstrual cycle?
- (a) Adrenal cortex (b) Estradiol
(c) Androgens (d) Progesterone
36. If two substances A and B have $P_A^\circ : P_B^\circ = 1 : 2$ and have mole fraction in the ratio 1 : 2, then mole fraction of A in vapours is
- (a) 0.33 (b) 0.2 (c) 0.25 (d) 0.52

37. Chemisorption has the following traits:

- A. High enthalpy of adsorption
B. Reversible
C. Favoured by high temperature
D. Requires low activation enthalpy

Choose the correct answer from the option given below:

- (a) A, B only (b) A, C only
(c) A, B, C only (d) A, B, D only

38. Match List I with List II

- | List I | List II |
|---|---|
| A. $\text{C}_6\text{H}_5\text{CHO}$ | I. Precipitation with 2, 4 DNP |
| B. $\text{CH}_3\text{C}\equiv\text{CH}$ | II. Precipitation with AgNO_3 (ammoniacal) |
| C. HCN | III. Nucleophile |
| D. I^- | IV. Cyanohydrin formation |

Choose the correct answer from the options given below:

- (a) A-I, B-II, C-III, D-IV (b) A-IV, B-III, C-II, D-I
(c) A-I, B-II, C-IV, D-III (d) A-II, B-III, C-I, D-IV





39. Match List I with List II

- | List I | List II |
|--------------------|---|
| A. XeF_6 | I. sp^3d^3 distorted octahedral |
| B. XeO_3 | II. sp^3d^2 square planar |
| C. XeOF_4 | III. sp^3 pyramidal |
| D. XeF_4 | IV. sp^3d^2 square pyramidal |

Choose the correct answer from the options given below:

- (a) A-I, B-III, C-IV, D-II (b) A-I, B-II, C-III, D-IV
(c) A-IV, B-III, C-I, D-II (d) A-II, B-III, C-IV, D-I

40. Predict the product for the following reaction :



DIRECTIONS : (Qs. 41 - 45) : Answer the following questions on the basis of passage given below :

In the periodic table, the d-block contains the elements of group 3 to 12. The d-orbitals are progressively filled in each of the four long periods. The elements of d-block referred as transition metals have partly filled d-orbitals and exhibit certain characteristic properties such as variety of oxidation states, states, formation of coloured ions, act as catalyst and show paramagnetic behaviour. The two inner transition metal series 4f and 5f are known as Lanthanoids and Actinoids respectively. The lanthanoids resemble one another more closely as compared to ordinary transition elements in any series.

41. The catalytic activity of transition metals and their compounds is ascribed mainly to

- (a) Their ability to adopt variable oxidation states
(b) Their chemical reactivity
(c) Their magnetic behaviour
(d) Their outer most orbital which has two electrons

42. In context of the Lanthanoids, which of the following statements is/are NOT correct?

- A. There is a gradual decrease in the radii of the members with increasing atomic number in the series
B. Availability of 4f electrons results in the formation of compounds in +4 oxidation state for all the members of the series.

- C. Because of similar properties, the separation of lanthanoids is not easy.
 D. $\text{La}(\text{OH})_3$ is least basic among hydroxides of lanthanoids.
 E. Ce^{2+} can act as an oxidising agent.

Choose the correct answer from the options given below:

- (a) A and E only (b) B and D only
 (c) C and D only (d) B and E only
43. The bonds present in the structure of dichromate ion are
 (a) Six equivalent Cr-O bonds and one O-O bond
 (b) Six equivalent Cr-O bonds and one Cr-Cr bond
 (c) Eight equivalent Cr-O bonds
 (d) Six equivalent Cr-O bonds and one Cr-O-Cr bond
44. For the four successive transition elements given below, the stability of +2 oxidation state will be

- A. Cr (Atomic number, $Z = 24$)
 B. Mn ($Z = 25$)
 C. Fe ($Z = 26$)
 D. Co ($Z = 27$)

Choose the correct answer from the options given below:

- (a) $\text{Cr} > \text{Mn} > \text{Co} > \text{Fe}$ (b) $\text{Mn} > \text{Fe} > \text{Cr} > \text{Co}$
 (c) $\text{Fe} > \text{Mn} > \text{Co} > \text{Cr}$ (d) $\text{Co} > \text{Mn} > \text{Fe} > \text{Cr}$
45. Highest oxidation state of manganese in fluoride is +4 (MnF_4) but highest oxidation state in oxides is +7 (Mn_2O_7) because
 (a) Fluorine is more electronegative than oxygen.
 (b) Fluorine does not possess d-orbitals.
 (c) Fluorine stabilises lower oxidation state.
 (d) Fluorine can form single bond only while oxygen forms double in covalent compounds.

DIRECTIONS : (Qs. 46 - 50) : Answer the following questions on the basis of passage given below :

Proteins are the polymers of about twenty different α -amino acids which are linked by peptide bonds. Proteins performs

various structural and dynamic functions in the organisms. Proteins which contain only α -amino acids are called simple proteins. The secondary or tertiary structure of proteins get disturbed on change of pH or temperature and they are not able to perform their function. This is called denature of proteins. Enzymes are biocatalysts which speed up the reaction in biosystems. Vitamins are accessory food factors required in the diet. They are classified as fat soluble (A, D, E and K) and water soluble (B group and C). Deficiency of vitamin leads to many diseases. Nucleic acids are the polymers of nucleotides which in turn consist of a base, a pentose sugar and phosphate moiety. Nucleic acids are responsible for the transfer of characters from parents of offsprings. There are two types of nucleic acids-DNA and RNA. DNA contains a five carbon sugar molecule called 2-deoxyribose whereas RNA contains ribose.

46. During denaturation of proteins.
 (a) Biological activity remains unaltered
 (b) 3° Structure remains unaltered
 (c) 2° Structure remains unaltered
 (d) 1° Structure remain unaltered
47. RNA and DNA differ due to presence/absence of oxygen at which carbon of sugar moiety?
 (a) 4th (b) 3rd (c) 2nd (d) 1st
48. Deficiency of which of following vitamins can cause scurvy (loosening and bleeding of gum)?
 (a) Vitamin A (b) Vitamin C
 (c) Vitamin D (d) Vitamin K
49. Which of the following is an essential amino acids?
 (a) Leucine (b) Glycine
 (c) Alanine (d) Aspartic acid
50. Which of the following vitamin cannot be stored in our body?
 (a) Vitamin D (b) Vitamin B₁₂
 (c) Vitamin K (d) Vitamin B₂

