



रेलवे भर्ती बोर्ड / RAILWAY RECRUITMENT BOARD  
सी ई एन नं. - 03/2024 / CEN No. - 03/2024



Test Date	22/04/2025
Test Time	2:30 PM - 4:30 PM
Subject	RRB JE Stage 2 Civil and Allied Engineering

\* Note  
Correct Answer will carry 1 mark per Question.  
Incorrect Answer will carry 1/3 Negative mark per Question.

1. Options shown in green color with a tick icon are correct.  
2. Chosen option on the right of the question indicates the option selected by the candidate.

Section : General Abilities

Q.1 Who among the following inaugurated the 38<sup>th</sup> National Games held in Dehradun in January 2025?

- Ans ☒ 1. Droupadi Murmu  
☒ 2. Pushkar Singh Dhami  
☒ 3. Narendra Modi  
☒ 4. Anurag Thakur

Q.2 The fine powder that is obtained from the modified and recycled form of plastic is called \_\_\_\_\_.

- Ans ☒ 1. polyethylene  
☒ 2. polystyrene  
☒ 3. polyblend  
☒ 4. polythene

Q.3 Which of the following is a characteristic difference between colloids and true solutions?

































- Ans ☒ 1. True solutions exhibit Brownian motion, but colloids do not.  
☒ 2. True solutions show the Tyndall effect, but colloids do not.  
☒ 3. True solutions have visible solute particles, whereas colloids have invisible dispersed particles.  
☒ 4. True solutions have a single-phase system, whereas colloids have a two-phase system.

Q.4 What is the shortcut key to start a slideshow from the beginning?

- Ans ☒ 1. Ctrl + P  
☒ 2. F5  
☒ 3. Shift + F5  
☒ 4. Alt + Tab

































Q.5 Which of the following is NOT a source of release of smokestacks?

































- Ans ☒ 1. Thermal power plants  
☒ 2. Rivers  
☒ 3. Industries  
☒ 4. Smelters

Q.6	What is India's global military ranking in the 2025 Global Firepower (GFP) index?
Ans	<div><div> 1. 4<sup>th</sup></div><div> 2. 2<sup>nd</sup></div><div> 3. 5<sup>th</sup></div><div> 4. 3<sup>rd</sup></div></div>
Q.7	In an electric circuit, what is the correct way to connect an ammeter?
Ans	<div><div> 1. In series with the component</div><div> 2. In parallel with the component</div><div> 3. In either series or parallel</div><div> 4. In parallel with the source</div></div>
Q.8	Which state of matter shows the highest expansion when temperature is increased?
Ans	<div><div> 1. Solids</div><div> 2. Liquids</div><div> 3. Gases</div><div> 4. Plasma</div></div>
Q.9	What is the primary purpose of using a firewall on a Personal Computer?
Ans	<div><div> 1. To clean up temporary files</div><div> 2. To increase storage space</div><div> 3. To speed up internet connectivity</div><div> 4. To block unauthorised access and protect the computer</div></div>
Q.10	If an object is dropped from rest, what will be its velocity after 15 seconds? (g = 9.8 m/s²)
Ans	<div><div> 1. 147 m/s</div><div> 2. 145 m/s</div><div> 3. 149 m/s</div><div> 4. 143 m/s</div></div>
Q.11	Which of the following companies announced plans in February 2025 to construct the world's longest undersea cable, aiming to enhance internet connectivity across five continents, with landing points in India?
Ans	<div><div> 1. Microsoft</div><div> 2. Google</div><div> 3. Amazon</div><div> 4. Meta</div></div>
Q.12	What is the maximum number of Ministers allowed in the Council of Ministers, including the Prime Minister, as per the 91 <sup>st</sup> Amendment Act?
Ans	<div><div> 1. 20% of Lok Sabha strength</div><div> 2. 15% of Lok Sabha strength</div><div> 3. 10% of Lok Sabha strength</div><div> 4. 12% of Lok Sabha strength</div></div>
Q.13	Which of the following is the correct way to insert a new column in a spreadsheet?
Ans	<div><div> 1. Go to Home &gt; Insert &gt; Insert Sheet Columns.</div><div> 2. Go to File &gt; New &gt; Column.</div><div> 3. Press Ctrl + X and then Insert.</div><div> 4. Use Ctrl + Z to insert a column.</div></div>

Q.14	What was the main objective of the Extremists during the Indian National Movement?
Ans	<div><div><div><div><div></div><div></div></div><div>✖</div><div>1. To expand the legislative councils</div></div><div><div><div><div></div><div></div></div><div>✖</div><div>2. To bring social reforms</div></div><div><div><div><div></div><div></div></div><div>✖</div><div>3. To promote British goods in India</div></div><div><div><div><div></div><div></div></div><div>✔</div><div>4. To attain complete independence (Swaraj)</div></div></div></div></div></div></div>
Q.15	According to the Tendulkar methodology, what was the estimated percentage of people below the poverty line in rural areas in 2011-12?
Ans	<div><div><div><div><div></div><div></div></div><div>✖</div><div>1. 15.5%</div></div><div><div><div><div></div><div></div></div><div>✖</div><div>2. 20%</div></div><div><div><div><div></div><div></div></div><div>✔</div><div>3. 25.7%</div></div><div><div><div><div></div><div></div></div><div>✖</div><div>4. 27.5%</div></div></div></div></div></div></div>
Q.16	Inertia depends on which property of an object?
Ans	<div><div><div><div><div></div><div></div></div><div>✖</div><div>1. Acceleration</div></div><div><div><div><div></div><div></div></div><div>✖</div><div>2. Velocity</div></div><div><div><div><div></div><div></div></div><div>✖</div><div>3. Shape</div></div><div><div><div><div></div><div></div></div><div>✔</div><div>4. Mass</div></div></div></div></div></div></div>
Q.17	Which of the following is NOT toxic to non-target organisms in the soil?
Ans	<div><div><div><div><div></div><div></div></div><div>✔</div><div>1. Organic fertilisers</div></div><div><div><div><div></div><div></div></div><div>✖</div><div>2. Herbicides</div></div><div><div><div><div></div><div></div></div><div>✖</div><div>3. Pesticides</div></div><div><div><div><div></div><div></div></div><div>✖</div><div>4. Fungicides</div></div></div></div></div></div></div>
Q.18	What is the first step to securing ones smartphone or tablet?
Ans	<div><div><div><div><div></div><div></div></div><div>✔</div><div>1. Setting a password/PIN-protected lock screen</div></div><div><div><div><div></div><div></div></div><div>✖</div><div>2. Installing more apps</div></div><div><div><div><div></div><div></div></div><div>✖</div><div>3. Turning off mobile data</div></div><div><div><div><div></div><div></div></div><div>✖</div><div>4. Using only free Wi-Fi networks</div></div></div></div></div></div></div>
Q.19	The phenomenon of multiple echoes due to repeated reflections is called _____.
Ans	<div><div><div><div><div></div><div></div></div><div>✖</div><div>1. diffraction</div></div><div><div><div><div></div><div></div></div><div>✖</div><div>2. resonance</div></div><div><div><div><div></div><div></div></div><div>✔</div><div>3. reverberation</div></div><div><div><div><div></div><div></div></div><div>✖</div><div>4. refraction</div></div></div></div></div></div></div>
Q.20	What is the primary function of the F4 key in MS Excel when editing a cell reference in a formula?
Ans	<div><div><div><div><div></div><div></div></div><div>✖</div><div>1. Opens the Find and Replace dialog</div></div><div><div><div><div></div><div></div></div><div>✔</div><div>2. Toggles between absolute and relative references</div></div><div><div><div><div></div><div></div></div><div>✖</div><div>3. Repeats the last action</div></div><div><div><div><div></div><div></div></div><div>✖</div><div>4. Refreshes the worksheet</div></div></div></div></div></div></div>
Q.21	The glass panel used in greenhouses is known to retain _____.
Ans	<div><div><div><div><div></div><div></div></div><div>✔</div><div>1. heat</div></div><div><div><div><div></div><div></div></div><div>✖</div><div>2. humidity</div></div><div><div><div><div></div><div></div></div><div>✖</div><div>3. pH</div></div><div><div><div><div></div><div></div></div><div>✖</div><div>4. rainfall</div></div></div></div></div></div></div>

Q.22	Which of the following <b>CANNOT</b> be considered as a measure to control global warming?
Ans	<div><div><input checked="" type="checkbox"/> 1. Causing deforestation</div><div><input type="checkbox"/> 2. Reduction in emission of greenhouse gases</div><div><input type="checkbox"/> 3. Efficiently using energy</div><div><input type="checkbox"/> 4. Cutting down use of fossil fuel</div></div>
Q.23	The primary agent that helps in the decomposition of biodegradable matter in domestic sewage is _____.
Ans	<div><div><input type="checkbox"/> 1. chloride</div><div><input type="checkbox"/> 2. phosphate</div><div><input checked="" type="checkbox"/> 3. bacterium</div><div><input type="checkbox"/> 4. nitrate</div></div>
Q.24	Why does a bee sting cause pain and irritation?
Ans	<div><div><input type="checkbox"/> 1. The sting injects a mild sugar solution.</div><div><input type="checkbox"/> 2. The sting contains a strong base.</div><div><input checked="" type="checkbox"/> 3. The sting injects methanoic acid.</div><div><input type="checkbox"/> 4. The sting releases carbon dioxide gas.</div></div>
Q.25	What is the purpose of the Collation option in the Print settings?
Ans	<div><div><input type="checkbox"/> 1. To adjust the page orientation</div><div><input type="checkbox"/> 2. To select a custom print range</div><div><input type="checkbox"/> 3. To change the printer selection</div><div><input checked="" type="checkbox"/> 4. To print all the pages of a document as a set</div></div>
Q.26	The Rudra Veena is predominantly associated with which genre of Hindustani music?
Ans	<div><div><input type="checkbox"/> 1. Ghazal</div><div><input type="checkbox"/> 2. Khayal</div><div><input type="checkbox"/> 3. Thumri</div><div><input checked="" type="checkbox"/> 4. Dhrupad</div></div>
Q.27	If you want the primary recipient to see that others have received a copy of an email, you should enter their email addresses in the _____ field.
Ans	<div><div><input checked="" type="checkbox"/> 1. Cc</div><div><input type="checkbox"/> 2. Subject</div><div><input type="checkbox"/> 3. Bcc</div><div><input type="checkbox"/> 4. To</div></div>
Q.28	If the absolute refractive index of a medium is less than 1, it means _____.
Ans	<div><div><input type="checkbox"/> 1. the medium absorbs all light</div><div><input type="checkbox"/> 2. light travels slower in that medium than in vacuum</div><div><input checked="" type="checkbox"/> 3. light travels faster in that medium than in vacuum</div><div><input type="checkbox"/> 4. the medium is a perfect reflector</div></div>
Q.29	Dr. BR Ambedkar described which part of the Indian Constitution as its ‘novel features’, while Granville Austin referred to it as the ‘Conscience of the Constitution’?
Ans	<div><div><input type="checkbox"/> 1. Preamble</div><div><input type="checkbox"/> 2. Fundamental Duties</div><div><input checked="" type="checkbox"/> 3. Directive Principles of State Policy</div><div><input type="checkbox"/> 4. Fundamental Rights</div></div>

Q.30	Which of the following correctly represents the chemical formula of a compound formed by aluminium and sulphate ions?
Ans	<div><div> 1. <math>\text{Al}_2(\text{SO}_4)_3</math></div><div> 2. <math>\text{Al}_3(\text{SO}_4)_2</math></div><div> 3. <math>\text{Al}(\text{SO}_4)_3</math></div><div> 4. <math>\text{Al}_2\text{SO}_4</math></div></div>
Q.31	Which official in the Gupta administration was responsible for peace and war matters?
Ans	<div><div> 1. Mahadandanayaka</div><div> 2. Sandhi-Vigrahika</div><div> 3. Mahapratihara</div><div> 4. Vishayapati</div></div>
Q.32	What is the net force acting on an object if balanced forces are applied?
Ans	<div><div> 1. Infinite</div><div> 2. Equal to acceleration</div><div> 3. Zero</div><div> 4. Equal to the mass of the object</div></div>
Q.33	Which of the following is NOT a component of a CPU?
Ans	<div><div> 1. Hard Disk</div><div> 2. Cache Memory</div><div> 3. Control Unit (CU)</div><div> 4. Arithmetic Logic Unit (ALU)</div></div>
Q.34	Which Article provides Ministers the right to participate in parliamentary proceedings but without voting rights?
Ans	<div><div> 1. Article 53</div><div> 2. Article 77</div><div> 3. Article 88</div><div> 4. Article 78</div></div>
Q.35	Which of the following cities hosted the inaugural Kho Kho World Cup in January 2025?
Ans	<div><div> 1. New Delhi</div><div> 2. Chennai</div><div> 3. Mumbai</div><div> 4. Kolkata</div></div>
Q.36	Identify the correct formula for the compound formed between $\text{Mg}^{2+}$ and $\text{PO}_4^{3-}$ ions.
Ans	<div><div> 1. <math>\text{Mg}_2(\text{PO}_4)_3</math></div><div> 2. <math>\text{Mg}_3(\text{PO}_4)_2</math></div><div> 3. <math>\text{Mg}(\text{PO}_4)_3</math></div><div> 4. <math>\text{MgPO}_4</math></div></div>
Q.37	Which of the following states is NOT covered under the Atal Bhujal Yojana?
Ans	<div><div> 1. Maharashtra</div><div> 2. Uttar Pradesh</div><div> 3. Rajasthan</div><div> 4. Jharkhand</div></div>

Q.38	What does PCB stand for?
Ans	<div><div> 1. Processing Circuit Board</div><div> 2. Primary Control Board</div><div> 3. Peripheral Connection Bus</div><div> 4. Printed Circuit Board</div></div>
Q.39	Which of the following correctly explains why clothes dry faster on a windy day?
Ans	<div><div> 1. Wind decreases the temperature of the water molecules.</div><div> 2. Wind reduces the surface area of the clothes.</div><div> 3. Wind increases the humidity around the clothes.</div><div> 4. Wind removes the water vapour from the clothes' surroundings.</div></div>
Q.40	In which of the following regions the Himalayas has the greatest width?
Ans	<div><div> 1. Himachal Pradesh</div><div> 2. Arunachal Pradesh</div><div> 3. Kashmir</div><div> 4. Sikkim</div></div>
Q.41	The practice of Jhum cultivation is prevalent in the _____.
Ans	<div><div> 1. South east</div><div> 2. North east</div><div> 3. South west</div><div> 4. North west</div></div>
Q.42	The energy that is derived from the use of radioactive isotopes is termed as _____.
Ans	<div><div> 1. solar energy</div><div> 2. geothermal energy</div><div> 3. thermal energy</div><div> 4. nuclear energy</div></div>
Q.43	What is the approximate pH of a neutral salt solution?
Ans	<div><div> 1. Depends on the temperature</div><div> 2. Equal to 7</div><div> 3. More than 7</div><div> 4. Less than 7</div></div>
Q.44	Which defect of vision occurs due to the weakening of ciliary muscles with age?
Ans	<div><div> 1. Presbyopia</div><div> 2. Astigmatism</div><div> 3. Hypermetropia</div><div> 4. Myopia</div></div>
Q.45	The Millennium Development Goals (MDGs) aimed to reduce extreme poverty by which year?
Ans	<div><div> 1. 2008</div><div> 2. 2005</div><div> 3. 2014</div><div> 4. 2015</div></div>

Q.46	The Industrial Policy Resolution of 1956 categorised industries into how many groups?
Ans	<div><div><div>✖</div><div>1. Nine</div></div><div><div>✖</div><div>2. Seven</div></div><div><div>✔</div><div>3. Three</div></div><div><div>✖</div><div>4. Five</div></div></div>
Q.47	What happens when a computer is put into Sleep mode?
Ans	<div><div><div>✖</div><div>1. It stores data on the hard drive and powers off.</div></div><div><div>✔</div><div>2. It keeps the session active in RAM while using minimal power.</div></div><div><div>✖</div><div>3. It shuts down completely.</div></div><div><div>✖</div><div>4. It restarts automatically after a few minutes.</div></div></div>
Q.48	What happens when an acid reacts with a metal oxide?
Ans	<div><div><div>✔</div><div>1. A salt and water are formed.</div></div><div><div>✖</div><div>2. Only water is formed.</div></div><div><div>✖</div><div>3. A salt and hydrogen gas are formed.</div></div><div><div>✖</div><div>4. Only salt is formed.</div></div></div>
Q.49	The main use of chlorofluorocarbons is in _____.
Ans	<div><div><div>✔</div><div>1. refrigerants</div></div><div><div>✖</div><div>2. smog</div></div><div><div>✖</div><div>3. chimneys</div></div><div><div>✖</div><div>4. vehicles</div></div></div>
Q.50	The maximum sound is generated _____.
Ans	<div><div><div>✖</div><div>1. from industrial smoke</div></div><div><div>✖</div><div>2. from vehicular emissions</div></div><div><div>✔</div><div>3. by the take off of a jet plane</div></div><div><div>✖</div><div>4. from house chimneys</div></div></div>

Section : Technical Abilities	
Q.1	Which type of footing is preferred for closely spaced columns in a row?
Ans	<div><div><div>✔</div><div>1. Continuous footing</div></div><div><div>✖</div><div>2. Combined footing</div></div><div><div>✖</div><div>3. Strap footing</div></div><div><div>✖</div><div>4. Isolated footing</div></div></div>
Q.2	Which of the following sensors on board of the Indian Remote Sensing satellites is capable of monitoring dynamic phenomenon such as forest fire?
Ans	<div><div><div>✖</div><div>1. PAN</div></div><div><div>✖</div><div>2. LISS I</div></div><div><div>✔</div><div>3. WiFS</div></div><div><div>✖</div><div>4. MOS</div></div></div>
Q.3	Which of the following statements about traffic marking classification is INCORRECT?
Ans	<div><div><div>✖</div><div>1. Longitudinal markings regulate lane discipline and provide guidance to drivers.</div></div><div><div>✖</div><div>2. Transverse markings include stop lines, pedestrian crossings and yield lines.</div></div><div><div>✔</div><div>3. Yellow markings are exclusively used for regulatory purposes, while white markings are only used for guidance.</div></div><div><div>✖</div><div>4. Object markings are used to indicate fixed roadside obstacles like medians and bridge piers.</div></div></div>





























Q.4	Which type of footing is most commonly used when a column is placed near a property boundary, restricting footing extension on one side?
Ans	<div><div><input checked="" type="checkbox"/></div>1. Strap footing</div> <div><div><input type="checkbox"/></div>2. Isolated footing</div> <div><div><input type="checkbox"/></div>3. Combined footing</div> <div><div><input type="checkbox"/></div>4. Mat footing</div>
Q.5	A Location Plan is also called a:
Ans	<div><div><input checked="" type="checkbox"/></div>1. Key Plan</div> <div><div><input type="checkbox"/></div>2. Survey Plan</div> <div><div><input type="checkbox"/></div>3. Site Plan</div> <div><div><input type="checkbox"/></div>4. Master Plan</div>
Q.6	The term 'eccentric footing' refers to a footing:
Ans	<div><div><input checked="" type="checkbox"/></div>1. placed off-centre relative to the column</div> <div><div><input type="checkbox"/></div>2. shared by multiple columns</div> <div><div><input type="checkbox"/></div>3. used for machine foundations</div> <div><div><input type="checkbox"/></div>4. having a circular shape</div>
Q.7	Which of the following boundary conditions for a column results in the lowest effective length factor (K)?
Ans	<div><div><input checked="" type="checkbox"/></div>1. Both ends fixed</div> <div><div><input type="checkbox"/></div>2. One end fixed and the other free</div> <div><div><input type="checkbox"/></div>3. One end fixed and the other pinned</div> <div><div><input type="checkbox"/></div>4. Both ends pinned</div>
Q.8	According to the Bureau of Indian Standards, IS 12894:2002, clay and silt in sand for pulverized fuel-ash lime bricks should preferably be:
Ans	<div><div><input type="checkbox"/></div>1. 11-15%</div> <div><div><input type="checkbox"/></div>2. 16-20%</div> <div><div><input type="checkbox"/></div>3. 6-10%</div> <div><div><input checked="" type="checkbox"/></div>4. 0-5%</div>
Q.9	Which of the following is NOT a desirable characteristic of a good formwork?
Ans	<div><div><input type="checkbox"/></div>1. Should provide a smooth surface finish</div> <div><div><input type="checkbox"/></div>2. Should be easily handled and removed</div> <div><div><input type="checkbox"/></div>3. Should be rigid and strong</div> <div><div><input checked="" type="checkbox"/></div>4. Should be highly absorbent to absorb excess water</div>
Q.10	Which type of window sill is best suited for areas prone to heavy rainfall?
Ans	<div><div><input checked="" type="checkbox"/></div>1. Sloped sill</div> <div><div><input type="checkbox"/></div>2. Vertical sill</div> <div><div><input type="checkbox"/></div>3. Horizontal sill</div> <div><div><input type="checkbox"/></div>4. Flat sill</div>
Q.11	A finish of rich concrete made with very hard and tough quality coarse aggregate such as granite, basalt, quartzite, etc. is known as ____ finish.
Ans	<div><div><input type="checkbox"/></div>1. ceramic</div> <div><div><input type="checkbox"/></div>2. terrazzo</div> <div><div><input type="checkbox"/></div>3. monolithic</div> <div><div><input checked="" type="checkbox"/></div>4. granolithic</div>



Q.12	In a reinforced concrete beam, what should the spacing of vertical stirrups be in terms of effective depth, to ensure adequate shear reinforcement as per IS 456:2000?
Ans	<div><div><input checked="" type="checkbox"/></div>1. It should not exceed 0.75 times the effective depth (d) of the beam.</div> <div><div><input type="checkbox"/></div>2. It should not exceed twice the effective depth (d) of the beam.</div> <div><div><input type="checkbox"/></div>3. It should not exceed the effective depth (d) of the beam.</div> <div><div><input type="checkbox"/></div>4. It should not exceed 1.5 times the effective depth (d) of the beam.</div>
Q.13	A building section drawing does NOT give which of the following information?
Ans	<div><div><input type="checkbox"/></div>1. Height of the structure</div> <div><div><input type="checkbox"/></div>2. Foundation used for the structure</div> <div><div><input checked="" type="checkbox"/></div>3. Length and width of the rooms</div> <div><div><input type="checkbox"/></div>4. Type of materials used for the structure</div>
Q.14	Which keyboard shortcut is used to toggle wireframe mode in 3ds Max?
Ans	<div><div><input checked="" type="checkbox"/></div>1. F3</div> <div><div><input type="checkbox"/></div>2. Ctrl + W</div> <div><div><input type="checkbox"/></div>3. W</div> <div><div><input type="checkbox"/></div>4. Shift + X</div>
Q.15	In the three envelope system of tender submission, the first envelope contains:
Ans	<div><div><input type="checkbox"/></div>1. technical bid</div> <div><div><input checked="" type="checkbox"/></div>2. documents related to eligibility criteria</div> <div><div><input type="checkbox"/></div>3. financial bid</div> <div><div><input type="checkbox"/></div>4. documents related to estimation of construction work</div>
Q.16	For a column with one end fixed and the other end hinged, what is the effective length factor K?
Ans	<div><div><input type="checkbox"/></div>1. 0.5</div> <div><div><input type="checkbox"/></div>2. 1.0</div> <div><div><input type="checkbox"/></div>3. 2.0</div> <div><div><input checked="" type="checkbox"/></div>4. 0.7</div>
Q.17	Which of the following components of the Autodesk Civil 3D 2024 user interface provides access to file-related commands such as creating, opening, printing, exporting and publishing files?
Ans	<div><div><input type="checkbox"/></div>1. Command Line</div> <div><div><input type="checkbox"/></div>2. Toolspace Window</div> <div><div><input checked="" type="checkbox"/></div>3. Application Menu</div> <div><div><input type="checkbox"/></div>4. Ribbon</div>
Q.18	If the width of a rectangular notch is doubled, then the discharge will _____.
Ans	<div><div><input checked="" type="checkbox"/></div>1. double</div> <div><div><input type="checkbox"/></div>2. become half</div> <div><div><input type="checkbox"/></div>3. remain the same</div> <div><div><input type="checkbox"/></div>4. increase by three times</div>
Q.19	Expanded polystyrene (EPS) is commonly used in the construction of:
Ans	<div><div><input type="checkbox"/></div>1. reinforced concrete</div> <div><div><input type="checkbox"/></div>2. structural steel</div> <div><div><input checked="" type="checkbox"/></div>3. thermal insulation panels</div> <div><div><input type="checkbox"/></div>4. electrical wiring</div>

Q.20	Which of the following is a major combustible component of biogas?
Ans	<div><div><input type="checkbox"/></div>1. Carbon dioxide</div> <div><div><input type="checkbox"/></div>2. Hydrogen sulphide</div> <div><div><input checked="" type="checkbox"/></div>3. Methane</div> <div><div><input type="checkbox"/></div>4. Butane</div>
Q.21	A light pole is held in place by three tensioned cables forming angles of 60°, 75°, and 45° with each other at a common point. Assuming equilibrium, which theorem helps to determine the tensions in the cables?
Ans	<div><div><input type="checkbox"/></div>1. Varignon's theorem</div> <div><div><input type="checkbox"/></div>2. Parallel axis theorem</div> <div><div><input checked="" type="checkbox"/></div>3. Lami's theorem</div> <div><div><input type="checkbox"/></div>4. Newton's second law</div>
Q.22	What are beams fabricated using rolled plates called?
Ans	<div><div><input checked="" type="checkbox"/></div>1. Plate girders</div> <div><div><input type="checkbox"/></div>2. Castellated beams</div> <div><div><input type="checkbox"/></div>3. Hybrid beams</div> <div><div><input type="checkbox"/></div>4. Composite beams</div>
Q.23	Why is proper drainage essential for subgrade soil in highway pavements?
Ans	<div><div><input checked="" type="checkbox"/></div>1. To prevent moisture retention and strength reduction</div> <div><div><input type="checkbox"/></div>2. To reduce erosion</div> <div><div><input type="checkbox"/></div>3. To increase soil temperature</div> <div><div><input type="checkbox"/></div>4. To allow easy mixing with cement</div>
Q.24	Which of the following statements is true regarding a fixed beam?
Ans	<div><div><input checked="" type="checkbox"/></div>1. The deflection and slope at the fixed end are zero.</div> <div><div><input type="checkbox"/></div>2. A fixed beam is always supported on more than two supports.</div> <div><div><input type="checkbox"/></div>3. A fixed beam does not experience end moments</div> <div><div><input type="checkbox"/></div>4. The deflection at the fixed ends is zero, but the slope is not zero.</div>
Q.25	Which of the following is NOT a type of drilling equipment?
Ans	<div><div><input type="checkbox"/></div>1. Truck mounted drill</div> <div><div><input type="checkbox"/></div>2. Jack hammer</div> <div><div><input type="checkbox"/></div>3. Drifters</div> <div><div><input checked="" type="checkbox"/></div>4. Excavator</div>
Q.26	Which method is most commonly used for placing concrete in high-rise buildings?
Ans	<div><div><input type="checkbox"/></div>1. Direct placement using wheelbarrows</div> <div><div><input type="checkbox"/></div>2. Hand mixing and placing</div> <div><div><input type="checkbox"/></div>3. Pouring concrete from a height without any control</div> <div><div><input checked="" type="checkbox"/></div>4. Pumping method</div>
Q.27	Which of the following statements about manometric head is correct?
Ans	<div><div><input checked="" type="checkbox"/></div>1. It is the effective head that accounts for losses.</div> <div><div><input type="checkbox"/></div>2. It represents only the suction head of a pump.</div> <div><div><input type="checkbox"/></div>3. It does not include friction losses.</div> <div><div><input type="checkbox"/></div>4. It is a constant value for all pumps.</div>

Q.28	The correct relationship between Modulus of Elasticity (E) and Shear Modulus (G) is given by:
Ans	<div><div><input type="checkbox"/></div>1. <math>E = 3G(1-2\mu)</math></div> <div><div><input type="checkbox"/></div>2. <math>E = G(1+\mu)</math></div> <div><div><input type="checkbox"/></div>3. <math>E = G(1+2\mu)</math></div> <div><div><input checked="" type="checkbox"/></div>4. <math>E = 2G(1+\mu)</math></div>

Q.36	The vertical downward movement of a structure's base is known as ____.
Ans	<div><div> 1. Deformation</div><div> 2. Deflection</div><div> 3. Depression</div><div> 4. Settlement</div></div>
Q.37	Which of the following represents an engineer's scale?
Ans	<div><div> 1. 1 in 10</div><div> 2. 1/5000</div><div> 3. 1 cm = 10 m</div><div> 4. 2%</div></div>
Q.38	The devices for harnessing solar energy are usually coated with:
Ans	<div><div> 1. anti-reflective coating</div><div> 2. anti-glare coating</div><div> 3. carbide coating</div><div> 4. titanium oxide coating</div></div>
Q.39	Pointing is a process carried out in:
Ans	<div><div> 1. stucco walls</div><div> 2. plastered masonry walls</div><div> 3. exposed masonry walls</div><div> 4. wattle and daub walls</div></div>
Q.40	Escalator balustrades are primarily designed to:
Ans	<div><div> 1. protect users from falling</div><div> 2. support the weight of steps</div><div> 3. improve aesthetics</div><div> 4. house control panels</div></div>
Q.41	The aggregate crushing value in accordance with IS 2386 Part IV, 1963, shall not exceed ____ for concrete for wearing surfaces such as runways, roads and pavements.
Ans	<div><div> 1. 35%</div><div> 2. 45%</div><div> 3. 30%</div><div> 4. 50%</div></div>
Q.42	As per general conditions of the contract, the security money deposited by the contractor is:
Ans	<div><div> 1. 20% of the estimated cost</div><div> 2. 10% of the estimated cost</div><div> 3. 2% of the estimated cost</div><div> 4. 5% of the estimated cost</div></div>

Q.43 Where is the centre of gravity of a solid cone located?

- Ans
- ☐ 1. At a height  $\frac{h}{2}$  from the base along the axis
  - ☐ 2. At the geometric centre of the base
  - ☒ 3. At a height  $\frac{h}{4}$  from the base along the axis
  - ☐ 4. At the apex of the cone

Q.44 In polymer-modified concrete (PMC), the role of the polymer component is to:

- Ans
- ☐ 1. increase setting time significantly
  - ☒ 2. reduce water permeability and increase flexibility
  - ☐ 3. reduce strength and durability
  - ☐ 4. increase brittleness

Q.45 What is the function of the 'Layer Manager' in Autodesk 3ds Max?

- Ans
- ☒ 1. To control object visibility and manage scene organisation
  - ☐ 2. To assign materials to object
  - ☐ 3. To group objects together
  - ☐ 4. To add cameras to the scene

Q.46 Select the pair in which the words present the same relationship to each other as the words of the given pair.

Approximate quantity estimate : Running meter length : : Cube rate estimate :

- Ans
- ☐ 1. plinth area
  - ☒ 2. cubical content
  - ☐ 3. cost of one room
  - ☐ 4. area content

Q.47 Which structural component of a bridge directly supports the superstructure and transfers the load to the foundation?

- Ans
- ☐ 1. Deck
  - ☐ 2. Expansion Joints
  - ☐ 3. Bearings
  - ☒ 4. Piers

Q.48 Which type of stone masonry uses stones of uniform size and shape?

































- Ans
- ☐ 1. Dry masonry
  - ☒ 2. Ashlar masonry
  - ☐ 3. Random rubble
  - ☐ 4. Coursed rubble

Q.49 The whole circle bearing and the reduced bearing of a line will be the same when the line is in the \_\_\_\_\_ quadrant.

- Ans
- ☐ 1. north-west
  - ☒ 2. north-east
  - ☐ 3. south-east
  - ☐ 4. south-west

Q.50	In plastering of surfaces, the process of hacking is done to ensure:
Ans	<div><div><input type="checkbox"/></div><div>1. that the surface is smooth and free from all laitance</div></div> <div><div><input checked="" type="checkbox"/></div><div>2. bonding between the surface and the plaster</div></div> <div><div><input type="checkbox"/></div><div>3. that the materials of plaster are mixed to a correct consistency</div></div> <div><div><input type="checkbox"/></div><div>4. that the moisture content is retained in the plaster mix</div></div>
Q.51	A point on the picture plane where all the parallel lines appear to converge is called:
Ans	<div><div><input type="checkbox"/></div><div>1. station point</div></div> <div><div><input checked="" type="checkbox"/></div><div>2. vanishing point</div></div> <div><div><input type="checkbox"/></div><div>3. eye level point</div></div> <div><div><input type="checkbox"/></div><div>4. angle of vision point</div></div>
Q.52	The moment of force depends on which factors?
Ans	<div><div><input type="checkbox"/></div><div>1. The speed of rotation</div></div> <div><div><input type="checkbox"/></div><div>2. Only the distance from the point of rotation</div></div> <div><div><input checked="" type="checkbox"/></div><div>3. Both force magnitude and perpendicular distance</div></div> <div><div><input type="checkbox"/></div><div>4. Only the magnitude of the force</div></div>
Q.53	Which of the following factors would most likely decrease surface runoff?
Ans	<div><div><input type="checkbox"/></div><div>1. Removal of vegetation</div></div> <div><div><input type="checkbox"/></div><div>2. High intensity rainfall</div></div> <div><div><input type="checkbox"/></div><div>3. Impervious surfaces like roads and buildings</div></div> <div><div><input checked="" type="checkbox"/></div><div>4. Permeable soil and vegetation cover</div></div>
Q.54	Cracks in buildings caused by vegetation are because of:
Ans	<div><div><input type="checkbox"/></div><div>1. moisture due to transpiration of vegetation</div></div> <div><div><input type="checkbox"/></div><div>2. the removal of vegetation leading to dry conditions</div></div> <div><div><input type="checkbox"/></div><div>3. dense branches of trees adjacent to the building</div></div> <div><div><input checked="" type="checkbox"/></div><div>4. the roots of trees very close to the building</div></div>
Q.55	What is the main advantage of a raft foundation?
Ans	<div><div><input type="checkbox"/></div><div>1. Reduces column spacing</div></div> <div><div><input checked="" type="checkbox"/></div><div>2. Settlement is uniform</div></div> <div><div><input type="checkbox"/></div><div>3. Easier to construct</div></div> <div><div><input type="checkbox"/></div><div>4. Cheaper than other foundations</div></div>
Q.56	Which of the following will NOT prevent cracks resulting from sulphate attack?
Ans	<div><div><input checked="" type="checkbox"/></div><div>1. Use of bricks containing high percentage of soluble salts</div></div> <div><div><input type="checkbox"/></div><div>2. Use of sulphate resistant cement in building works</div></div> <div><div><input type="checkbox"/></div><div>3. Use of rich cement mortar or concrete in building works</div></div> <div><div><input type="checkbox"/></div><div>4. Provision of damp proofing to maintain dry conditions</div></div>
Q.57	Borosilicate glass is used in the manufacture of laboratory equipment and cooking utensils due to what property?
Ans	<div><div><input checked="" type="checkbox"/></div><div>1. It can withstand high temperatures.</div></div> <div><div><input type="checkbox"/></div><div>2. It can be moulded into curved shapes.</div></div> <div><div><input type="checkbox"/></div><div>3. It is a clear glass and does not obscure vision.</div></div> <div><div><input type="checkbox"/></div><div>4. It is a strong glass and resists breakage.</div></div>

Q.58	The foundation settlement caused by lowering of water level in fine grained soils is _____.
Ans	<div><div>✓</div>1. consolidation</div> <div><div>✗</div>2. elastic compression</div> <div><div>✗</div>3. erosion</div> <div><div>✗</div>4. plastic compression</div>
Q.59	For a thin rod of length L, rotating about its center, the radius of gyration is:
Ans	<div><div>✗</div>1. <math>L</math></div> <div><div>✓</div>2. <math>\frac{L}{\sqrt{12}}</math></div> <div><div>✗</div>3. <math>\frac{L}{\sqrt{3}}</math></div> <div><div>✗</div>4. <math>\frac{L}{\sqrt{2}}</math></div>
Q.60	In the moment distribution method, how is the distribution factor (DF) for a structural member at a joint determined?
Ans	<div><div>✗</div>1. By multiplying the stiffness of the considered member at a joint with the total stiffness of all the members meeting at that joint</div> <div><div>✗</div>2. By dividing the total stiffness of all the members meeting at a joint by the stiffness of the considered member</div> <div><div>✗</div>3. By adding the stiffness of the considered member at a joint by the total stiffness of all the members meeting at that joint</div> <div><div>✓</div>4. By dividing the stiffness of the considered member at a joint by the total stiffness of all the members meeting at that joint</div>
Q.61	Soil is composed of three layers of height 'h' m each. The permeability of layers are k, 2k, and k respectively. The equivalent permeability in vertical direction is:
Ans	<div><div>✓</div>1. <math>\frac{6k}{5}</math></div> <div><div>✗</div>2. <math>\frac{5}{2}k</math></div> <div><div>✗</div>3. <math>\frac{2k}{5}</math></div> <div><div>✗</div>4. <math>4k</math></div>
Q.62	What is the typical ratio of cement, sand and aggregate for RCC (M20 grade)?
Ans	<div><div>✗</div>1. 1 : 4 : 8</div> <div><div>✗</div>2. 1 : 2 : 3</div> <div><div>✗</div>3. 1 : 3 : 6</div> <div><div>✓</div>4. 1 : 1.5 : 3</div>
Q.63	In a reciprocating pump, which of the following options connects the piston to the crankshaft?
Ans	<div><div>✗</div>1. Bearings</div> <div><div>✗</div>2. Suction pipe</div> <div><div>✗</div>3. Delivery pipe</div> <div><div>✓</div>4. Connecting rod</div>
Q.64	Which type of reinforcement is called the main reinforcement in a one-way slab?
Ans	<div><div>✗</div>1. Top reinforcement supported along the longer span</div> <div><div>✗</div>2. Top reinforcement provided in the transverse direction</div> <div><div>✗</div>3. Bottom reinforcement placed in the longer span direction</div> <div><div>✓</div>4. Bottom reinforcement provided in the shorter span direction</div>

Q.65	Which type of scaffolding is used for painting tall buildings?
Ans	<div><div> 1. Suspended scaffolding</div><div> 2. Cantilever scaffolding</div><div> 3. Double scaffolding</div><div> 4. Single scaffolding</div></div>
Q.66	Which tool is used for breaking hard surfaces during excavation?
Ans	<div><div> 1. Pickaxe</div><div> 2. Crowbar</div><div> 3. Rake</div><div> 4. Spade</div></div>
Q.67	What is the role of impact force in the soil compaction process?
Ans	<div><div> 1. It increases soil permeability.</div><div> 2. It reduces the void spaces by sudden compression.</div><div> 3. It creates a uniform soil texture.</div><div> 4. It helps to retain moisture.</div></div>
Q.68	The raw material for slate tile roofing is _____.
Ans	<div><div> 1. straw</div><div> 2. metal</div><div> 3. mud</div><div> 4. stone</div></div>
Q.69	Which of the following is NOT true with respect to structural cracks?
Ans	<div><div> 1. Pose significant risk to the stability of the building.</div><div> 2. Generally the damage is difficult to rectify or repair.</div><div> 3. Caused by changes in moisture, etc. on building materials.</div><div> 4. Caused by overloading of the structural components.</div></div>
Q.70	Which of the following is the full form of PENT or PETN, an explosive used in tunneling and military applications?
Ans	<div><div> 1. Pentane Energy Nitrate</div><div> 2. Polyethylene Nitrogen Trinitrate</div><div> 3. Pyrotechnic Explosive Nitrogen Trigger</div><div> 4. Pentaerythritol Tetranitrate</div></div>
Q.71	Which of the following types of beams is used for lightly loaded beams such as roof purlins and sheeting rails?
Ans	<div><div> 1. Angles sections</div><div> 2. Castellated beams</div><div> 3. Box girders</div><div> 4. Plate girders</div></div>
Q.72	Which type of roller is most suitable for compacting cohesive soils?
Ans	<div><div> 1. Vibratory roller</div><div> 2. Smooth wheel roller</div><div> 3. Pneumatic roller</div><div> 4. Sheep foot roller</div></div>



Q.73 Which of the following is the correct expression for the bending equation in pure bending?

(Where M = Bending moment, I = Moment of inertia of the cross-section about the neutral axis, f = Bending stress at a distance y from the neutral axis, y = Distance from the neutral axis, E = Modulus of elasticity, and R = Radius of curvature of the beam)

- Ans
- ☒ 1.  $\frac{M}{I} = \frac{f}{y} = \frac{R}{E}$
  - ☒ 2.  $\frac{I}{M} = \frac{f}{y} = \frac{E}{R}$
  - ☒ 3.  $\frac{M}{I} = \frac{f}{y} = \frac{E}{R}$
  - ☒ 4.  $\frac{M}{I} = \frac{y}{f} = \frac{E}{R}$

Q.74 A prismatic bar of length 'L' and cross-sectional area 'A' is subjected to an axial tensile load 'P'. What is the maximum stress induced in the bar?

- Ans
- ☒ 1.  $\frac{2P}{A}$
  - ☒ 2.  $\frac{P}{A}$
  - ☒ 3.  $\frac{P}{L}$
  - ☒ 4.  $\frac{P}{2A}$

Q.75 For a cantilever beam of length 'L' subjected to a uniformly distributed load (UDL) w (kN/m) over its entire length, what is the bending moment at the fixed end?

- Ans
- ☒ 1.  $\frac{WL^2}{4}$
  - ☒ 2.  $\frac{WL}{2}$
  - ☒ 3.  $\frac{WL^2}{2}$
  - ☒ 4.  $\frac{WL}{4}$

Q.76 Which type of scaffolding is most suitable for stone masonry work?

- Ans
- ☒ 1. Single scaffolding
  - ☒ 2. Cantilever scaffolding
  - ☒ 3. Suspended scaffolding
  - ☒ 4. Double scaffolding

Q.77	What is the primary load that a lintel resists?
Ans	<div><div><input type="checkbox"/></div>1. Shear load</div> <div><div><input checked="" type="checkbox"/></div>2. Bending load</div> <div><div><input type="checkbox"/></div>3. Axial load</div> <div><div><input type="checkbox"/></div>4. Lateral load</div>
Q.78	The quantity of flooring is measured in:
Ans	<div><div><input type="checkbox"/></div>1. m<sup>3</sup> and the length, breadth and height are taken as outside dimensions from wall to wall of superstructure</div> <div><div><input checked="" type="checkbox"/></div>2. m<sup>2</sup> and the length and breadth are taken as inside dimensions from wall to wall of superstructure</div> <div><div><input type="checkbox"/></div>3. m<sup>2</sup> and the length and breadth are taken as outside dimensions from wall to wall of superstructure</div> <div><div><input type="checkbox"/></div>4. m<sup>3</sup> and the length, breadth and height are taken as inside dimensions from wall to wall of superstructure</div>
Q.79	What is the primary function of a pile cap in a deep foundation?
Ans	<div><div><input type="checkbox"/></div>1. To reduce the length of piles</div> <div><div><input type="checkbox"/></div>2. To prevent water ingress into the foundation</div> <div><div><input checked="" type="checkbox"/></div>3. To distribute loads evenly among piles</div> <div><div><input type="checkbox"/></div>4. To improve aesthetic appearance</div>
Q.80	If the retaining wall moves away from the backfill, the value of coefficient of Rankine's earth pressure is given by:
Ans	<div><div><input type="checkbox"/></div>1. (1 – sin φ)</div> <div><div><input type="checkbox"/></div>2. (1 + sin φ)</div> <div><div><input type="checkbox"/></div>3. <math>\frac{(1 + \sin \varphi)}{(1 - \sin \varphi)}</math></div> <div><div><input checked="" type="checkbox"/></div>4. <math>\frac{(1 - \sin \varphi)}{(1 + \sin \varphi)}</math></div>
Q.81	What happens when the rate of precipitation is greater than the rate of infiltration?
Ans	<div><div><input type="checkbox"/></div>1. Rivers and lakes start to evaporate faster</div> <div><div><input type="checkbox"/></div>2. Groundwater recharge occurs</div> <div><div><input type="checkbox"/></div>3. Evaporation stops completely</div> <div><div><input checked="" type="checkbox"/></div>4. Surface runoff increases</div>
Q.82	The basic principle of surveying, 'working from whole part', is best represented by which of the following options?
Ans	<div><div><input type="checkbox"/></div>1. One can finish the traverse survey quickly.</div> <div><div><input checked="" type="checkbox"/></div>2. If an accurate basic control is established first, large errors can be prevented and minor ones controlled and localised.</div> <div><div><input type="checkbox"/></div>3. Easiness in surveying.</div> <div><div><input type="checkbox"/></div>4. It helps to continue the work during the second day of surveying.</div>
Q.83	Which fastening system is commonly used with concrete sleepers in Indian Railways?
Ans	<div><div><input checked="" type="checkbox"/></div>1. Elastic Rail Clip</div> <div><div><input type="checkbox"/></div>2. Dog Spike</div> <div><div><input type="checkbox"/></div>3. Fang Bolt</div> <div><div><input type="checkbox"/></div>4. Fish Plate</div>
Q.84	Identify the tool NOT used for stone dressing:
Ans	<div><div><input type="checkbox"/></div>1. Splitting chisel</div> <div><div><input checked="" type="checkbox"/></div>2. Pestle</div> <div><div><input type="checkbox"/></div>3. Mash hammer</div> <div><div><input type="checkbox"/></div>4. Dressing knife</div>

Q.85	Which soil type is least suitable for shallow foundations?
Ans	<div><div><input type="checkbox"/></div>1. Silty clay</div> <div><div><input type="checkbox"/></div>2. Fine sand</div> <div><div><input checked="" type="checkbox"/></div>3. Black cotton soil</div> <div><div><input type="checkbox"/></div>4. Coarse sand</div>
Q.86	The pointing that facilitates easy draining of water is _____.
Ans	<div><div><input type="checkbox"/></div>1. beaded pointing</div> <div><div><input type="checkbox"/></div>2. recessed pointing</div> <div><div><input type="checkbox"/></div>3. tuck pointing</div> <div><div><input checked="" type="checkbox"/></div>4. struck pointing</div>
Q.87	Which of the following is NOT an effect of a force applied to a body?
Ans	<div><div><input type="checkbox"/></div>1. Change in direction of motion</div> <div><div><input type="checkbox"/></div>2. Change in shape</div> <div><div><input checked="" type="checkbox"/></div>3. Change in mass</div> <div><div><input type="checkbox"/></div>4. Change in motion</div>
Q.88	As per IS 10262:2009, what is the maximum mixing water content per unit volume of concrete for 20 mm nominal maximum size angular coarse aggregate, considering a slump range of 25 to 50 mm?
Ans	<div><div><input checked="" type="checkbox"/></div>1. 186 kg/m<sup>3</sup></div> <div><div><input type="checkbox"/></div>2. 250 kg/m<sup>3</sup></div> <div><div><input type="checkbox"/></div>3. 200 kg/m<sup>3</sup></div> <div><div><input type="checkbox"/></div>4. 150 kg/m<sup>3</sup></div>
Q.89	Which of the following commands is used in Autodesk 3ds Max to create a new scene?
Ans	<div><div><input type="checkbox"/></div>1. Edit -&gt; New Scene</div> <div><div><input type="checkbox"/></div>2. Create -&gt; Scene Setup</div> <div><div><input checked="" type="checkbox"/></div>3. File -&gt; New</div> <div><div><input type="checkbox"/></div>4. File -&gt; Open</div>
Q.90	Which is the correct sequence for preparation of the surface for new pointing work?
Ans	<div><div><input type="checkbox"/></div>1. Wetting surface and joints; Raking Joints; Cleaning surface and joints</div> <div><div><input type="checkbox"/></div>2. Cleaning surface and joints; Raking joints; Wetting surface and joints</div> <div><div><input checked="" type="checkbox"/></div>3. Raking joints; Cleaning surface and joints; Wetting surface and joints</div> <div><div><input type="checkbox"/></div>4. Cleaning surface and joints; Wetting surface and joints; Raking joints</div>
Q.91	Which of the following statements are correct with respect to estimation of water tanks?  A: Water proofing compounds are added in plaster of water tank walls. B: Item particulars in estimate of water tanks, does not include estimate of ladder to be built around it. C: When the vertical and horizontal walls of tanks meet, a sloping structure is built at their intersection, this is called haunching. D: When the vertical and horizontal walls of tanks meet, a sloping structure is built at their intersection, this is called soling.
Ans	<div><div><input type="checkbox"/></div>1. A and D</div> <div><div><input type="checkbox"/></div>2. B and C</div> <div><div><input checked="" type="checkbox"/></div>3. A and C</div> <div><div><input type="checkbox"/></div>4. B and D</div>

Q.92	What is a particle board made up of?
Ans	<div><div><div>✖</div><div>1. Layers of odd number veneers glued under pressure</div></div><div><div>✖</div><div>2. Wood fibres and synthetic resin moulded together</div></div><div><div>✖</div><div>3. Strips of thin wood glued between two veneers</div></div><div><div>✔</div><div>4. Wood chips in a binder pressed under heat/pressure</div></div></div>
Q.93	Half round country tiles are laid in pairs of _____.
Ans	<div><div><div>✖</div><div>1. lap tile and overlap tile</div></div><div><div>✖</div><div>2. bottom tile and crown tile</div></div><div><div>✔</div><div>3. under tile and over tile</div></div><div><div>✖</div><div>4. base tile and covering tile</div></div></div>
Q.94	How does adding more fine aggregate affect the properties of Ready Mix Concrete (RMC)?
Ans	<div><div><div>✖</div><div>1. Improves compressive strength directly</div></div><div><div>✖</div><div>2. Enhances resistance to freezing and thawing</div></div><div><div>✖</div><div>3. Increases setting time</div></div><div><div>✔</div><div>4. Increases workability</div></div></div>
Q.95	How is the design shear strength of concrete ( $\tau_c$ ) influenced by the percentage ( $p_t$ ) of tensile reinforcement in a beam?
Ans	<div><div><div>✖</div><div>1. Decreases with an increase in tensile reinforcement percentage</div></div><div><div>✖</div><div>2. Increases up to 2% of tension reinforcement and decreases if the tension reinforcement exceeds 2%</div></div><div><div>✔</div><div>3. Increases with an increase in tensile reinforcement percentage</div></div><div><div>✖</div><div>4. Remains constant regardless of tensile reinforcement percentage</div></div></div>
Q.96	In a singly reinforced beam, the reinforcement is provided in which zone?
Ans	<div><div><div>✖</div><div>1. Entire cross-section</div></div><div><div>✖</div><div>2. Both tension and compression zones</div></div><div><div>✔</div><div>3. Only tension zone</div></div><div><div>✖</div><div>4. Only compression zone</div></div></div>
Q.97	Which of the following states in India has the maximum potential for wind energy?
Ans	<div><div><div>✖</div><div>1. Punjab</div></div><div><div>✔</div><div>2. Gujarat</div></div><div><div>✖</div><div>3. Himachal Pradesh</div></div><div><div>✖</div><div>4. Uttar Pradesh</div></div></div>
Q.98	Shooting concrete under pressure with hose pipe and nozzle to repair damaged concrete areas is known as _____.
Ans	<div><div><div>✖</div><div>1. curing</div></div><div><div>✖</div><div>2. sealing</div></div><div><div>✖</div><div>3. concreting</div></div><div><div>✔</div><div>4. guniting</div></div></div>
Q.99	In planning a residence, the principle of orientation is adopted to ensure:
Ans	<div><div><div>✖</div><div>1. beautiful aesthetic appearance of the residence</div></div><div><div>✖</div><div>2. rooms are oriented to achieve the required privacy</div></div><div><div>✔</div><div>3. natural elements are used effectively in the design</div></div><div><div>✖</div><div>4. proper sanitation and hygiene in the residence</div></div></div>

**Q.100** Which of the following environmental factors negatively affects the durability of concrete?

- Ans**
- ✔ 1. High temperature and humidity variations
  - ✗ 2. Dry conditions with proper curing done
  - ✗ 3. Stable temperature with no moisture changes
  - ✗ 4. Well-ventilated surroundings